imarketing.courses

CONTENTSYSTEM.AI

MODULE 11.3

Engineering *Virality*

The advanced split-testing method. A six-step loop, six variables, two platform playbooks, and one move at the center most operators do not know about: Frankensteining.

imarketing.courses

MODULE 11.3

Engineering *Virality*

The previous module gave you the core split-testing system. This is the advanced, formalized version, with one new move at the center that most operators do not know about: **frankensteining**. By the end of this module, you will have a six-step loop that turns one viral video into a repeatable engine, and you will know exactly how to run it differently on TikTok versus Instagram.

The core principle is the shift this method delivers. You are no longer hoping a video goes viral. **You are engineering virality through data, testing, and iteration.** Every post is a test. Every test produces data. The data feeds the next test. The loop never ends, it only compounds. That is what separates an operator who hits one viral video from an operator who hits viral videos on purpose, again and again.

"You stop posting and hoping. You start engineering."

The six-step loop

1

STEP ONE

Volume is the foundation.

Post **two to three times daily, every single day, no exceptions**. Volume is the only way to gather data fast enough to know what is actually working. Without volume you have nothing to test against, because you do not have enough posts to see any clear pattern. Before you start, research competitors in your niche, copy what is already working, and add your product. **That is your starting baseline.**

2

STEP TWO

Find the outlier.

The signal you are hunting for is **a single video that outperforms everything else by a wide margin**. Concretely: if your average post is getting 700 to 2K views and one suddenly hits 10K, that 10K video is your outlier. **Do not move to the next step until you have a clear outlier.** Without one, there is nothing meaningful to test.

3

STEP THREE

Split test the outlier.

Take the outlier and run controlled variants of it. **Change one variable at a time, only one, never two.** Run four versions simultaneously, each changing exactly one thing. If you change two things at once and the new video does well, you do not know which change drove the result. **One change per variant means every result is clean data.**

4

STEP FOUR

Find the best version and dissect it.

One of your variants will pull ahead, often landing in the **50K to 100K view range**. That is your winner. Save it immediately. Then dissect it. What made the first three seconds work? Was the sound trending? Did the text hook stop the scroll? Did the visual hook do the work? **The point is not just that you have a winner, the point is to understand why it won**, because that understanding feeds the next round.

5

STEP FIVE · THE CENTERPIECE

Frankensteining.

The move most operators do not know about, and what makes the whole loop compound. **Take the proven winning elements from multiple videos and combine them into one.** The best text hook from one, the best sound from another, the best visual hook from a third, the best background from a fourth, all stitched into a single new video. **Every component going into the frankenstein is already proven to perform on its own.** That combined video now has the highest possible chance of going viral, because nothing in it is a guess. It is a video assembled entirely out of winners.

6

STEP SIX

Repeat the loop.


Your frankensteined winner is not the finish line. **It becomes the new baseline.** Run fresh split tests against it, still one variable at a time, and keep going. Each round, the baseline you are testing against gets stronger, because it is already a stack of winners. **After enough rounds you are not asking whether videos will go viral, you are asking which of your already-viral formats to push hardest this week.**

imarketing.courses

"Volume ↠ outlier ↠ split test ↠ identify the winner ↠ frankenstein ↠ repeat."

How frankensteining actually works

The diagram below shows the move in its simplest form. Four source videos, each contributing the one element it proved best at, merged into a single output video where **every part is already a proven winner**.



THE FRANKENSTEIN

One video assembled entirely out of winners.

No element is a guess. **Each one is already proven to perform on its own.** That is why a properly frankensteined video has the highest possible chance of going viral. You are not betting on a concept, you are stacking proofs.

What you can split test

You have **six variables** to test, and you should only ever change one per variant. These refine the variable list from Module 11.2 with two additions specifically for advanced testing.

imarketing.courses

1
Text hook
The words on screen in the first two seconds. What the viewer reads before deciding to keep watching.

2
Video hook
The first three seconds visually. The opening frame and what happens in those first beats.

3
Sound
Trending audio vs. original vs. voiceover. The audio choice changes how the whole video reads.

4
Background
Where the video is set. The room, the setting, the environment around the product.

5
Angles
Camera distance and framing of the product. How close, how wide, what angle it is viewed from.

6
Flow
Pacing, cuts, transitions, and structure. How the video moves from one moment to the next.

These are your levers. Work through them in your variants, and over time you will learn which levers move the biggest for the products and audiences you are running.

Platform differences: TikTok and Instagram are not the same

The single biggest mistake operators make running this system is running it identically across platforms. **TikTok and Instagram reward different things**, and your testing approach should reflect that.

imarketing.courses

PLATFORM · TIKTOK

TikTok

Test new concepts constantly. Variety wins.

TikTok rewards variety. The platform pushes a fresh angle harder than a tired one, so **change hooks, angles, sounds, and backgrounds freely**. Because this is AI organic, "fresh" does not mean recording anything new. It means **generating new variants**.

Always generate genuinely fresh content for TikTok rather than recycling old material. The outlier threshold here is simple: **one video noticeably above your average views**.

PLATFORM · INSTAGRAM

Instagram

Stick to one winning concept. Depth wins.

Instagram rewards sticking to one winning concept, not jumping between concepts. First, **repost your TikTok videos onto Instagram to find your outlier fast**. TikTok is the discovery engine. Instagram is where you double down on what already worked.

Once you find an Instagram outlier, **re-generate the winner at higher quality** (Instagram favors polished, clean reels), and then split test only within that winning concept. **Do not abandon a concept on Instagram just because it is working. Push it.**

THE SHORT VERSION

TikTok rewards variety, so test new concepts there constantly. **Instagram rewards depth on a winner**, so find your outlier fast (often by pulling TikTok winners over), upgrade the quality, and stay inside the winning concept while you split test smaller things.

"Run it the way it is described, and you stop posting and hoping. You start engineering."