


Avaliação 07

Aluno: Mateus Pereira Santos e Pedro Henrique Santos
Rodrigues

Arquivo Docker-Compose



```
1 version: "3.7"
2 services:
3   db:
4     image: mysql
5     container_name: mysql-container
6     command: --default-authentication-plugin=mysql_native_password
7     environment:
8       MYSQL_ROOT_PASSWORD: programadorabordo
9     volumes:
10      - ./api/db/data:/var/lib/mysql
11     restart: always
12   api:
13     build: "./api"
14     container_name: node-container
15     restart: always
16     volumes:
17      - ./api:/home/node/app
18     ports:
19      - "9001:9001"
20     depends_on:
21      - db
22   web:
23     image: "php:7.2-apache"
24     container_name: php-container
25     restart: always
26     volumes:
27      - ./website:/var/www/html
28     ports:
29      - "8888:80"
30     depends_on:
31      - db
32      - api
33
```

Deseja instalar as extensões recomendadas para docker-compose.yml?

Instalar Mostrar as Recomendações

Iniciando containers com o docker compose

```
mateus@DESKTOP-R109AJR: ~/docker-introducao-master
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker compose up -d
[+] Running 3/3
  Container mysql-container   Started
  Container node-container    Started
  Container php-container     Started
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
72905be35d9e	php:7.2-apache	"docker-php-entrypoi..."	7 minutes ago	Up 5 seconds	0.0.0.0:8888->80/tcp	php-container
e2cb199e2a76	docker-introducao-master_api	"docker-entrypoint.s..."	7 minutes ago	Up 6 seconds	0.0.0.0:9001->9001/tcp	node-container
5e4b141046f0	mysql	"docker-entrypoint.s..."	7 minutes ago	Up 7 seconds	3306/tcp, 33060/tcp	mysql-container

```
mateus@DESKTOP-R109AJR:~/docker-introducao-master$
```


Rodando scripts do sql

```
mateus@DESKTOP-R109AJR: ~/docker-introducao-master
[+] Building 1.3s (6/6) FINISHED
=> [internal] load build definition from Dockerfile 0.0s
=> => transferring dockerfile: 31B 0.0s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> [internal] load metadata for docker.io/library/node:10-slim 1.2s
=> [1/2] FROM docker.io/library/node:10-slim@sha256:88932859e3d022d79161b99628c4c2c50e836437455e2d1b1a008d98367b 0.0s
=> CACHED [2/2] WORKDIR /home/node/app 0.0s
=> exporting to image 0.0s
=> => exporting layers 0.0s
=> => writing image sha256:b3fb72d12d7c7d278f02d889bfb8e790ec453be3769b9e5bb958278be7438588 0.0s
=> => naming to docker.io/library/docker-introducao-master_api 0.0s


Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them
[+] Running 3/3
  Container mysql-container Started 2.1s
  Container node-container Started 2.6s
  Container php-container Started 4.2s
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS                               NAMES
6428da99eb26   php:7.2-apache                    "docker-php-entrypoi..." 59 seconds ago Up 54 seconds 0.0.0.0:8888->80/tcp   php-container
18cd5d70845d   docker-introducao-master_api      "docker-entrypoint.s..." 59 seconds ago Up 55 seconds 0.0.0.0:9001->9001/tcp node-container
228a97c7c33a   mysql                              "docker-entrypoint.s..." About a minute ago Up 57 seconds 3306/tcp, 33060/tcp   mysql-container

mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker exec -i mysql-container mysql -uroot -pprogramadorabordo < api/db/script.sql
mysql: [Warning] Using a password on the command line interface can be insecure.
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker exec -i mysql-container mysql -uroot -pprogramadorabordo < api/db/script.sql
mysql: [Warning] Using a password on the command line interface can be insecure.
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker exec -i mysql-container mysql -uroot -pprogramadorabordo < api/db/script.sql
mysql: [Warning] Using a password on the command line interface can be insecure.
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker exec -i mysql-container mysql -uroot -pprogramadorabordo < api/db/script.sql
mysql: [Warning] Using a password on the command line interface can be insecure.
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker exec -i mysql-container mysql -uroot -pprogramadorabordo < api/db/script.sql
mysql: [Warning] Using a password on the command line interface can be insecure.
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker exec -i mysql-container mysql -uroot -pprogramadorabordo < api/db/script.sql
mysql: [Warning] Using a password on the command line interface can be insecure.
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker compose stop
[+] Running 3/3
  Container php-container Stopped 2.6s
  Container node-container Stopped 10.7s
  Container mysql-container Stopped 1.6s
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker compose -d up
unknown shorthand flag: 'd' in -d
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ sudo docker compose up -d
[+] Running 3/3
  Container mysql-container Started 1.9s
  Container node-container Started 3.3s
  Container php-container Started 4.3s
mateus@DESKTOP-R109AJR:~/docker-introducao-master$ docker exec -i mysql-container mysql -uroot -pprogramadorabordo < api/db/script.sql
mysql: [Warning] Using a password on the command line interface can be insecure.
mateus@DESKTOP-R109AJR:~/docker-introducao-master$
```

API Node rodando



Aplicação PHP rodando



Produto	Preço
Curso Front-end especialista	2500
Curso JS Fullstack	900

