

AIAP Pilot Readiness Pack

Governed launch criteria, approvals, evidence records, and fail-closed decision log

AIAP Release 6.5 | August 2026

Version-matched to the AIAP Core Working Paper v6.5 (Canonical Edition), Normative Assurance Standard v6.5, and Pilot and Validation Protocol v6.5.

Purpose boundary: this pack prepares and records a governed pilot launch. Completion does not constitute ethics approval, institutional authorization, preregistration, conformance, or empirical validation.

Contents

How to use this pack	3
1. Release identity, authority, and scope	3
2. Thirteen-condition pilot-readiness gate	4
3. Empirical and analysis readiness	5
4. Assessment-event, prompt, and attribution readiness	6
5. Rights, accessibility, governance, and operational readiness	7
6. Launch decision, controls, sign-off, and requalification	8

How to use this pack

Complete it after the Core and Standard have been understood and before recruitment, data collection, or consequential claims. Link every answer to a controlled local record. A blank, unsupported, expired, or contradicted entry is not a pass. The decision owner must refuse launch where authority, rights, validity, accessibility, security, capacity, or governance prerequisites are unresolved.

1. Release identity, authority, and scope

Field	Required record
Protocol and release	AIAP Release 6.5; local assessment and pilot version identifiers.
Pilot title and scope	Pilot phase (Phase 1 feasibility/measurement or Phase 2 multi-institution comparator), programme(s), module(s), assessment(s), claim(s), lane(s), modality, population, dates, and sites; record the criterion for progressing between phases.
Decision authority	Named institutional owner authorized to approve, pause, narrow, or stop the pilot.
Ethics / research approval	Approval reference and conditions, or explicit not-approved status.
Assessment authority	Programme/board approval for any live assessment use; research approval does not substitute for it.
Data-controller / governance owner	Named data-governance authority, lawful/institutional basis, security class, and incident owner.
Independent challenge	Named reviewer or review body sufficiently independent of design and delivery.
Publication boundary	Null, adverse, burden, accessibility, privacy, security, and withdrawal findings remain reportable.

Launch boundary. No status in this pack may be represented as proof that AIAP is empirically validated, legally compliant in every jurisdiction, or authorized for a use outside the recorded scope.

2. Thirteen-condition pilot-readiness gate

Record PASS, PASS_WITH_CONTROLS, FAIL, or NOT_ASSESSED for each condition. Any FAIL or NOT_ASSESSED blocks launch. PASS_WITH_CONTROLS requires a named control, owner, monitoring evidence, expiry, and failure action.

Gate	Condition	Status	Evidence / control record
G01	Claim map approved	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G02	Prompt security governed	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G03	Parallel-form equivalence supported or explicitly bounded	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G04	Submission-authentication interval justified	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G05	Assessor qualification and calibration	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G06	Reviewer and panel capacity	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G07	Independence and conflicts controlled	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G08	Accessible equivalent route operational	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G09	Appeal and second-review route operational	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G10	Data governance approved	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G11	Capacity-degradation fallback declared	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G12	Threat model acceptable	NOT_ASSESSED	Evidence pointer / control / owner / expiry
G13	No unresolved high-severity exception	NOT_ASSESSED	Evidence pointer / control / owner / expiry

Overall decision formula. PASS is returned only when all thirteen conditions are PASS. PASS_WITH_CONTROLS is returned only when at least one condition is PASS_WITH_CONTROLS and none is FAIL or NOT_ASSESSED. Any other state is NOT_READY.

3. Empirical and analysis readiness

- ☐ Primary research questions are fixed before outcomes are known: reliability/decision consistency; incremental and generalization validity; feasibility/equity/privacy/decision utility.
- ☐ Primary score statistic and primary decision evidence are preregistered; sensitivity statistics are not promoted after results are known.
- ☐ Primary estimand, precision target, sample-size method, planned subgroup counts, and stopping/continuation rules are specified.
- ☐ Construct map names the load-bearing competence components: explain, defend, verify, adapt, and/or transfer.
- ☐ An independent criterion addresses the same construct; its limitations, timing, blinding, reliability, and contamination risk are recorded.
- ☐ Comparator is specified and compared on construct coverage, reliability, decision utility, equity, privacy, and burden - not cost alone.
- ☐ Standard-setting method, judges, training, uncertainty, consequences, reassessment, and appeal are specified for every hurdle.
- ☐ Missing-data rules, deviations, adverse events, subgroup precision, and complete reporting rules are fixed.
- ☐ Analysis code, data dictionary, code lists, test cases, and version control are prepared before data collection.

Decision point	Predeclared consequence
Reliability or decision consistency below threshold	Redesign, increase sampling, narrow claim, or stop.
No practically important incremental value	Do not retain Lane 2A merely because it is procedurally complete.
Generalization inadequate for intended use	Increase cases/occasions/raters or narrow inference.
Disproportionate subgroup or accessibility burden	Repair route, reduce stakes, narrow scope, pause, or reject.
Privacy/security harm exceeds utility	Adopt less intrusive controls, redesign, or stop.
Workload/capacity exceeds limit	Redesign, stage, narrow, delay, or reject; do not silently lower evidence.

4. Assessment-event, prompt, and attribution readiness

Domain	Minimum evidence before launch
Material claims	Each graded, progression, accreditation, or otherwise consequential claim is decomposed and assigned a route.
Condition and modality	Controlled/open status, in-person/invigilated-remote/open-remote/workplace/hybrid/asynchronous modality, assistance channels, and residual threats are recorded.
Authentication design	Claim-targeted event, analytic scoring guide, unseen or meaningfully perturbed element, assessor qualification, calibration, reassessment, and appeal.
Prompt security	Cohort, exposure window, prompt/live-perturbation source, allocation, use count, access owner, rotation/retirement, exposure monitoring, and incident response.
Form equivalence	Common blueprint and evidence for comparable decisions; unsupported forms are not used interchangeably for the same hurdle.
Interval	Submission-authentication interval is recorded and justified against authentication half-life.
Combination rule	Hurdle, dual-score, or integrated rubric predeclared for certifying claims; Lane 2B recorded as non_certifying.
Evidence dependence	Source and environmental independence, dependence groups, double-counting controls, uncertainty, and contradictory evidence route.
Group attribution	Every high- or safety-critical individual claim arising from group work has separate evidence, challenge, score, and decision record.
Adversarial test	Staff-only red-team tests rehearsal, covert assistance, substitution, log fabrication, exposure, model drift, and agentic delegation.

Security boundary. Operational attack details remain access-controlled. Public reporting describes failure classes, effects, containment, and requalification without publishing a reusable attack recipe.

5. Rights, accessibility, governance, and operational readiness

- ☐ Student notice is concise and comprehension-tested: claim, condition, required evidence, collection purpose, access, retention, correction, equivalent route, reassessment, and appeal.
- ☐ Least-intrusive-sufficient control is justified; surveillance intensity is not treated as assurance strength.
- ☐ An accessibility-equivalent route targets the same construct and decision, with criterion-by-criterion mapping and residual differences recorded.
- ☐ Accommodation and disability data are separated from scored evidence except where strictly necessary and are access-restricted.
- ☐ Data inventory identifies purpose, minimum necessary data, security, access roles, retention, correction, disposal, incident response, and publication boundary.
- ☐ Students can access the applicable rubric, rationale, and lawful evidence record; a non-involved review and equivalent rehearing route are operational.
- ☐ Staff-hours, calendar time, throughput, transitions, maximum session length, breaks, moderation, calibration, accessibility, rescheduling, appeals, recording review, and data governance are modeled.
- ☐ Student preparation, waiting, travel/setup, event, accessibility, rescheduling, anxiety, and appeal burden are captured in the pilot.
- ☐ Capacity-degradation scenarios are rehearsed: illness, mass rescheduling, technology outage, prompt compromise, recording loss, accessibility-route failure, and data incident.

Incident response	Required disposition
Contain	Protect students, prompts, evidence, and decision integrity.
Assess scope	Identify affected students, claims, forms, occasions, records, and public wording.
Use governed fallback	Only a predeclared construct-equivalent route; otherwise reschedule, narrow, delay, or withhold.
Correct and appeal	Notify through lawful routes, preserve challenge evidence, and provide review/rehearing where warranted.
Requalify	Reassess affected decisions, controls, prompts, modality, and current authority.

6. Launch decision, controls, sign-off, and requalification

Decision field	Entry
Overall gate status	NOT_READY / FAIL / PASS_WITH_CONTROLS / PASS
Permitted scope	Exact programmes, assessments, claims, lanes, modalities, populations, dates, and uses.
Excluded uses	Any high-stakes, public, accreditation, progression, or institutional claim outside the evidenced scope.
Named controls	Control, owner, monitoring method, expiry, failure threshold, and action.
Decision authority	Name, role, signature/approval reference, and date.
Independent reviewer	Name, role, finding, conflicts, and date.
Ethics/data authority	Approval or refusal reference and conditions.
Student/accessibility review	Representative review method, findings, changes, and unresolved concerns.
Next review	Date and triggers: model/tool change, task change, modality change, compromise, subgroup harm, burden failure, or adverse evidence.
Publication status	Specified but untested / pilot underway / pilot evidence available; never “validated” unless the evidence supports that exact claim.

Final launch rule. Launch only when authority exists, all thirteen conditions are assessed, no condition fails, every controlled pass is owned and time-bounded, rights and accessibility floors are operational, and the preregistered decision consequences are accepted in advance.

Required attachments

- ☐ Approved claim map and programme assurance map
- ☐ Assessment brief, student wording, and claim-profile record
- ☐ Authentication blueprint, prompts/forms, exposure and equivalence records
- ☐ Rubric, standard-setting record, calibration and moderation plan
- ☐ Accessibility-equivalent route and construct crosswalk
- ☐ Threat model, red-team plan, and incident response
- ☐ Workload calculator and Assurance Capacity Gate workbook
- ☐ Data-management, retention, appeal, and publication plans
- ☐ Pilot protocol, data dictionary, analysis plan/code, and version manifest