

CSV Gate Standard v1.2

Release: MathGov Core Release 2026.09 v11.4.6 Final GitHub Readiness Patch

Source-boundary rule: If this compact standard conflicts with the RippleLogic Canon, the Canon controls.

CSV means Containment and Structural Viability. CSV is the strengthened fourth level of the RippleLogic cascade inside the MathGov framework:

RG -> RF -> TRC -> CSV -> RLS

RF means Rights Floor, the public-facing name for the Non-Compensatory Rights Constraint (NCRC). RF names the second cascade layer; NCRC names the formal pass/fail predicate for protected rights. NCRC-style notation remains valid in equations and checklists.

CSV is not a sixth public level. It is the upgraded fourth level: Contain/Verify.

TRC-CSV feedback rule. If CSV discovers a catastrophic, irreversible, or ruin-path scenario not represented in TRC, the run MUST reopen TRC before RLS. CSV does not absorb TRC.

Gate-critical confidence guard. Low confidence in adverse rights-covered, catastrophe-covered, or material CSV impacts cannot by itself make an option pass RF/NCRC, TRC, or CSV. If a gate outcome could change, the run must use a governed conservative bound, collect evidence and rerun, narrow the claim, downgrade, escalate, or refuse the stronger claim.

Baseline pointer. Gate-admissibility cells and residual welfare cells may use distinct baselines where the Canon requires it; see Canon §5.1A for the floor-reference versus status-quo dual-baseline rule.

Realizability interface

CSV is the main structural-realizability layer, but it does not absorb Reality Grounding or TRC. RG decides whether the claim is grounded. TRC decides whether catastrophic tail exposure is bounded. CSV decides whether the pathway can stand under containment, dependency, execution, monitoring, authority, and host-system constraints. If CSV discovers a new catastrophic or ruin-path scenario, TRC must be reopened before RLS.

RG status rule. Reality Grounding is Level 1 of the public method and a claim-authority precondition. It can force narrowing, escalation, exploratory-marking, or refusal, but it is not an option-rejecting gate; RF/NCRC, TRC, and CSV are the option-rejecting gates, and RLS ranks only what survives them.

CSV core rule

CSV does not demand zero harm. CSV demands that harms are visible, routed, bounded, mitigated, monitored, and not structurally degrading or unjustly externalized beyond tolerance.

CSV status values

CSV status resolver guide

The Canon controls, but this compact guide constrains routing:

Evidence / diagnostic condition	CSV routing
Any material diagnostic level 4 or uncontained / structurally degrading / unjustly externalized / non-viable harm	CSV_FAIL
Material Structural Viability failure that is not controlled or redesignable	CSV_FAIL
Material Structural Viability failure that can plausibly be repaired	CSV_REDESIGN_REQUIRED
Gate-material evidence missing, stale, contested, or insufficient	CSV_ESCALATE, claim narrowing, or refusal of the stronger selection claim
Material diagnostic level 3	CSV_REDESIGN_REQUIRED or CSV_ESCALATE
Material diagnostic level 2 with binding controls	CSV_PASS_WITH_CONTROLS
Material diagnostic level 2 without binding controls	CSV_REDESIGN_REQUIRED
All material diagnostics level 0-1 and Structural Viability passes	CSV_PASS
No material CSV burden under the declared claim boundary	CSV_NOT_MATERIAL
Necessity + no better feasible option + time limit + harm cap + monitoring + transition plan	CSV_EMERGENCY_PROVISIONAL

Tier boundary. A CSV_PASS or CSV_PASS_WITH_CONTROLS in a Tier 2 worked run may be assumption-bound and must not be read as validated structural measurement. UCI/HOI remain diagnostics until separate validation evidence supports stronger claims.

- CSV_PASS

- CSV_PASS_WITH_CONTROLS
- CSV_REDESIGN_REQUIRED
- CSV_ESCALATE
- CSV_FAIL
- CSV_EMERGENCY_PROVISIONAL
- CSV_NOT_MATERIAL

Selectability rule

Option p is selectable for ordinary RLS ranking only if:

- RG supports the claim boundary,
- Rights Floor passes, formally $NCRC(p) = PASS$,
- $TRC(p) = PASS$,
- $CSV_status(p)$ is `CSV_PASS`, `CSV_PASS_WITH_CONTROLS`, or `CSV_NOT_MATERIAL`.

If $CSV_status(p)$ is `CSV_PASS_WITH_CONTROLS`, the controls are part of the option. Removing them invalidates the pass and requires rerun.

If $CSV_status(p)$ is `CSV_NOT_MATERIAL`, the option is pass-equivalent for the declared claim boundary only after the PCC records why no material CSV burden is present.

`CSV_NOT_MATERIAL` MUST NOT waive Structural Viability subchecks when execution feasibility, resource closure, dependency closure, reversibility, operational capacity, or internal coherence is material. If later evidence makes CSV material, CSV must be rerun.

If $CSV_status(p)$ is `CSV_REDESIGN_REQUIRED` or `CSV_FAIL`, the option is not selectable as specified.

If $CSV_status(p)$ is `CSV_EMERGENCY_PROVISIONAL`, temporary action requires a time limit, harm cap, monitoring plan, review trigger, and transition/remediation plan. No unqualified alignment claim is permitted.

Source-debt diagnostic

CSV consumes Source-Coupling Integrity evidence when an option depends on a capability whose enabling conditions, boundary conditions, or limits are weak, stale, unknown, overextended, contested, or masked by downstream compensations.

Source debt is the structural risk created when a run continues through controls, filters, waivers, monitoring, compliance, or administrative layers while the capability-generating conditions remain insufficiently grounded for the declared claim. Source debt is not automatically a CSV failure, but it is material when it affects dependency closure, resource closure, operational capacity, reversibility, monitoring adequacy, containment, or host-system integrity.

Routing rule: `SOURCE_DEBT_RISK`, unresolved `SOURCE_UNKNOWN`, or material `SOURCE_CONTESTED` status SHOULD route to `CSV_PASS_WITH_CONTROLS`,

CSV_REDESIGN_REQUIRED, CSV_ESCALATE, CSV_FAIL, or emergency-provisional handling according to severity, reversibility, monitoring, and available alternatives.

CSV diagnostics

CSV may use internal concern levels from 0 to 4:

0 = no material concern. 1 = minor residual concern, carry to RLS. 2 = material concern, controls required. 3 = serious concern, redesign or escalation required. 4 = gate-failing concern.

Suggested diagnostic dimensions: containment integrity, structural viability, hollowing risk, dependency/lock-in risk, substitution pressure, mitigation adequacy, monitoring adequacy, reversibility/exit, accumulation risk, and legitimacy stress.

UCI/HOI placement

UCI and HOI are not public cascade stages. They are first evaluated inside CSV when material to structural integrity. Residual UCI/HOI may be used only as tie-break, monitoring, or hollowing-risk documentation after RLS is tied, close, or non-decisive.

CSV graduated verdict logic

CSV is a routing and selectability layer, not a purity filter. Its job is to distinguish ordinary bounded residual harm from uncontained or structurally non-viable harm.

- CSV_PASS: contained and structurally viable; residuals may enter RLS.
- CSV_PASS_WITH_CONTROLS: selectable only if specified controls become binding conditions.
- CSV_REDESIGN_REQUIRED: not selectable as specified, but a revised option may be evaluated.
- CSV_ESCALATE: stakes, uncertainty, or authority gaps require deeper review before selection.
- CSV_FAIL: uncontained, structurally degrading, unjustly externalized, non-viable, hidden, lock-in-producing, unmonitored, or beyond-tolerance harm.
- CSV_EMERGENCY_PROVISIONAL: temporary necessity-bounded action with time limit, harm cap, review trigger, and transition plan; not a full alignment certification.
- CSV_NOT_MATERIAL: no material CSV burden found for the declared claim boundary; pass-equivalent for selectability only after rationale is recorded. This status does not waive Structural Viability where execution feasibility is material.

CSV diagnostic channels

CSV may use diagnostic ratings for containment integrity, structural viability, hollowing risk, dependency/lock-in risk, substitution pressure, mitigation adequacy, monitoring adequacy, reversibility, and accumulation risk. UCI/HOI-style diagnostics are evaluated inside CSV when material and are not independent public gates by default.

Formal selectability rule: $A_sel = \{a \text{ in } A_adm : CSV_status(a) \text{ in } \{CSV_PASS, CSV_PASS_WITH_CONTROLS, CSV_NOT_MATERIAL\}\}$. CSV_NOT_MATERIAL is pass-equivalent only for the declared claim boundary after the PCC records the rationale. It does not waive Structural Viability where execution feasibility is material. If later evidence makes CSV material, CSV MUST be rerun. Emergency provisional options are handled through emergency protocol, not ordinary RLS selection.