

241016 / FoF5 · z=15 (zero-based) · 299 intersecting dominant components

A Green + red fluorescence




B Original classifier, rerun



Green / red / both / neither: 57 / 49 / 12 / 181

C Neither → both refinement




Green / red / both / neither: 57 / 49 / 41 / 152

Green only Red only Both Neither


White outlines in A match the colored objects in B/C. Calls use 3D local-background measurements; fluorescence display ranges are fixed.
Original code is rerun on measurements. Lower gates can change only its neither results to both; all four states remain available.

241016 / FoF5 · z=25 (zero-based) · 224 intersecting dominant components

A Green + red fluorescence




B Original classifier, rerun



Green / red / both / neither: 47 / 43 / 12 / 122

C Neither → both refinement




Green / red / both / neither: 47 / 43 / 37 / 97

Green only Red only Both Neither


White outlines in A match the colored objects in B/C. Calls use 3D local-background measurements; fluorescence display ranges are fixed.
Original code is rerun on measurements. Lower gates can change only its neither results to both; all four states remain available.

241016 / FoF5 · z=35 (zero-based) · 180 intersecting dominant components

A Green + red fluorescence




B Original classifier, rerun



Green / red / both / neither: 41 / 31 / 5 / 103

C Neither → both refinement




Green / red / both / neither: 41 / 31 / 21 / 87

Green only Red only Both Neither


White outlines in A match the colored objects in B/C. Calls use 3D local-background measurements; fluorescence display ranges are fixed.
Original code is rerun on measurements. Lower gates can change only its neither results to both; all four states remain available.

241016 / FoF5 · z=45 (zero-based) · 168 intersecting dominant components

A Green + red fluorescence




B Original classifier, rerun



Green / red / both / neither: 36 / 27 / 5 / 100

C Neither → both refinement




Green / red / both / neither: 36 / 27 / 18 / 87

Green only Red only Both Neither


White outlines in A match the colored objects in B/C. Calls use 3D local-background measurements; fluorescence display ranges are fixed.
Original code is rerun on measurements. Lower gates can change only its neither results to both; all four states remain available.

241016 / FoF5 · z=55 (zero-based) · 100 intersecting dominant components

A Green + red fluorescence




B Original classifier, rerun



Green / red / both / neither: 25 / 17 / 4 / 54

C Neither → both refinement



Green / red / both / neither: 25 / 17 / 8 / 50

Green only Red only Both Neither

White outlines in A match the colored objects in B/C. Calls use 3D local-background measurements; fluorescence display ranges are fixed.
Original code is rerun on measurements. Lower gates can change only its neither results to both; all four states remain available.