

COMPASS → Charles: Where we are, forward plan, and your questions

Date: 2026-06-15 10:45 (finalized; PD12 ladder patch 2026-06-15 12:00)
From: COMPASS
To: Charles Levine

Sources: All five `*_STANDING_BY_with_Qs_for_Charles.md` files, `20260615_1100_VECTOR_claim_language_table.md`, `20260615_1012_SCOUT_to_COMPASS_minimal_model_closure.md`, `20260615_1200_COMPASS_PD12_reassessment.md`, Rounds 1–5 correspondence in `3-Master_Plan/`.

Correspondence experiment: Complete. All agents filed **STANDING BY**. Mutual understanding achieved. **Everyone is waiting on you** (plus SCOUT D10 execution after your go).

1. Where we are (one paragraph)

You ran a five-round agent correspondence experiment and it worked: **no scientific conflicts** remain. The project has a **locked v1 manuscript architecture** (Path II): Army and basketball provide mature **empirical** inverted-U legs; tenure is **preliminary** Setting 3; basketball supplies the **minimal generative** proof-of-concept (ability – congestion in selection score, talent-only fails). VECTOR filed a **unified claim language table**; SCOUT filed a **Tier 2 stop rule** (3 green / 4 yellow / 0 red → **5 green after D10**). The center of gravity is no longer “find ideas” — it is **package artifacts, lock inference policy, draft the paper**.

2. What is done (do not relitigate)

Item	Evidence
Jun 11 COMPASS Q&A (all agents)	<code>1626</code> queues + <code>1633</code> / <code>1637</code> / <code>1640</code> / <code>1700</code> responses
Cross-agent alignment (Rounds 1–5)	12+ ping files; no M4 conflicts
Claim language table	<code>20260615_1100_VECTOR_claim_language_table.md</code>
Minimal model closure checklist	<code>20260615_1012_SCOUT_to_COMPASS_minimal_model_closure.md</code>
Path II nesting chain (VECTOR §3)	<code>20260611_1640_SCOUT_to_COMPASS_model_coherence.md</code>
Axis-table gloss (Army + tenure)	<code>1019_CODA_to_SCOUT_round4</code> , <code>1020_PEER_to_SCOUT_round4</code>
All agents STANDING BY	<code>1038</code> SCOUT/PEER · <code>1040</code> CODA/COMPASS · <code>1130</code> VECTOR

3. Locked scientific consensus

Phenomenon (Rung 1)

- Inverted-U on L00 peer-quality proxy
 - Army · Basketball · Tenure preliminary

Minimal mechanism (Rung 2)

- Path II: basketball generative POC (talent-only fails; congestion-in-score)
 - Army + tenure empirical legs (no generative L00 match)

Model-guided empirical features (Rung 2.5) ← PD12 Priority 3; explicit stage

- Quality vs congestion distinction (poolq_loo vs crowding_smooth / C_i,t)
 - Near-threshold heterogeneity readout (SCOUT 4D); Army pool-minus-mean; tenure pool_size on panel
- Mostly implemented – D10 exports + VECTOR prose, not new pipeline

Predictions (Rung 3)

- #1 Near-threshold heterogeneity (strongest artifact: SCOUT 4D)
- #2 Peak shift with global Λ (Army-led prose; TBD figure)

Manuscript (Rung 4)

- Wang structure: phenomenon → mechanism → features → predictions
- Paper first; dissertation second
- Dakota v03 = spine; Tier1 narrative = voice; Alex sequential = methods order

Explicitly NOT v1 → L00 generative bin-for-bin match

- Full B(Q)–D(Q) generative decomposition
- 3-domain parametric identifiability (PD12 P1)
- Fourth-domain falsification (PD12 P4)
- Network extensions; meanxdispersion as primary prediction
- Tenure Layer B Cox during draft
- Basketball time-to-draft Cox

PD12 alignment (Charles 1155): Substance unchanged; ladder relabeled so Alex's **model** → **new measurements** → **predictions** progression is visible. See 20260615_1200_COMPASS_PD12_reassessment.md.

Closure standard (B-lite): SCOUT closure §7 — generative POC + **model-guided measurable exported** + **prediction readout on disk** + honest limitations, frozen in D10 bundle.

4. What is not done (your decisions + two execution tasks)

Gap	Owner	Blocks
Tier A locks (below §6)	Charles	SCOUT D10, PEER inference CSV, VECTOR draft start
SCOUT D10 export bundle	SCOUT (after your go)	5 closure greens; frozen §3 figures
PEER faculty_panel_inference_v1.csv	PEER (after C1–C2)	Tenure N prose in manuscript
VECTOR manuscript prose	VECTOR (after D10 + C1–C2)	Paper draft
Army canonical figure list	CODA (after AWS sync)	Army panel caption
Alex meeting	Charles + Alex	Army estimand, TB-stratify

5. Forward plan (itemized steps)

Execute in this order. Steps in **bold** need your answer first.

Phase A — Unlock execution (this week)

Step	Action	Who	Your question IDs
A1	Answer Tier 1 batch (§7 copy-paste) or reply item-by-item	Charles	Q-SCOUT-9, Q-D10, C1–C2, C12–C13, V1–V3, Q-DEFAULTS
A2	Implement D10 export bundle (<code>export_scout_manuscript_bundle_v1.py</code>) — must include Tier 2.5 : axis table (quality vs congestion), 4D heterogeneity, generative contrast, score one-pager	SCOUT	After A1
A3	Build <code>faculty_panel_inference_v1.csv</code> + filter manifest	PEER	After C1–C2
A4	Confirm claim table accepted; begin §2/§5 draft; §3/§4 after A2 + A3	VECTOR	After A2 + A3 (per V3)

Phase B' — Model-guided empirical features (Rung 2.5; parallel with B after A2)

Step	Action	Who
B'1	D10 manifest explicitly lists quality vs congestion exports (<code>poolq_loo</code> , <code>crowding_smooth</code>) + 4D heterogeneity artifacts	SCOUT
B'2	VECTOR §3.2–3.3: introduce $\bar{a}_t$ vs $C_{i,t}$ using PD12 one-paragraph sentence	VECTOR
B'3	Optional: PEER supplementary pool_size bin read for tenure (PD12–C — Charles route only)	PEER

Phase B — Manuscript draft (parallel after A2)

Step	Action	Who
B1	Draft §2 Theory + §5 Discussion/limitations (claim table §F discipline)	VECTOR
B2	Draft §3: minimal model + model-guided measurements (post B'2; D10 artifacts)	VECTOR
B3	Draft §4: predictions as tests of measurements — #1 near-threshold; #2 $\wedge$ stub	VECTOR
B4	Draft §1 empirical triad (honest tenure caveat)	VECTOR
B5	Update Dakota v03 RTF spine as sections land	VECTOR

Phase C — Alex meeting (schedule when ready)

Step	Action	Who	Your question IDs
C1	TB-stratify placement	Charles → Alex	C-ALEX-1
C2	Estimand sentences sign-off	Charles → Alex	C-ALEX-2
C3	Fine–Gray deferred OK	Charles → Alex	C-ALEX-3
C4	Optional: manuscript-first + LOO limitation honest?	Charles → Alex	Brief §8

Prep: [20260611_Alex_Gates_Talking_Points.md](#) , [20260611_Brief_for_Alex_Gates_brief.pdf](#) .

Phase D — AWS / Army figures (when you sync)

Step	Action	Who	Your question IDs
D1	Confirm TB-stratify 4-file upload	Charles	C-AWS-2
D2	Provide canonical Army figure list (profile, cell, PNG names)	Charles → CODA	C-AWS-1
D3	Update Army handoff + VECTOR Figure 1 caption	CODA	After D2

Phase E — Pre-submission (explicitly not now)

Step	Action	Who
E1	PEER Layer B Cox (Cells 10–12 in 540)	PEER on R1 route
E2	Pool-size algorithm audit + limitations	Charles / CODA
E3	Optional Army Λ empirical test	CODA on R- Λ -EMPIR
E4	Optional TB-stratify AWS run	CODA if Alex elevates
E5	Optional 525 if manuscript needs more Army meat	CODA (tabled)

6. Your questions — logical order

Merged from all STANDING BY files. Answer in order; say “use agent defaults” for any Tier you want to skip.

Tier 1 — Answer first (unblocks SCOUT, PEER, VECTOR this week)

Order	ID	Question	Agent rec.	Source
1	Q-SCOUT-9	Bundle path: datasets/mbb/exports_inverted_u_v0/scout_manuscript_v1/ vs 3-Master_Plan/manuscript_exports/ ?	datasets/mbb/.../scout_manuscript_v1/	SCOUT 1038
2	Q-D10	Go on SCOUT D10 implementation (1–2 sessions)?	Explicit go required	SCOUT 1038
3	C1	OpenAlex tier for tenure inference: HIGH only vs HIGH+MEDIUM vs include MULTI?	HIGH + MEDIUM primary; HIGH-only robustness; exclude MULTI	PEER 1038
4	C2	Release names: R1_tenure_data.csv + faculty_panel_inference_v1.csv ?	Confirm	PEER 1038
5	C12	Confirm predictions: #1 near-threshold, #2 $\wedge$ peak-shift; defer mean $\times$ dispersion?	Confirmed	SCOUT 1038 / VECTOR 1700
6	C13	Confirm outline: Dakota spine / Tier1 voice / Alex sequential methods?	Confirmed	VECTOR 1700
7	V1	Immediate objective = minimal model + predictions + manuscript draft (defer dissertation planning)?	Yes	VECTOR 1130
8	V2	Proceed with #1 near-threshold + #2 $\wedge$ as primary predictions?	Yes	VECTOR 1130
9	V3	VECTOR begins prose after D10 + C1–C2?	Yes	VECTOR 1130
10	Q-DEFAULTS	Accept agent defaults for Tier 2–3 items below?	Yes (recommended)	COMPASS 1040

Tier 2 — Manuscript prose / methods (defaults OK if Q-DEFAULTS = yes)

Order	ID	Question	Agent rec.	Source
11	C3	Report both 168 roster + inference-ready N in prose?	Both	PEER 1038
12	C4	Freeze corpus vs resume scraping?	Freeze + targeted URL fixes	PEER 1038
13	Q-C7-C8	Fig 2: PPM z within-season + ventile bins?	Yes	SCOUT 1038
14	Q-FIG2	June-dated Fig 2 re-export in D10?	Yes (if Q-D10 = go)	SCOUT 1038
15	C10	Defer prestige controls (NRC/USNews)?	Defer	PEER 1038
16	C11	Defer subfield heterogeneity?	Defer	PEER 1038
17	G1-G3	Stage 9 OK for draft; Layer B pre-submission; Fine-Gray deferred?	Assumed locked	PEER 1038
18	C-A-1	Use CODA $\wedge$ stub in VECTOR §4 now (prose-only, TBD figure)?	Prose OK for v1	CODA 1040

Tier 3 — Alex meeting (Army)

Order	ID	Question	Agent rec.	Source
19	C-ALEX-1	TB-stratify panels: main / supplement / defer?	Defer (default off)	CODA 1040
20	C-ALEX-2	Sign-off estimand sentences (1633 §A.3)?	Needed for final Army Methods	CODA 1040
21	C-ALEX-3	Fine-Gray deferred OK in prose?	Yes	CODA 1040
22	C-PUB-1	Optional pool-size disclaimer in limitations now?	Optional	CODA 1040

Tier 4 — AWS / paused until you sync

Order	ID	Question	When	Source
23	C-AWS-2	TB-stratify 4-file AWS upload done? (yes/no)	Before TB runs	CODA 1040
24	C-AWS-1	Canonical Army figure: run profile, cell, PNG names?	After AWS sync	CODA 1040

Tier 5 — Route when you want (not blocking)

ID	Ask	Agent
R1	Route PEER Layer B build	PEER
R2	Fix 543 notebook markdown paths	PEER
R-AWS-SYNC	Un-pause Army figure list	CODA
R-TB-RUN	Run TB-stratify on AWS	CODA
R-A-EMPIR	Army empirical Λ test	CODA
R-POOL-AUDIT	Pool-size audit	CODA / Charles

7. One-message batch reply (copy-paste to all agents)

```
Charles Tier 1 locks:
- Q-SCOUT-9 = datasets/mbb/exports_inverted_u_v0/scout_manuscript_v1/
- Q-D10 = go
- C1 = HIGH + MEDIUM primary (exclude MULTI from primary)
- C2 = R1_tenure_data.csv + faculty_panel_inference_v1.csv
- C12-C13 = confirmed
- V1-V3 = yes (manuscript focus; draft after D10 + C1-C2)
- Q-DEFAULTS = use agent defaults for Tier 2
```

Tier 3 Alex: scheduling – see talking points doc.

Correspondence experiment: complete. All agents execute Phase A per COMPASS forward plan.

8. Agent routing after your Tier 1 reply

Route to	Message
SCOUT	D10 go + path locked — bundle per 1012 closure including Tier 2.5 exports
PEER	C1–C2 locked — produce faculty_panel_inference_v1.csv
VECTOR	Claim table accepted — §2/§5 now; §3 features then §4 predictions after D10 + inference export
CODA	Hold until AWS sync or Alex answers Tier 3
COMPASS	Update living plan when you confirm Tier 1

9. Risk watch (COMPASS — not agent disputes)

Risk	Mitigation
Planning displaces drafting	V1 lock: manuscript draft is primary
Over-claiming generative match	VECTOR claim table §F + SCOUT do-not-ink list
Tenure overstated	Claim table Setting 3 = preliminary only
Army estimand confusion	Alex sign-off C-ALEX-2 before final Methods
Artifact drift (April Fig 2)	D10 includes June slug refresh

10. Key file index (for you)

Need	File
This plan	20260615_1045_COMPASS_to_Charles_forward_plan_and_questions.md
PD12 reassessment	20260615_1200_COMPASS_PD12_reassessment.md
Claim language	20260615_1100_VECTOR_claim_language_table.md
Tier 2 stop rule	20260615_1012_SCOUT_to_COMPASS_minimal_model_closure.md
VECTOR §3 paste source	20260611_1640_SCOUT_to_COMPASS_model_coherence.md
Alex prep	20260611_Alex_Gates_Talking_Points.md
Prior rollup (Jun 11)	20260611_1642_COMPASS_to_Charles.md
Agent questions (raw)	*_STANDING_BY_with_Qs_for_Charles.md (×5)

11. COMPASS completion statement

*The multi-agent correspondence experiment succeeded. All agents are STANDING BY with mutual understanding. The project is in **execution phase**: your Tier 1 answers unlock SCOUT packaging and PEER inference export; VECTOR then drafts the Wang-structure manuscript under Path II. No further correspondence rounds are needed unless a new conflict appears or you change a lock.*

End forward plan. Answer Tier 1 (§6–§7) to move.