

Tenure HERO Campaign Plan — use what we have first

Prepared by COMPASS (for Charles; PEER parallel on scrape bolster)
Last synced: 2026-09-01
Status: Act I starting — exploratory HERO on rsync'd May 2026 panel; scrape bolster **parallel** / later.
Alex direction (Sep 2026): See what tenure HERO / F-HERO can do on **existing** data before treating corpus expansion as the main task.
Binding: `../../../../BINDING_Selection_is_its_own_step.md` — environment ≠ advancement; score ≠ select.

Print stack (recommended hardcopies)

#	Document	Path (repo root relative)
1	This campaign plan	<code>3-Master_Plan/re_entry/HEROs_and_PASSes/tenure_sandbox/TENURE_HERO_Campaign_Plan.md</code>
2	PEER → COMPASS data handoff	<code>3-Master_Plan/re_entry/20260901_PEER_to_COMPASS_tenure_hero_mac_handoff.md</code>
3	PEER data gameplan (strategic contract)	<code>tenure/documents/TENURE_DATA_GAMEPLAN.md</code>
4	Pipeline map (MBB mirror + v0 locks)	<code>3-Master_Plan/re_entry/HEROs_and_PASSes/tenure_sandbox/TENURE_hero_pipeline.md</code>

Optional fifth: `tenure/documents/TENURE_SCRAPE_AND_ADJUDICATE_FOR_DUMMIES.md` — when PEER scrape round is active.

PDF (Mac, repo root):

```
./scripts/convert_single_md_to_pdf.sh 3-  
    Master_Plan/re_entry/HEROs_and_PASSes/tenure_sandbox/TENURE_HERO_Campaign_Plan.md  
./scripts/convert_single_md_to_pdf.sh 3-Master_Plan/re_entry/20260901_PEER_to_COMPASS_tenure_hero_mac_handoff.md  
./scripts/convert_single_md_to_pdf.sh tenure/documents/TENURE_DATA_GAMEPLAN.md  
./scripts/convert_single_md_to_pdf.sh 3-Master_Plan/re_entry/HEROs_and_PASSes/tenure_sandbox/TENURE_hero_pipeline.md
```

0 — One sentence

On the **strict inference panel** already on Mac, plot **tenure rate vs leave-one-out (LOO) department peer quality** the same way we built **MBB HERO** after re-entry — then ask whether the **Wang arc** (phenomenon → minimal model → prediction) carries to academia.

1 — Campaign arc (four acts)

Act I	Empirical HERO (resolved outcomes, v0 lock)	→ NOW
Act II	Empirical F-HERO (+ optional attrition companion)	
Act III	H_sort / ρ diagnostic (park ASSIGN only if ρ* ≈ 0)	
Act IV	Generative replay (optional – after Alex lock)	
	— parallel track —	
	PEER: scrape bolster on Rivanna (when scheduled)	

Act	Question	Status	Owner
I — HERO v0	Tenure rate vs LOO bins on inference panel?	First plot shipped — review with Charles	Charles + COMPASS (Mac)
II — F-HERO	At fixed Â, rate vs department mean T_j?	Pending Alex Â lock	Charles + COMPASS
III — ρ	Department-level assortativity flat or not?	Pending Act I	Charles + COMPASS
IV — Sim replay	Fit λ, γ, t on frozen departments → sim tenure?	Parked	—
Parallel — data	More schools / URLs / OA coverage	Parked until chosen	PEER (Rivanna)

Win condition (Act I): One **defensible** tenure HERO figure + binned table + provenance JSON under `tenure_sandbox/hero/`, with sample-loss accounting and Wilson CIs — **exploratory**, not publication-final until Alex lock.

Not the win condition: Re-scrape before looking; claiming inverted-U from Apr 2026 Stage 9 alone; using 106K rows without inference filter.

2 — v0 scientific lock (Charles + COMPASS, Sep 2026)

Knob	Lock
Input file	<code>tenure/tenure_pipeline/faculty_panel_with_pools.jsonl</code>
Filter	<code>match_confidence</code> ∈ {HIGH, MEDIUM}; non-null <code>poolq_loo_mean</code> on assistant rows; <code>ever_assistant</code>
Grain	Person-level — mean LOO over assistant years (Stage 9 collapse)
X-axis	<code>poolq_loo_mean</code> → 16 quantile bins
Y (primary)	<code>tenure_event</code> rate among resolved (Option A)
Y (companion)	<code>attrition</code> rate among resolved (optional second panel)
Censored	Excluded from rate denominator; included in quantile rank (<code>n_all</code>); counted in table — survival layer later
ρ / homophily	Not parked by default — run diagnostic in Act III; park only if tenure looks like MBB (ρ* ≈ 0)
Outputs	<code>tenure_sandbox/hero/</code>
Script	<code>tenure/scripts/tenure_pass_a_hero.py</code>

Resolved endings (plain language):

- **Tenured** — promoted asst → associate/full within pipeline rules
- **Attrited** — disappeared without that promotion
- **Censored** — still assistant at window end → **parked for now**

3 — Plot menu (priority order)

P	Deliverable	Spec summary
P0	Filter manifest + N table	Persons, resolved, censored, depts — console + JSON
P1 ★	<code>HERO_tenure_q16_inference_v0.png</code>	Tenure rate vs LOO Q16; Wilson CI; footer provenance
P1b	Matching CSV + <code>*_provenance.json</code>	Bin counts: n_all, n_resolved, n_censored
P2	Attrition companion PNG	Same bins, same denominator (resolved)
P3	Sensitivity: 12 vs 16 bins	Only if bins thin
P4	F-HERO	After Alex Â field lock
P5	H_sort / ρ bracket	Act III — tenure department assignment

Each shipped plot: **PNG + CSV + provenance JSON** (MBB sandbox convention).

4 — Data & sync (no re-invention)

Task	Command / path
Mac already synced	PEER verified 2026-09-01
Refresh panel	<code>./scripts/rsync_pull_recent_hpc.sh tenure</code>
Do not analyze	<code>faculty_panel.jsonl</code> (2.56M snapshot rows) as hero grain
PEER scrape (parallel)	See <code>20260901_COMPASS_to_PEER_tenure_scrape_bolster.md</code>

5 — Alex lock still open (after Act I plots)

1. Outcome **Y** for paper prose (tenure vs attrition emphasis)
2. Panel **aperture** (years, departments) — especially vs **~56% censored** on last-ps
3. **Â** for F-HERO slices (`pubs_year` vs cumulative)
4. LOO pool definition confirmation
5. Empirical-first vs generative replay scope
6. **Censored in quantile bins?** — keep in rank + Option A rates (v0) vs resolved-only quantile / resolved-only panel — see `TENURE_hero_pipeline.md` § censored pros/cons

6 — Folder map (where things live)

```
3-Master_Plan/re_entry/HEROs_and_PASSes/
sports_sandbox/      ← MBB hero (existing)
tenure_sandbox/      ← this campaign (NEW)
  TENURE_HERO_Campaign_Plan.md  ← you are here
  TENURE_hero_pipeline.md
  _DISPOSABLE_tenure_hero_thread.md
hero/                ← PNG, CSV, JSON
fhero/               ← later

tenure/tenure_pipeline/  ← input JSONL (rsync)
tenure/scripts/         ← tenure_pass_a_hero.py
tenure/documents/       ← TENURE_DATA_GAMEPLAN (PEER)
```

7 — Thread log

Date	Entry
2026-09-01	Campaign plan created; Alex “existing data first”; v0 locks; folder scaffold approved.