

Tenure HERO Campaign Plan — use what we have first

Prepared by COMPASS (for Charles; PEER parallel on scrape bolster)
Last synced: 2026-09-02
Status: Act I exploratory done (Sep 2 Alex porch); Act I-b = PD29 tenure spine; paper talk outline parallel.
Alex direction: Sep 2026 — see existing panel first (PD29_notes.md): decision-year cohort, cum pubs rate, dept pond; 50/50 data + paper outline).
Binding: ../../../../BINDING_Selection_is_its_own_step.md — environment ≠ advancement; score ≠ select.

Print stack

Focus — PD29 follow-along now (3 docs)

Regenerate: sports then print_tenure (same as print_tenure focus).

#	Document	Path (repo root relative)
1	YOU ARE HERE (disposable thread)	3-Master_Plan/re_entry/HEROs_and_PASSes/tenure_sandbox/_DISPOSABLE_tenure_hero_thread.md
2	PD29 Alex locks (Sep 2 call)	transcripts/PD29_notes.md
3	Pipeline map + grain naming + PD29 delta	3-Master_Plan/re_entry/HEROs_and_PASSes/tenure_sandbox/TENURE_hero_pipeline.md

Bind 1 → tab, 2 → PD29, 3 → mechanics. That is enough to follow the thread.

Core — full campaign binder (print_tenure core , 7 docs)

#	Document	Path
1–3	(same as focus)	(above)
4	This campaign plan	../TENURE_HERO_Campaign_Plan.md
5	Career master handoff (T5)	3-Master_Plan/re_entry/20260902_COMPASS_to_PEER_author_year_career_master.md
6	Mac/rsync handoff	3-Master_Plan/re_entry/20260901_PEER_to_COMPASS_tenure_hero_mac_handoff.md
7	Perf / pool spec fork	../tenure_perf_metrics_discussion.md

Full (print_tenure full , +2)

#	Document	Path
8	PEER data gameplan	tenure/documents/TENURE_DATA_GAMEPLAN.md
9	Sandbox layout	../tenure_sandbox/README.md

Not in print stack (on screen): HERO/BDP .pptx decks — print from PowerPoint/Keynote.
Optional when PEER scrape active: tenure/documents/TENURE_SCRAPE_AND_ADJUDICATE_FOR_DUMMIES.md

0 — One sentence

On the strict inference panel already on Mac, plot tenure rate vs leave-one-out (LOO) department peer quality the same way we built MBB HERO after re-entry — then ask whether the Wang arc (phenomenon → minimal model → prediction) carries to academia.

1 — Campaign arc (four acts)

Act I	Empirical HERO (resolved outcomes, v0 lock)	→ NOW
Act II	Empirical F-HERO (+ optional attrition companion)	
Act III	H_sort / ρ diagnostic (park ASSIGN only if ρ* ≈ 0)	
Act IV	Generative replay (optional – after Alex lock)	
	— parallel track —	
	PEER: scrape bolster on Rivanna (when scheduled)	

Act	Question	Status	Owner
I — HERO v0	Tenure rate vs LOO bins on inference panel?	First plot shipped — review with Charles	Charles + COMPASS (Mac)
II — F-HERO	At fixed $\hat{A}$, rate vs department mean T_j ?	Pending Alex $\hat{A}$ lock	Charles + COMPASS
III — ρ	Department-level assortativity flat or not?	Pending Act I	Charles + COMPASS
IV — Sim replay	Fit λ , γ , t on frozen departments $\rightarrow$ sim tenure?	Parked	—
Parallel — data	More schools / URLs / OA coverage	Parked until chosen	PEER (Rivanna)

Win condition (Act I): One **defensible** tenure HERO figure + binned table + provenance JSON under `tenure_sandbox/hero/`, with sample-loss accounting and Wilson CIs — **exploratory**, not publication-final until Alex lock.

Not the win condition: Re-scrape before looking; claiming inverted-U from Apr 2026 Stage 9 alone; using 106K rows without inference filter.

2 — v0 scientific lock (Charles + COMPASS, Sep 2026)

Knob	Lock
Input file	<code>tenure/tenure_pipeline/faculty_panel_with_pools.jsonl</code>
Filter	<code>match_confidence</code> $\in$ {HIGH, MEDIUM}; non-null <code>poolq_loo_mean</code> on assistant rows; <code>ever_assistant</code>
Grain	Person-level — mean LOO over assistant years (Stage 9 collapse)
X-axis	<code>poolq_loo_mean</code> $\rightarrow$ 16 quantile bins
Y (primary)	<code>tenure_event</code> rate among resolved (Option A)
Y (companion)	<code>attrition</code> rate among resolved (optional second panel)
Censored	Excluded from rate denominator; included in quantile rank (<code>n_all</code>); counted in table — survival layer later
ρ / homophily	Not parked by default — run diagnostic in Act III; park only if tenure looks like MBB ($\rho^* \approx 0$)
Outputs	<code>tenure_sandbox/hero/</code>
Script	<code>tenure/scripts/tenure_pass_a_hero.py</code>

- Resolved endings (plain language):**
- Tenured** — promoted asst $\rightarrow$ associate/full within pipeline rules
 - Attrited** — disappeared without that promotion
 - Censored** — still assistant at window end $\rightarrow$ **parked for now**

3 — Plot menu (priority order)

P	Deliverable	Spec summary
P0	Filter manifest + N table	Persons, resolved, censored, depts — console + JSON
P1 ★	<code>HERO_tenure_q16_inference_v0.png</code>	Tenure rate vs LOO Q16; Wilson CI; footer provenance
P1b	Matching CSV + <code>*_provenance.json</code>	Bin counts: <code>n_all</code> , <code>n_resolved</code> , <code>n_censored</code>
P2	Attrition companion PNG	Same bins, same denominator (resolved)
P3	Sensitivity: 12 vs 16 bins	Only if bins thin
P4	F-HERO	After Alex $\hat{A}$ field lock
P5	H_sort / ρ bracket	Act III — tenure department assignment

Each shipped plot: **PNG + CSV + provenance JSON** (MBB sandbox convention).

4 — Data & sync (no re-invention)

Task	Command / path
Mac already synced	PEER verified 2026-09-01
Refresh panel	<code>./scripts/rsync_pull_recent_hpc.sh tenure</code>
Do not analyze	<code>faculty_panel.jsonl</code> (2.56M snapshot rows) as hero grain
PEER scrape (parallel)	See <code>20260901_COMPASS_to_PEER_tenure_scrape_bolster.md</code>

5 — Alex lock still open (after Act I plots)

- 1. Outcome Y for paper prose (tenure vs attrition emphasis)
- 2. Panel **aperture** (years, departments) — especially vs ~56% censored on last-ps
- 3. Â for F-HERO slices (`pubs_year` vs cumulative)
- 4. LOO pool definition confirmation
- 5. Empirical-first vs generative replay scope
- 6. **Censored in quantile bins?** — keep in rank + Option A rates (v0) vs resolved-only quantile / resolved-only panel — see `TENURE_hero_pipeline.md` § censored pros/cons

6 — Folder map (where things live)

```
3-Master_Plan/re_entry/HEROs_and_PASSes/
sports_sandbox/      ← MBB hero (existing)
tenure_sandbox/      ← this campaign (NEW)
  TENURE_HERO_Campaign_Plan.md  ← you are here
  TENURE_hero_pipeline.md
  _DISPOSABLE_tenure_hero_thread.md
  hero/              ← PNG, CSV, JSON
  fhero/             ← later

tenure/tenure_pipeline/ ← input JSONL (rsync)
tenure/scripts/        ← tenure_pass_a_hero.py
tenure/documents/      ← TENURE_DATA_GAMEPLAN (PEER)
```

7 — Thread log

Date	Entry
2026-09-01	Campaign plan created; Alex “existing data first”; v0 locks; folder scaffold approved.