

League of Legends — esports panel (PD29)

Source: Alex Gates · Paper Directions 29 (Sep 2, 2026) · Oracle's Elixir-derived

Notes: [transcripts/PD29_notes.md](#)

Files

File	Size	Role
lol_big_fish_player_split_panel.csv	~69 MB	Working copy (unzipped)
lol_big_fish_player_split_panel.csv.zip	~21 MB	Archive from Alex

Grain: one row = player × team × league × year × split × position stint ([player_period_id](#)).

N: 66,752 rows · 84 columns · years 2015–2026.

Panel snapshot

Field	Count / note
league_tier	developmental 33,986 · top 19,624 · other 13,142
top_tier_debut_within_1y	True 3,052 · False 63,700
top_tier_debut_within_2y	True 4,456 · False 62,296
eligible_developmental_cohort	True 15,983
Positions	top / jng / mid / bot / sup (~13k each)

HERO / pond frame (COMPASS v0 read)

Our term	Legends column(s)	Note
Unit	player_period_id	Player stint on a dev (or other) team in a split
Pond	teamid , teamname , team_roster_players	Team roster context; Alex noted more swapping than MBB
Own Â	own_performance_index or z-rate cols (z_damage_per_min , ...)	79.6% populated when components exist
Peer context (LOO analog)	teammate_mean_performance_excl_self	91.7% populated — primary pond LOO candidate
Same-role peer	same_role_mean_performance_excl_self	26.6% — sparse; role-specific slice
Y (advancement)	top_tier_debut_within_1y / _2y	Dev → top-tier league promotion window
Censor / follow-up	full_1y_followup , full_2y_followup	Use before treating False Y as failure
Tier filter	league_tier , eligible_developmental_cohort	Restrict HERO to developmental rows first

Not yet wired: scripts, [legends_sandbox/](#) , LOO recompute on raw match rows — this README is ingest + map only.

Column map (84)

Keys & stint metadata

Column	% fill	Meaning
player_period_id	100	Unique stint key
playerid, playername	100	Oracle's Elixir player
teamid, teamname	100	Team (pond)
league	100	League code (LPL, LCK, LDL, ...)
league_tier	100	developmental top other
year, split	100	Season timing (split names vary by league)
position	100	top / jng / mid / bot / sup
period_start, period_end	100	Stint date bounds
games, minutes, wins, win_rate	100	Volume in stint

Performance index & pond context (HERO-facing)

Column	% fill	Meaning
own_performance_index	79.6	Alex composite own-performance index
teammate_mean_performance_excl_self	91.7	Mean teammate index excl. self (pond LOO candidate)
same_role_mean_performance_excl_self	26.6	Same-role teammates excl. self
relative_performance_vs_team	79.6	Own minus team mean
relative_performance_vs_same_role	15.8	Own minus same-role mean
team_roster_players	100	Roster size in pond
same_role_player_count	100	Same-role count
same_role_total_player_games	100	Same-role game count
role_starter_share	100	Starter share in role
performance_components_available	100	Flag: index/z cols valid when True

Promotion / top-tier outcome

Column	% fill	Meaning
eligible_developmental_cohort	100	In dev-to-pro analysis cohort
prior_top_tier_before_period	100	Already top-tier before stint
first_top_tier_date	56.9	Debut date (if ever)
first_top_tier_league, first_top_tier_teamid, first_top_tier_teamname	56.9	Where they debuted top-tier
days_to_top_tier_from_period_end	56.9	Days from stint end to top debut
top_tier_debut_within_1y	100	Y ₁ — promoted within 1 year
top_tier_debut_within_2y	100	Y ₂ — promoted within 2 years
top_tier_debut_during_period_or_2y	100	Debut during stint or +2y window
full_1y_followup, full_2y_followup	100	Follow-up window complete (sensor check)

Raw box stats (Oracle's Elixir aggregates for stint)

Column	% fill	Meaning
kills, deaths, assists	100	Counts
damagetochampions, totalgold, earnedgold, goldspent, total_cs	~100	Totals
damageshare, earnedgoldshare, kill_participation	~100	Shares
wardsplaced, wardskilled, controlwardsbought, visionscore	~97–100	Vision
golddiffat10/15, xpdiffat10/15, csdiffat10/15	92.2	Lane diffs @10/@15
*_per_30, damage_per_min, earned_gold_per_min, cs_per_min, vision_score_per_min, wards_*_per_min	~97–100	Rate stats

Z-scored rates (within-period norm)

Column	% fill	Meaning
z_damage_per_min, z_earned_gold_per_min, z_kda_ratio, z_kill_participation	~80	Normalized own rates
z_vision_score_per_min	71.3	Vision z
z_gold_diff_15, z_xp_diff_15, z_cs_diff_15	~73.4	Lane-diff z @15

Provenance

Column	% fill	Meaning
playoff_games, complete_games	100	Game completeness
source_url	54.1	Match history link (when present)
source_file_year	100	Source season file
data_cutoff_date	100	2026-09-01
source_dataset_url	100	Oracle's Elixir downloads
league_tier_mapping_version	100	manual_v1_2026-09-02

Repo layout (naming)

Item	Path
Raw data	datasets/legends/ (this folder)
Scripts (future)	legends/scripts/
Sandbox (future)	3-Master_Plan/re_entry/HEROs_and_PASSes/legends_sandbox/

Prefix code outputs legends_* / LEGENDS_* — parallel to tenure/, sports/, talent/.

Quick load (Python)

```
import pandas as pd
from pathlib import Path

path = Path("datasets/legends/lol_big_fish_player_split_panel.csv")
df = pd.read_csv(path, low_memory=False) # NUL-safe in pandas
dev = df[df["league_tier"] == "developmental"]
```