

PEER → COMPASS — Tenure hero on Mac (handoff)

Last synced: 2026-09-01

Audience: COMPASS + Charles (analysis on Mac). PEER owns Rivanna scrape bolster when scheduled.

Standalone: Mac is synced with Rivanna; exploratory HERO/F-HERO uses `faculty_panel_with_pools.jsonl` locally — no HPC join required for v0.

Charles checklist doc (scrape bolster, later): `20260901_COMPASS_to_PEER_tenure_scrape_bolster.md` — parallel track, not blocking hero sandbox.

YOU ARE HERE

Step	Task	Status
0	Rsync tenure pipeline to Mac	✓ 2026-09-01
1	Lock exploratory panel + columns	✓ <code>with_pools</code>
2	Write tenure ↔ MBB hero pipeline map (COMPASS)	✓
3	Exploratory HERO (+ F-HERO?) on Mac	Pending
4	Alex lock: Y, Â, aperture, generative or not	Pending
5	PEER scrape bolster (parallel, when scheduled)	Parked

Sync status (2026-09-01)

Charles ran `./scripts/rsync_pull_recent_hpc.sh tenure`. Panel spine **same bytes/mtimes** on HPC and Mac — **current**, not stale. **No** Rivanna re-run for date hygiene.

Canonical artifacts (Cells 7–9 executed)

Artifact	Cell	Stamp	Size	Rows
<code>faculty_panel_enriched.jsonl</code>	7	2026-05-04	~55 MB	106,559 person-years
<code>faculty_panel_with_pools.jsonl</code>	8	2026-05-04	~72 MB	106,559 person-years
<code>stage9_inverted_u.png</code> , <code>stage9_binned_table.csv</code>	9	2026-04-19	small	18 bins

Primary spine for HERO/F-HERO: `tenure/tenure_pipeline/faculty_panel_with_pools.jsonl`

- Grain: **person-year** (~106.6K) — **not** `faculty_panel.jsonl` (2.56M snapshot rows).
- Key columns: `tenure_event`, `attrition`, `censored`, `pubs_year`, `pubs_cumulative`, `openalex_id`, `match_confidence`, `poolq_loo_mean`, `pool_rank_loo`, `pool_pctile_loo`, `pool_size_oa_loo`, ...

Also useful:

File	Role
<code>R1_tenure_data.csv</code> (~21 MB)	Flat 543-style export; same grain
<code>faculty_panel_inference_v1.csv</code> + manifest	Locked inference slice — not full exploratory universe

OpenAlex

Already joined in Cell 7 build. Rsync'd JSONL on Mac: `openalex_author_ids.jsonl`, `openalex_works_by_year.jsonl`, `openalex_low_confidence.jsonl`. **No extra HPC join** for Mac hero exploration on this corpus.

Re-run 6A→6B→7→8→9 only after **material scrape expansion** or author-resolution change.

Rsync

```
./scripts/rsync_pull_recent_hpc.sh tenure
```

Sufficient for hero work. Excludes by design: `faculty_snapshots/` HTML, `dblp_parsed/`, IPEDS caches.

Must stay on Rivanna: HTML archive, CDX/download, `build_openalex_cache.slurm`, full DBLP parse.

Match quality & inference slice (caveats)

OpenAlex tiers on 106,559 person-years (manifest):

Tier	Person–years
NONE	62,099
HIGH	18,332
MEDIUM	10,531
MULTI	13,647
LOW	1,950

Strict inference sample (HIGH/MEDIUM + non-null `poolq_loo_mean`): **796 persons, 52 departments, 2,396 assistant person–years** — for locked prose, not “full roster hero coverage.”

Bake in:

- Coverage quality ≠ timestamp; scrape bolster is round 2 before publication-ready heroes.
- Stage 9 = exploratory inverted-U sanity check (Apr 2026), not tenure HERO deliverable.
- Alex lock still pending: Y, aperture, Â for F-HERO, LOO definition, empirical vs generative replay.

Work split

Track	Where	Who
Hero sandbox	Mac	Charles + COMPASS
Scrape bolster	Rivanna	PEER (when scheduled)

Bottom line: Analyze `faculty_panel_with_pools.jsonl` locally; MBB analogue = `sports_sandbox/`.

Thread log

Date	Entry
2026-09-01	PEER handoff ingested after rsync; Mac = Rivanna for panel spine.