

Beau_guide — Slurm batch execution for your Jupyter notebook

Treat this folder as Beau’s workspace. Zip or share `Beau_guide/` as-is; after unpacking on Rivanna, `cd` into it — paths below assume **that folder is your current directory**.

Goal: Run your `.ipynb` on a **compute node** (not heavy work on the login node), with optional **boolean** switches in early cells and **live log tailing**.

No Git repo required. `NB_IN` is relative to the working directory you choose (`cd` before `sbatch` , or `BEAU_PROJECT_ROOT` / `PROJECT_ROOT`).

Files (everything beside this README)

File	Role
<code>HPC_SLURM_PIPELINE_GUIDE_beau.md</code>	Read this first — numbered steps + optional blockquotes.
<code>pipe_job_beau.slurm</code>	Edit <code>NB_IN</code> , allocation, conda <code>ENV_NAME</code> → <code>sbatch</code> <code>./pipe_job_beau.slurm</code> .
<code>track_slurm_beau.sh</code>	<code>tail -f</code> the job’s <code>.err</code> log (<code>chmod +x ./track_slurm_beau.sh</code> once).
<code>pipe_job_reference_beau.slurm</code> , <code>track_slurm_reference_beau.sh</code> , <code>myjob_reference_beau.slurm</code>	Optional comparison with Charles’s Ivy_Net helpers.
<code>.env.example_beau</code>	Optional if your notebook reads <code>.env</code> .

Minimal pattern (bundle root = here)

Put `your_notebook.ipynb` in `Beau_guide/` next to `pipe_job_beau.slurm` , set `NB_IN="your_notebook.ipynb"` , then:

```
cd ~/Beau_guide                                # unpacked zip - folder that contains pipe_job_beau.slurm
chmod +x ./track_slurm_beau.sh                 # once
sbatch ./pipe_job_beau.slurm
./track_slurm_beau.sh <JOBID>                  # or: tail -f slurm-pipe_job_beau-<JOBID>.err
```

If your notebook stays **outside** this folder, `cd` to that folder before `sbatch` , or set `BEAU_PROJECT_ROOT` in `pipe_job_beau.slurm` — see `HPC_SLURM_PIPELINE_GUIDE_beau.md` .

Charles: The same `Beau_guide/` contents also live inside Ivy_Net at `Ivy_Net/1-Various_PDE_and_Chat_stuff/5-Manuscript/Beau_guide/`. Beau only needs the zipped folder.

Charles's tenure-focused narrative (`540` pipeline) is `tenure/HPC_SLURM_PIPELINE_GUIDE.md`.