

Charles checklist — re-entry (manual checkoff)

Created: 2026-07-28 16:58

Purpose: The one place you walk beginning → end and mark what you personally did.

Not this file: Agent “already done” tables in model_OPORD.md, doc 03, COMPASS stub, or the hero reset plan. Those are project/agent status. This file is your progress.

How to use

1. Work top to bottom.
2. Change [] → [x] only when you finished that row.
3. Fill Proof with a path, date, or one-line note.
4. Do not rebuild the empirical hero (Layer A panel) unless you choose to later.
5. Do re-run generative Pass A and Pass B yourself so you own the sim story.

Companion reads (check when true): docs 00 – 03, then 04_Pass_A_and_Pass_B_in_Plain_English.md before any sim redo. Optional depth: hero reset plan, Three Layers memo, Model.pdf. After doc 04, optional shorthand: 540_READ_ME_SIM.md.

0. Orientation (reading)

Done	Step	Proof (you fill)
[]	Read 00_READ_ME_FIRST.md	
[]	Read 01_The_Problem_in_Plain_English.md	
[]	Read 02_Three_Kinds_of_Model.md	
[]	Read 03_Three_Day_Basketball_Focus.md	
[]	Read hero reset plan (optional depth)	
[]	Read Three Layers memo (optional card)	
[]	Skim Model.pdf (your slide)	

1. Self-test (no code) — you’re oriented when all pass

Say each out loud. Check only when you can, without hedging.

Done	Step	Proof
[]	Hero: talent baseline (own A) vs hero (poolq_loo); cliff at elite end is outcome, not “NBA ignores talent”	
[]	Binding: environment L_net = B-D ≠ advancement; advancement = score (S_i , λ) then select (top K)	
[]	Nest: S_i = A_i + λ(B-D) with Alex v1 (B-D)=L_C ⇒ S_i = A_i - λ·L_C; knockout λ=0 ⇒ S_i = A_i	
[]	Hero shape honesty: peak ~bin 12, high/wobble 13–15, cliff at bin 16 (not “only bin 16 ever falls”)	
[]	Read limitation sentence in doc 03 once, cold	

2. Skip — empirical hero (Layer A)

You are not rebuilding these. Treat as locked inputs.

Status	Artifact	Path
Use as-is	Hero PNG	sports/datasets/mbb/exports_inverted_u_v0/alex_side_by_side_v0/inverted_u_empirical_ppm_poolq_loo_16quantile_winsor0199_min20_2011.png (also HERO_*.png in re_entry/HEROs_and_PASSes/)
Use as-is	Hero CSV	.../binned_draft_rate_empirical_ppm_poolq_loo_16quantile_winsor0199_min20_2011.csv
Optional open	LPM coefs	.../lpm_hero_coefficients.txt

Done	Optional (only if you want)	Proof
[]	Open hero PNG + CSV; confirm peak ~12 / cliff at 16 yourself	

2b. Bridge — read before any sim redo (required)

Stop. Do not open the 540 notebook expecting it to teach Pass A/B. Read the plain-English bridge first.

Done	Step	Proof
☐	Read <code>04_Pass_A_and_Pass_B_in_Plain_English.md</code>	
☐	Can say in your own words: hero = empirical; Pass A/B = simulated league	
☐	Can say what Pass A changes vs what Pass B changes	
☐	Optional after 04: skim <code>sports/540_READ_ME_SIM.md</code> (shorthand OK now)	

3. Sim redo — Pass A — you run this

Full explanation: doc 04. Short reminder: same fake league setup and same top-K; one arm scores on ability only; the other puts congestion in the score.

What you run: `python sports/scripts/hero_model_reset_bundle.py` (from repo root).

Notebook: `sports/540_three_step_sim.ipynb` is optional display / can call the scripts — it is **not** the full simulator by itself.

Done	Step	What to do	Proof
☐	Run Pass A bundle	From repo root : <code>python sports/scripts/hero_model_reset_bundle.py</code>	date + exit 0
☐	Inspect talent-only CSV	<code>alex_side_by_side_v0/generative_knockout_talent_only_16quantile.csv</code> — monotone rise?	
☐	Inspect congestion CSV	<code>.../generative_knockout_congestion_16quantile.csv</code> — elite compression vs talent-only?	
☐	Inspect side-by-side PNG	<code>PASS_A_inverted_u_side_by_side_empirical_vs_generative.png</code> in <code>re_entry/HEROs_and_PASSes/</code> (also under <code>alex_side_by_side_v0/</code>)	
☐	Read summary + caption	<code>generative_knockout_summary.txt</code> , <code>side_by_side_caption.txt</code>	
☐	One-sentence claim (yours)	Write: what Pass A proves / does not prove	

Pass A done for you when: you ran the script, looked at both knockout arms + PNG, and can state the claim without reading notes.

4. Sim redo — Pass B — you run this

Full explanation: doc 04. Short reminder: score + top-K fixed; only assignment assortativity (p) / sort-and-chop changes.

Done	Step	What to do	Proof
☐	Run Pass B bundle	From repo root : <code>python sports/scripts/540_rho_ablation_bundle.py</code>	date + exit 0
☐	Inspect arms	CSVs in <code>alex_rho_ablation_v0/</code> (low / moderate / high / <code>sort_chop</code>)	
☐	Inspect PNG	<code>PASS_B_rho_ablation_selection_by_poolq_loo.png</code> in <code>re_entry/HEROs_and_PASSes/</code> (also under <code>alex_rho_ablation_v0/</code>)	
☐	Read summary + caption + README	<code>rho_ablation_summary.txt</code> , <code>rho_ablation_caption.txt</code> , <code>README.txt</code>	
☐	One-sentence claim (yours)	Sorting can matter for pools; not the minimal congestion-in-score proof; not hero bin-for-bin	

Pass B done for you when: you ran it and can separate Pass A vs Pass B in one breath.

5. Optional — see the pipeline in the notebook

Done	Step	What to do	Proof
☐	Open <code>sports/540_three_step_sim.ipynb</code>	Paths + display of exports; set <code>RUN=True</code> only if you want re-run from cells	
☐	Skim <code>tier1_pool_assignment.py</code>	Find: <code>soft_assign</code> / <code>assignment_rho</code> , <code>assign_selection</code> , <code>choose_selected</code>	
☐	Skim <code>tier1_sim_config.py</code>	Find: <code>ASSIGNMENT_RHO</code> , score mode, <code>N_SELECTED</code> , viability θ / γ	

6. Package for Alex (when sims feel like yours)

Done	Step	What to do	Proof
☐	Assemble packet	<code>Model.pdf</code> + Pass A side-by-side PNG + Pass B PNG (optional) + limitation sentence (doc 03)	
☐	Dry-run the talk	2–3 min: layers → Pass A knockout → (optional) Pass B → limits	
☐	Send / meet	Email or calendar	date

7. Explicitly not on this checklist (park guilt)

Do **not** check these off here; they are out of scope until you decide otherwise:

- Rebuild empirical hero from `530`
- Bin-for-bin LOO match as a gate
- Rivanna / faithful historical sweeps

- Preferential attachment on
 - Army / tenure figures
 - Nesting note / Pertinent Thoughts / old 14-doc stack
 - Fixing every “bin 16 only” prose line (nice polish; not blocking)
- Park list: `PARKED_FOR_LATER.md` .

Where other “done” lists live (ignore for checkoff)

File	What it is
<code>model_OPORD.md</code>	Ops order / agent phases (archive, p wiring, exports)
<code>03_Three_Day_Basketball_Focus.md</code>	“72-hour bar” + project status
<code>20260727_COMPASS_sim_reentry_status.md</code>	COMPASS stub
Hero reset plan §7	Plan sequence status

Rule: If a box here is unchecked, **you** still have work — even if another doc says “Done.”

Next action right now

If sections **0–2** are checked: read **§2b / doc 04**, then start **§3** (Pass A script).
When stuck: return to `00_READ_ME_FIRST.md`, then come back **here**.