

# Plan mirrors (Cursor Plan mode → git)

Where Charles reads plans: this folder — `3-Master_Plan/plans/` — not `~/.cursor/plans/` on your Mac.

Cursor Plan mode writes live files to `~/.cursor/plans/` (outside git). Important plans are **mirrored here** so they sync via Dropbox/git, work on Rivanna after `git pull`, and can be converted to PDF.

Re-entering or lost? Start at `re_entry/00_READ_ME_FIRST.md` — not this folder.

## Quick reference (immersed mode)

| You want...             | Open this                                                                                                |
|-------------------------|----------------------------------------------------------------------------------------------------------|
| Read / print a plan     | <code>3-Master_Plan/plans/*.plan.md</code> (below)                                                       |
| PDF                     | <code>./scripts/convert_single_md_to_pdf.sh 3-Master_Plan/plans/20260721_hero_model_reset.plan.md</code> |
| See what's mirrored     | <code>./scripts/mirror_plan.sh --list</code>                                                             |
| Refresh after IDE edits | <code>./scripts/mirror_plan.sh hero_model_reset</code>                                                   |

## Current mirrors

| Repo file                                               | Topic                                          |
|---------------------------------------------------------|------------------------------------------------|
| <code>20260721_hero_model_reset.plan.md</code>          | Three model layers, hero vs sim, smart restart |
| <code>20260524_tier1_plan_map.plan.md</code>            | Doc ecosystem / tier1 map                      |
| <code>20260615_pd12_compass_reassessment.plan.md</code> | PD12 COMPASS reassessment                      |
| <code>20260617_primary_focus_now.plan.md</code>         | Model work vs reading rabbit holes             |

## Two-tier policy

| Location                                   | Role                                                |
|--------------------------------------------|-----------------------------------------------------|
| <code>~/ .cursor/plans/*.plan.md</code>    | Live IDE workspace — Plan-mode UI, todos (Mac only) |
| <code>3-Master_Plan/plans/*.plan.md</code> | Canonical mirror — git, Rivanna, PDF source         |

## Keep vs ephemeral (for agents)

Mirror (keep) — run `./scripts/mirror_plan.sh <slug>` after substantive edits:

- Scientific / sequencing plans (hero, tier1, PD12, COMPASS)
- Multi-section plans Charles should read
- Anything referenced from `3-Master_Plan/` handoffs
- User says the plan matters for Rivanna or git

Skip mirror (ephemeral) — leave in `~/ .cursor/plans/` only:

- `fix_*`, `plans_git_*` (script skips unless `--force` )
- One-off git/UI/tooling fixes
- User says `skip mirror`

When a plan also has a **polished memo** in a domain folder, update the memo when the scientific content changes materially — but the **plan mirror** is always the minimum repo copy for agents and PDF.

## Naming

Repo mirrors: `YYYYMMDD_<short_slug>.plan.md` (no Cursor hash).

Re-running `./scripts/mirror_plan.sh <slug>` updates the existing `*_<slug>.plan.md` file.

## Git commits

Include `3-Master_Plan/plans/*.md` with `.specstory/history/*.md` on agent sweeps. See `AGENTS.md` .

## Relation to other docs

- `.specstory/history/` — chat archives (automatic; references plans but does not copy them)
- `3-Master_Plan/plans/` — plan mirrors (this folder; use `mirror_plan.sh` )
- `3-Master_Plan/` root — COMPASS guidance, agent reports
- **Domain memos** — optional human-polished layer for reading/advisor