

# COMPASS → Charles: Where we are, forward plan, and your questions

Date: 2026-06-15 10:45 (finalized)  
From: COMPASS  
To: Charles Levine

Sources: All five `*_STANDING_BY_with_Qs_for_Charles.md` files, `20260615_1100_VECTOR_claim_language_table.md`, `20260615_1012_SCOUT_to_COMPASS_minimal_model_closure.md`, Rounds 1–5 correspondence in `3-Master_Plan/`.

Correspondence experiment: Complete. All agents filed **STANDING BY**. Mutual understanding achieved. **Everyone is waiting on you** (plus SCOUT D10 execution after your go).

## 1. Where we are (one paragraph)

You ran a five-round agent correspondence experiment and it worked: **no scientific conflicts** remain. The project has a **locked v1 manuscript architecture** (Path II): Army and basketball provide mature **empirical** inverted-U legs; tenure is **preliminary** Setting 3; basketball supplies the **minimal generative** proof-of-concept (ability – congestion in selection score, talent-only fails). VECTOR filed a **unified claim language table**; SCOUT filed a **Tier 2 stop rule** (3 green / 4 yellow / 0 red → **5 green after D10**). The center of gravity is no longer “find ideas” — it is **package artifacts, lock inference policy, draft the paper**.

## 2. What is done (do not relitigate)

| Item                               | Evidence                                                                                                           |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Jun 11 COMPASS Q&A (all agents)    | <code>1626</code> queues + <code>1633</code> / <code>1637</code> / <code>1640</code> / <code>1700</code> responses |
| Cross-agent alignment (Rounds 1–5) | 12+ ping files; no M4 conflicts                                                                                    |
| Claim language table               | <code>20260615_1100_VECTOR_claim_language_table.md</code>                                                          |
| Minimal model closure checklist    | <code>20260615_1012_SCOUT_to_COMPASS_minimal_model_closure.md</code>                                               |
| Path II nesting chain (VECTOR §3)  | <code>20260611_1640_SCOUT_to_COMPASS_model_coherence.md</code>                                                     |
| Axis-table gloss (Army + tenure)   | <code>1019_CODA_to_SCOUT_round4</code> , <code>1020_PEER_to_SCOUT_round4</code>                                    |
| All agents <b>STANDING BY</b>      | <code>1038</code> SCOUT/PEER · <code>1040</code> CODA/COMPASS · <code>1130</code> VECTOR                           |

### 3. Locked scientific consensus

Phenomenon

→

Inverted-U on L00 peer-quality proxy  
Army  · Basketball  · Tenure  preliminary

Mechanism

→

Path II: basketball generative POC (Rung 2)  
Army + tenure empirical legs (no generative L00 match)

Predictions

→

#1 Near-threshold heterogeneity (strongest artifact: SCOUT 4D)  
#2 Peak shift with global  $\Lambda$  (Army-led prose; TBD figure)

Manuscript

→

Wang structure: phenomenon → mechanism → predictions  
Paper first; dissertation second  
Dakota v03 = spine; Tier1 narrative = voice; Alex sequential = methods order

Explicitly NOT v1

→

L00 generative bin-for-bin match  
Full B(Q)–D(Q) generative decomposition  
Network extensions; mean×dispersion as primary prediction  
Tenure Layer B Cox during draft  
Basketball time-to-draft Cox

**Alex sentence (Tier 2 complete when):** SCOUT closure §7 — frozen D10 bundle with talent-only fail, congestion POC, axis table, limitation prose.

### 4. What is not done (your decisions + two execution tasks)

| Gap                                               | Owner                      | Blocks                                            |
|---------------------------------------------------|----------------------------|---------------------------------------------------|
| Tier A locks (below §6)                           | Charles                    | SCOUT D10, PEER inference CSV, VECTOR draft start |
| SCOUT D10 export bundle                           | SCOUT (after your go)      | 5 closure greens; frozen §3 figures               |
| PEER<br><div>faculty_panel_inference_v1.csv</div> | PEER (after C1–C2)         | Tenure N prose in manuscript                      |
| VECTOR manuscript prose                           | VECTOR (after D10 + C1–C2) | Paper draft                                       |
| Army canonical figure list                        | CODA (after AWS sync)      | Army panel caption                                |
| Alex meeting                                      | Charles + Alex             | Army estimand, TB-stratify                        |

### 5. Forward plan (itemized steps)

Execute in this order. Steps in **bold** need your answer first.

Phase A — Unlock execution (this week)

| Step | Action                                                                            | Who     | Your question IDs                                   |
|------|-----------------------------------------------------------------------------------|---------|-----------------------------------------------------|
| A1   | Answer Tier 1 batch (§7 copy-paste) or reply item-by-item                         | Charles | Q-SCOUT-9, Q-D10, C1–C2, C12–C13, V1–V3, Q-DEFAULTS |
| A2   | Implement D10 export bundle ( <code>export_scout_manuscript_bundle_v1.py</code> ) | SCOUT   | After A1                                            |
| A3   | Build <code>faculty_panel_inference_v1.csv</code> + filter manifest               | PEER    | After C1–C2                                         |
| A4   | Confirm claim table accepted; begin §1–§5 draft                                   | VECTOR  | After A2 + A3 (per V3)                              |

Phase B — Manuscript draft (parallel after A2)

| Step | Action                                                                                      | Who    |
|------|---------------------------------------------------------------------------------------------|--------|
| B1   | Draft §2 Theory + §5 Discussion/limitations (claim table §F discipline)                     | VECTOR |
| B2   | Draft §3 using nesting chain + D10 artifacts + ink rules                                    | VECTOR |
| B3   | Draft §4: prediction #1 (near-threshold); #2 ( $\wedge$ stub if $C-\wedge-1 = \text{yes}$ ) | VECTOR |
| B4   | Draft §1 empirical triad (honest tenure caveat)                                             | VECTOR |
| B5   | Update Dakota v03 RTF spine as sections land                                                | VECTOR |

Phase C — Alex meeting (schedule when ready)

| Step | Action                                              | Who            | Your question IDs |
|------|-----------------------------------------------------|----------------|-------------------|
| C1   | TB-stratify placement                               | Charles → Alex | C-ALEX-1          |
| C2   | Estimand sentences sign-off                         | Charles → Alex | C-ALEX-2          |
| C3   | Fine–Gray deferred OK                               | Charles → Alex | C-ALEX-3          |
| C4   | Optional: manuscript-first + LOO limitation honest? | Charles → Alex | Brief §8          |

Phase D — AWS / Army figures (when you sync)

| Step | Action                                                        | Who            | Your question IDs |
|------|---------------------------------------------------------------|----------------|-------------------|
| D1   | Confirm TB-stratify 4-file upload                             | Charles        | C-AWS-2           |
| D2   | Provide canonical Army figure list (profile, cell, PNG names) | Charles → CODA | C-AWS-1           |
| D3   | Update Army handoff + VECTOR Figure 1 caption                 | CODA           | After D2          |

Phase E — Pre-submission (explicitly not now)

| Step | Action                                          | Who                         |
|------|-------------------------------------------------|-----------------------------|
| E1   | PEER Layer B Cox (Cells 10–12 in 540 )          | PEER on R1 route            |
| E2   | Pool-size algorithm audit + limitations         | Charles / CODA              |
| E3   | Optional Army $\Lambda$ empirical test          | CODA on R- $\Lambda$ -EMPIR |
| E4   | Optional TB-stratify AWS run                    | CODA if Alex elevates       |
| E5   | Optional 525 if manuscript needs more Army meat | CODA (tabled)               |

6. Your questions — logical order

Merged from all STANDING BY files. Answer in order; say “use agent defaults” for any Tier you want to skip.

**Tier 1 — Answer first (unblocks SCOUT, PEER, VECTOR this week)**

| Order | ID         | Question                                                                                                                                | Agent rec.                                                        | Source                                                  |
|-------|------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------|
| 1     | Q-SCOUT-9  | Bundle path:<br><div>datasets/mbb/exports_inverted_u_v0/scout_manuscript_v1/</div><br>vs <div>3-Master_Plan/manuscript_exports/</div> ? | <div>datasets/mbb/.../scout_manuscript_v1/</div>                  | SCOUT<br><div>1038</div>                                |
| 2     | Q-D10      | Go on SCOUT D10 implementation (1–2 sessions)?                                                                                          | Explicit <b>go</b> required                                       | SCOUT<br><div>1038</div>                                |
| 3     | C1         | OpenAlex tier for tenure inference: HIGH only vs HIGH+MEDIUM vs include MULTI?                                                          | <b>HIGH + MEDIUM</b> primary; HIGH-only robustness; exclude MULTI | PEER<br><div>1038</div>                                 |
| 4     | C2         | Release names: <div>R1_tenure_data.csv</div> + <div>faculty_panel_inference_v1.csv</div> ?                                              | <b>Confirm</b>                                                    | PEER<br><div>1038</div>                                 |
| 5     | C12        | Confirm predictions: #1 near-threshold, #2 $\wedge$ peak-shift; defer mean $\times$ dispersion?                                         | <b>Confirmed</b>                                                  | SCOUT<br><div>1038</div> /<br>VECTOR<br><div>1700</div> |
| 6     | C13        | Confirm outline: Dakota spine / Tier1 voice / Alex sequential methods?                                                                  | <b>Confirmed</b>                                                  | VECTOR<br><div>1700</div>                               |
| 7     | V1         | Immediate objective = minimal model + predictions + manuscript draft (defer dissertation planning)?                                     | <b>Yes</b>                                                        | VECTOR<br><div>1130</div>                               |
| 8     | V2         | Proceed with #1 near-threshold + #2 $\wedge$ as primary predictions?                                                                    | <b>Yes</b>                                                        | VECTOR<br><div>1130</div>                               |
| 9     | V3         | VECTOR begins prose after D10 + C1–C2?                                                                                                  | <b>Yes</b>                                                        | VECTOR<br><div>1130</div>                               |
| 10    | Q-DEFAULTS | Accept agent defaults for Tier 2–3 items below?                                                                                         | <b>Yes</b> (recommended)                                          | COMPASS<br><div>1040</div>                              |

## Tier 2 — Manuscript prose / methods (defaults OK if Q-DEFAULTS = yes)

| Order | ID      | Question                                                          | Agent rec.                  | Source                  |
|-------|---------|-------------------------------------------------------------------|-----------------------------|-------------------------|
| 11    | C3      | Report both 168 roster + inference-ready N in prose?              | Both                        | PEER <span>1038</span>  |
| 12    | C4      | Freeze corpus vs resume scraping?                                 | Freeze + targeted URL fixes | PEER <span>1038</span>  |
| 13    | Q-C7-C8 | Fig 2: PPM z within-season + ventile bins?                        | Yes                         | SCOUT <span>1038</span> |
| 14    | Q-FIG2  | June-dated Fig 2 re-export in D10?                                | Yes (if Q-D10 = go)         | SCOUT <span>1038</span> |
| 15    | C10     | Defer prestige controls (NRC/USNews)?                             | Defer                       | PEER <span>1038</span>  |
| 16    | C11     | Defer subfield heterogeneity?                                     | Defer                       | PEER <span>1038</span>  |
| 17    | G1-G3   | Stage 9 OK for draft; Layer B pre-submission; Fine-Gray deferred? | Assumed locked              | PEER <span>1038</span>  |
| 18    | C-A-1   | Use CODA $\wedge$ stub in VECTOR §4 now (prose-only, TBD figure)? | Prose OK for v1             | CODA <span>1040</span>  |

## Tier 3 — Alex meeting (Army)

| Order | ID       | Question                                               | Agent rec.                    | Source                 |
|-------|----------|--------------------------------------------------------|-------------------------------|------------------------|
| 19    | C-ALEX-1 | TB-stratify panels: main / supplement / defer?         | Defer (default off)           | CODA <span>1040</span> |
| 20    | C-ALEX-2 | Sign-off estimand sentences ( <span>1633</span> §A.3)? | Needed for final Army Methods | CODA <span>1040</span> |
| 21    | C-ALEX-3 | Fine-Gray deferred OK in prose?                        | Yes                           | CODA <span>1040</span> |
| 22    | C-PUB-1  | Optional pool-size disclaimer in limitations now?      | Optional                      | CODA <span>1040</span> |

Tier 4 — AWS / paused until you sync

| Order | ID      | Question                                             | When           | Source    |
|-------|---------|------------------------------------------------------|----------------|-----------|
| 23    | C-AWS-2 | TB-stratify 4-file AWS upload done? (yes/no)         | Before TB runs | CODA 1040 |
| 24    | C-AWS-1 | Canonical Army figure: run profile, cell, PNG names? | After AWS sync | CODA 1040 |

Tier 5 — Route when you want (not blocking)

| ID           | Ask                             | Agent          |
|--------------|---------------------------------|----------------|
| R1           | Route PEER Layer B build        | PEER           |
| R2           | Fix 543 notebook markdown paths | PEER           |
| R-AWS-SYNC   | Un-pause Army figure list       | CODA           |
| R-TB-RUN     | Run TB-stratify on AWS          | CODA           |
| R-A-EMPIR    | Army empirical A test           | CODA           |
| R-POOL-AUDIT | Pool-size audit                 | CODA / Charles |

7. One-message batch reply (copy-paste to all agents)

```
Charles Tier 1 locks:
- Q-SCOUT-9 = datasets/mbb/exports_inverted_u_v0/scout_manuscript_v1/
- Q-D10 = go
- C1 = HIGH + MEDIUM primary (exclude MULTI from primary)
- C2 = R1_tenure_data.csv + faculty_panel_inference_v1.csv
- C12-C13 = confirmed
- V1-V3 = yes (manuscript focus; draft after D10 + C1-C2)
- Q-DEFAULTS = use agent defaults for Tier 2
```

Tier 3 Alex: scheduling – see talking points doc.

Correspondence experiment: complete. All agents execute Phase A per COMPASS forward plan.

8. Agent routing after your Tier 1 reply

| Route to | Message                                                                       |
|----------|-------------------------------------------------------------------------------|
| SCOUT    | D10 go + path locked — implement bundle per 1012 closure                      |
| PEER     | C1–C2 locked — produce faculty_panel_inference_v1.csv                         |
| VECTOR   | Claim table accepted — begin §2/§5 now; §1/§3/§4 after D10 + inference export |
| CODA     | Hold until AWS sync or Alex answers Tier 3                                    |
| COMPASS  | Update living plan when you confirm Tier 1                                    |

9. Risk watch (COMPASS — not agent disputes)

| Risk                           | Mitigation                                    |
|--------------------------------|-----------------------------------------------|
| Planning displaces drafting    | V1 lock: manuscript draft is primary          |
| Over-claiming generative match | VECTOR claim table §F + SCOUT do-not-ink list |
| Tenure overstated              | Claim table Setting 3 = preliminary only      |
| Army estimand confusion        | Alex sign-off C-ALEX-2 before final Methods   |
| Artifact drift (April Fig 2)   | D10 includes June slug refresh                |



## 10. Key file index (for you)

| Need                   | File                                                           |
|------------------------|----------------------------------------------------------------|
| This plan              | 20260615_1045_COMPASS_to_Charles_forward_plan_and_questions.md |
| Claim language         | 20260615_1100_VECTOR_claim_language_table.md                   |
| Tier 2 stop rule       | 20260615_1012_SCOUT_to_COMPASS_minimal_model_closure.md        |
| VECTOR §3 paste source | 20260611_1640_SCOUT_to_COMPASS_model_coherence.md              |
| Alex prep              | 20260611_Alex_Gates_Talking_Points.md                          |
| Prior rollup (Jun 11)  | 20260611_1642_COMPASS_to_Charles.md                            |
| Agent questions (raw)  | *_STANDING_BY_with_Qs_for_Charles.md (×5)                      |

## 11. COMPASS completion statement

*The multi-agent correspondence experiment succeeded. All agents are STANDING BY with mutual understanding. The project is in **execution phase**: your Tier 1 answers unlock SCOUT packaging and PEER inference export; VECTOR then drafts the Wang-structure manuscript under Path II. No further correspondence rounds are needed unless a new conflict appears or you change a lock.*

*End forward plan. Answer Tier 1 (§6–§7) to move.*