

/scaffold# DISPOSABLE — Legends (LoL) hero thread (2026-09-03)

Purpose: YOU ARE HERE for Charles + COMPASS Legends / League of Legends HERO work.

Data: datasets/legends/lol_big_fish_player_split_panel.csv

Column map: datasets/legends/README.md

LoL primer: LEGENDS_LoL_primer_for_researchers.md

Cross-dataset context: ../DISPOSABLE_big_fish_datasets_assessment.md

Say anchor in chat to paste the table below.

YOU ARE HERE

Step	Task	Status
0	Big Fish assessment incl. Apache	✓ — see parent disposable
1	Sandbox scaffold (this folder + README)	✓ (2026-09-03)
2	Cohort lock — dev rows, censor flags, Y window	✓ v0 locked (N=1,879 · Y2 37%)
3	Basic data plots (Â vs T_j analog, pond LOO hist ECDF)	✓ (2026-09-04)
4	Reigning HERO porch — LOO bins × promotion rate	✓ Q16 porch (2026-09-04)
5	Act II probes (CCT band, elite pond) — scaled gates	✓ z∈[1,2] · top 20% (2026-09-04)
6	3×3 data story mosaic (optional, Alex screening)	✓ LEGENDS_DATA_STORY_3x3.png

Alex one-liner (Sep 2): LoL panel from Oracle’s Elixir; developmental → top-tier promotion as Y; teammate_mean_performance_excl_self as pond LOO; more roster swapping than MBB.

Cohort lock (v0 — used in data story 2026-09-04)

Choice	Proposed v0	Rationale
Rows	league_tier == "developmental" AND eligible_developmental_cohort == True	~16K dev stints; clean promotion ladder
Â	own_performance_index	Alex composite; require performance_components_available
Peer LOO	teammate_mean_performance_excl_self	91.7% fill; primary pond context
Y	top_tier_debut_within_2y	More events than 1y (4,456 vs 3,052); still use censor
Censor	Require full_2y_followup == True before treating False as non-promotion	Avoid false negatives
Exclude	prior_top_tier_before_period == True	Already pro — not dev-to-pro story

Not yet locked: split vs calendar year aggregation; position fixed effects; same-role LOO as sensitivity only (26.6% fill).

HERO / pond frame

Our term	Legends column
Unit	player_period_id
Pond	team in dev split (teamid , team_roster_players)
Own Â	own_performance_index
Peer LOO	teammate_mean_performance_excl_self
Y (advancement)	top_tier_debut_within_1y / _2y
Environment ≠ advancement	league_tier separates pond tier from promotion outcome

Binding: Score (performance index) ≠ select (PMC-style top-tier slot) — same separation as MBB draft / tenure.

Folder layout (target)

```
legends_sandbox/  
  _DISPOSABLE_legends_hero_thread.md    ← this file  
  README.md  
  basic_data_plots/                     ← LEGENDS_BDP_*.png  
  pass_a/                               ← HERO porch outputs  
  act2/                                 ← CCT / elite pond probes  
  data_story/                           ← 3x3 manifest + mosaic ✓
```

Scripts (future): legends/scripts/legends_basic_plots.py , legends_pass_a_hero.py — parallel to tenure/scripts/ , sports/scripts/ .

Panel N sanity (why MBB knobs won’t copy verbatim)

MBB habit	Legends reality
Top 7% Â elite pond	Check dev-cohort top 7% N after filters
$z \in [2, 3]$ CCT band	Likely too thin — plan scaled band (e.g. $z \in [1, 2]$) like tenure PD29
Last-PS season window	Split-based stints; may need year+split rules

Run counts in step 2 before locking Act II gates.

Thread log

Date	Entry
2026-09-03	Thread opened; legends chosen as sole Big Fish focus; cohort lock drafted.
2026-09-04	Full 3x3 data story built (LEGENDS_DATA_STORY_3x3.png); cohort v0 locked N=1,879.