

COMPASS → Charles: Agent response rollup

Date: 2026-06-11 17:05 (updated — VECTOR incorporated)
From: COMPASS
To: Charles Levine

Purpose: Single read after routing `20260611_1626_COMPASS_to_*` question queues. Summarizes what CODA, PEER, SCOUT, and VECTOR answered; what is **locked**; what is **open** (including items waiting on you or Alex).

Responses received

Agent	Response file(s)	Question source
CODA	<code>20260611_1633_CODA_to_COMPASS.md</code>	<code>20260611_1626_COMPASS_to_CODA_questions.md</code>
PEER	<code>20260611_1637_PEER_to_COMPASS.md</code>	<code>20260611_1626_COMPASS_to_PEER_questions.md</code>
SCOUT	<code>20260611_1640_SCOUT_to_COMPASS.md</code> · <code>20260611_1640_SCOUT_to_COMPASS_model_coherence.md</code>	<code>20260611_1626_COMPASS_to_SCOUT_questions.md</code> · <code>20260611_1626_COMPASS_to_SCOUT_model_coherence_questions.md</code>
VECTOR	<code>20260611_1700_VECTOR_to_COMPASS.md</code>	<code>20260611_1626_COMPASS_to_VECTOR_questions.md</code>

All four agents have replied. Standing status reports (`*_report_to_COMPASS.md`) are separate from this Q&A round.

Executive summary (COMPASS read)

You have enough to **start manuscript draft** — VECTOR confirms §3 mechanism closure, locks **two primary predictions**, and names the **canonical outline stack**. Remaining blockers are mostly **your locks** (OpenAlex tier, export naming, Figure 2 binning) plus **VECTOR deliverables still to write** (claim language table, §3–§4 prose).

Lane	Status	Bottom line
Army (CODA)	Strong answers on estimand prose, glossary, doc canon, cross-domain framing	Canonical figure list paused until AWS sync; TB-stratify placement → Alex
Tenure (PEER)	Soft gate confirmed; Layer B ~4–7 days Mac when you route it	You must lock OpenAlex tier + release artifact names
Basketball (SCOUT)	Path II accepted; D1–D11 delivered; export bundle is next coding task	You pick ventile slug + heterogeneity figure + bundle path
Manuscript (VECTOR)	All 10 questions answered	Paper first , dissertation second; §3 partial until axis table stabilizes; claim table not yet written

What agents answered (by theme)

Cross-domain manuscript framing

- CODA Q10–11: No Army pipeline changes needed for SCOUT/PEER; **VECTOR prose harmonization** only. **Army-only CR sophistication** is correct — do not force SCOUT draft Cox before v1.
- SCOUT A1, C9: Confirms — ventile draft-rate sufficient for Setting 2; aligns with CODA.
- PEER A1, A3: Stage 9 + limitations OK for draft; cause-specific Cox later; Fine–Gray deferred.
- VECTOR Q10: Cross-domain manuscript = **primary scientific product**. **Paper first; dissertation packaging second**.

Estimand / methods language (VECTOR inputs)

- CODA Q3: Five **draft sentences** distinguishing Cell 11 CIF vs Cell 12 Cox — **needs Alex sign-off** before VECTOR treats as final (`Alex_Gates_Talking_Points.md` § Estimand language).
- PEER A3: Mirror Army cause-specific framing; prose fix template provided.

§3 minimal model (SCOUT + VECTOR)

- SCOUT model coherence: Path II locked; **no dissent**. Alex score = *D* in **selection score**, not separate mechanism.
- B5 nesting chain + C8 claim box + A3 axis sentence — ready for VECTOR §3 (see coherence response §B–§C).
- D1 axis table flagged **blocking for draft quality** if omitted.
- VECTOR Q1: Agrees with Charles — score equation + soft assignment + **explicit axis table** sufficient for v1. LOO generative match = **future strengthening**, not publication blocker.
- VECTOR minimum SCOUT deliverables before §3 draft: (1) stable peak-and-decline, (2) talent-only failure baseline, (3) soft-assignment/congestion prose, (4) axis table, (5) ≥2 candidate predictions.

Tier 1 objects & outline stack (VECTOR)

- VECTOR Q2 — main vs supplement:

Object	Priority
Talent-only failure baseline	REQUIRED (main)
$B(Q) - D(Q)$ decomposition	REQUIRED (main)
Evans misclassification	BENEFICIAL (main)
Λ_t	BENEFICIAL (main)
L^*	BENEFICIAL (main)
Full formal decomposition details	SUPPLEMENT

- VECTOR Q3 — canonical stack: Dakota v03 RTF = section spine; `Tier1_Narrative_Outline.md` = voice; `Alex_Tier1_Sequential_Model_Outline.md` = model-development ordering.

Predictions (VECTOR)

- VECTOR Q4 — two primaries locked:
 - #1: Near-threshold heterogeneity (elite-pool dip strongest for borderline performers).
 - #2: Peak shift with global Λ .
 - **Defer**: Mean × dispersion interactions (SCOUT 4B/4C).
- VECTOR Q5 — testable now without new runs:

Setting	Already testable
CODA	Near-threshold effects; promotion vs attrition dynamics
SCOUT	Talent concentration curve shape; threshold analyses
PEER	Preliminary shape comparisons only

Section readiness & claims (VECTOR)

- VECTOR Q6:

Section	Ready?	Blocker
Abstract / framing	YES	None
§1 Empirical triad	MOSTLY	PEER preliminary
§2 Theory	YES	Minor wording only
§3 Minimal model + generative	PARTIAL	Final axis table + model stabilization
§4 Predictions	PARTIAL	Final prediction prose (selection now locked)
§5 Discussion / limitations	YES	Can draft now
Network extensions	DEFER	Not needed for submission draft

- **VECTOR Q7: Recommends** centralized claim language table (supported / preliminary / unsupported) — **not yet produced** (VECTOR deliverable).

Process & Wang template (VECTOR)

- **VECTOR Q8 — Dakota RTF ownership:** VECTOR = narrative updates; implementation agents = scientific status updates; Charles = final editorial authority.
- **VECTOR Q9 — Wang template:**
 - **Mandatory:** cross-domain empirical phenomenon; minimal mechanism; failure of simpler baseline; testable predictions.
 - **Aspirational:** scaling laws; phase transitions; rich network extensions.

Generative / Path A

- **SCOUT:** LOO generative bin-for-bin match **not required** v1; **D10** = frozen export bundle (`export_scout_manuscript_bundle_v1.py`) — 1–2 sessions, packaging only.
- **VECTOR Q1:** Aligns — LOO generative match deferred.
- **Priority order confirmed** with tweak: **4D heterogeneity** elevated above CELL 7 robustness.

Tenure Layer B

- **PEER:** `540` ends Cell 9; Layer B **planned** port from `520`; ~4–7 Mac days first pass; **not urgent until pre-submission**.
- **Parity table** vs Army Cell 12 documented (pool quadratic, interaction, `scikit-survival`).

Army figures / AWS

- **CODA Q1, Q9: Paused** — Cursor digital twin; canonical cell/run/filenames after **your** AWS sync.
- **CODA Q8:** TB-stratify 4-file set **likely still pending AWS upload** — **you confirm** yes/no.

Docs / housekeeping

- **CODA Q12:** Canonical Army doc list (Publication_Plan, 520 overview, CR_AND_HR, etc.).

- **PEER Q13, SCOUT E13:** Stale cross-references flagged (e.g. PEER “Cox wired” in CODA line — PEER notes CODA response still says wired; **stale in CODA file**).
-

Already locked (Charles + agents)

Decision	Where recorded
Summer–Fall 2026 manuscript target	Brief, PROJECT_STATUS
Manuscript-first / Path II generative	SCOUT, VECTOR Q1
Tenure soft gate; Cell 12 not urgent during draft	PEER, VECTOR Q6
Fine–Gray deferred (tenure + Army prose boundary)	PEER, CODA Q3
525/UIC tabled	CODA Q6
Pool-size audit pre-publication; keep moving on draft	CODA Q5, PEER aligned
Army runs on AWS; figure list paused	CODA Q1
TB-stratify / placement deferred to Alex	CODA Q2, Q7
One manuscript, three settings	PEER, CODA §10
Two primary predictions (#1 near-threshold heterogeneity; #2 peak shift with Δ)	VECTOR Q4
Canonical outline stack (Dakota spine / Tier1 voice / Alex methods order)	VECTOR Q3
Paper first, dissertation second	VECTOR Q10
Dakota ownership split (VECTOR narrative / agents status / Charles editorial)	VECTOR Q8
Wang mandatory quartet (phenomenon, mechanism, baseline failure, predictions)	VECTOR Q9
Network extensions deferred for submission draft	VECTOR Q6
Mean × dispersion deferred as primary prediction	VECTOR Q4

Open questions — waiting on Charles

These were asked of agents but agents explicitly returned them to you, or agents gave **recommendations** only.

#	Topic	Agent	Recommendation (if any)	Your action
C1	OpenAlex confidence tier for tenure inference v1	PEER Q4	HIGH + MEDIUM primary; HIGH-only robustness; exclude MULTI	Lock tier
C2	Release artifact names	PEER Q5	Full: <code>R1_tenure_data.csv</code> ; inference: <code>faculty_panel_inference_v1.csv</code>	Confirm or rename
C3	168 schools vs inference N in prose	PEER Q6	Both: roster 168 in methods; ~796 / 52 depts prominent in results (re-verify at submission)	Accept wording
C4	Freeze corpus vs resume scraping	PEER Q7	Freeze + targeted URL fixes only	Confirm
C5	AWS TB-stratify upload done?	CODA Q8	Repo differs from Apr export; upload pending per handoff	Confirm yes/no on AWS
C6	Canonical Army figures (cell, profile, PNG names)	CODA Q1 (paused)	After AWS sync	Un-pause when ready
C7	Figure 2 binning slug (basketball)	SCOUT E12	<code>quantile</code> ventiles vs <code>equal_width</code>	Pick one for publication
C8	Heterogeneity supplement figure	SCOUT D10/D11	<code>top_tail</code> vs <code>three_way</code>	Pick mode
C9	SCOUT export bundle directory	SCOUT D10	<code>datasets/mbb/exports_inverted_u_v0/scout_manuscript_v1/</code> vs <code>3-Master_Plan/manuscript_exports/</code>	Pick path
C10	Prestige controls (NRC/USNews) for tenure Cox v1	PEER Q8	Defer beneficial	Optional lock: defer OK?
C11	Subfield heterogeneity tenure v1	PEER Q9	Defer	Optional lock: defer OK?
C12	Confirm VECTOR prediction lock (#1 near-threshold, #2 peak shift; defer mean×dispersion)	VECTOR Q4	VECTOR locked; SCOUT had suggested 4D top-tail emphasis	Confirm or override

#	Topic	Agent	Recommendation (if any)	Your action
C13	Confirm VECTOR outline stack (Dakota / Tier1 / Alex ordering)	VECTOR Q3	VECTOR locked	Confirm or override

Open questions — waiting on Alex

#	Topic	Source	Prep doc
A1	TB-stratified panels: main / supplement / defer	CODA Q2, Q7	20260611_Alex_Gates_Talking_Points.md § TB-stratified
A2	Estimand sentences (CIF vs Cox) — sign-off	CODA Q3 draft	Talking points § Estimand language
A3	TB-stratify routine default on/off; first-read expectations	CODA Q7	Talking points
A4	(Optional) Manuscript-first + LOO generative limitations acceptable?	Brief §8; VECTOR Q1 aligns	Talking points § optional
A5	(Optional) Elevate CELL 7 / 4D / TB-stratify from defer list?	Brief §8; SCOUT elevated 4D; VECTOR deferred mean×dispersion as primary	Talking points

Open questions — waiting on VECTOR (deliverables, not routing)

VECTOR answered all 10 COMPASS questions. Remaining VECTOR work items:

#	Deliverable	Status	Blocker
V1	Claim language table (supported / preliminary / unsupported per setting)	Recommended, not written	VECTOR to draft; may use CODA/SCOUT/PEER report drafts as input
V2	§3 prose (minimal model + generative)	PARTIAL	SCOUT axis table stabilization (D1); see VECTOR Q1 checklist
V3	§4 prose (two locked predictions)	PARTIAL	Prediction selection locked (Q4); prose not drafted
V4	Dakota v03 RTF narrative updates	Not started	VECTOR owns per Q8; triggers when PEER Cell 12 or SCOUT generative status changes
V5	§1 empirical triad final wording	MOSTLY	PEER preliminary figure + limitations prose

Paused / blocked (not agent failures)

Item	Blocker	Who unblocks
Army canonical figure list	AWS sync + your identification	Charles
Publication-ready Army exports from local repo	Same + proprietary data often AWS-only	Charles
PEER faculty_panel_inference_v1.csv	OpenAlex tier lock (C1)	Charles
SCOUT generative PNGs in bundle	D10 export script not run yet	SCOUT after C7–C9 locks (or SCOUT picks defaults)
VECTOR §3 completion	Axis table + model stabilization (SCOUT D1)	SCOUT + VECTOR
VECTOR claim language table	Not yet drafted	VECTOR

Agent-recommended near-term sequence (synthesized)

- You (today–this week)
- Lock C1–C4 (tenure inference policy)

→ Lock C7–C9 (basketball Figure 2 / bundle) OR delegate defaults to SCOUT

→ Confirm C5 AWS upload

→ Confirm C12–C13 (VECTOR prediction + outline locks) or override

→ Alex meeting (A1–A3) when scheduled
- VECTOR (draft phase – now unblocked)
- Produce claim language table (V1) from agent report drafts

→ Draft §5 Discussion / limitations (ready now)

→ Draft §2 Theory (minor refinement only)

→ Draft §3–§4 using SCOUT nesting chain + locked predictions

→ Update Dakota v03 RTF spine as sections land
- Parallel (non-blocking draft)
- SCOUT D10 export bundle (after C7–C9 or with SCOUT defaults)

→ PEER Layer B – only when you route; pre-submission not now
- Before submission (not now)
- PEER Cell 12 / Layer B

→ Pool-size algorithm audit (Charles)

→ Optional: TB-stratify AWS run if Alex wants panels

→ Optional: S25 if manuscript needs more Army meat

Stale-doc flags from agents (for your awareness)

File	Issue
<code>20260611_1633_CODA_to_COMPASS.md</code> line on PEER “Cox wired”	PEER says stale — should say Layer B planned
<code>543_package_panel.ipynb</code>	Markdown vs code path mismatch (<code>faculty_panel_advisor.csv</code> vs <code>R1_tenure_data.csv</code>)
Basketball Figure 2 on disk	April 2026 slugs — SCOUT recommends refresh before VECTOR locks captions
Old <code>0826</code> / <code>0911</code> PDFs	In <code>archive/</code> — regenerate from <code>1626</code> markdown as needed

Suggested your next three moves

1. **Lock tenure inference policy** (C1–C2) — unlocks PEER inference export and VECTOR Setting 3 sample-size prose.
2. **Confirm VECTOR locks** (C12–C13) — predictions and outline stack are set; override only if you disagree.
3. **Schedule Alex** with `20260611_Alex_Gates_Talking_Points.md` — unlocks Army estimand finalization + TB-stratify placement.

End rollup. All four agents answered. Update when you lock C1–C13 / Alex A1–A5 or VECTOR delivers V1–V5.