

Projeto Alex

terça-feira, 25 de junho de 2024

15:32

FIRMWARE

- ADC

- ↳ Tensão - 80V - Acima 60V sobre tensão - nominal 40V
- ↳ Corrente sobre corrente 15A - nominal 10A a 12A

- Sobre Tensão → 115

- Sensor de Temperatura - ADC

- ↳ sobre temperatura → Temp ?

- 04/07/24

- ADC

- Aquisição

↳ 960 samples por segundo

↳ 1ª camada

↳ 392 posições

↳ 12 ciclos

↳ 36 amostras cada = 0,2 segundos

↳ 2ª camada

↳ 35 posições

↳ média quadrática da 1ª camada

↳ a cada 0,2 → 3s

↳ 3ª camada

↳ 200 posições

↳ "Mq" da 2ª camada

↳ a cada 3s → 10min

↳ 4ª camada

↳ 6 posições

↳ "Mq" da 3ª camada

↳ a cada 10min → 1h

↳ 5ª camada

↳ 24 posições

↳ "Mq" da 4ª camada

↳ a cada 1h → 24 h ou 3 dias

3. How many channels does ESP32 ADC have? What is the sampling rate and significant digit?

- The ESP32 ADC has 18 channels.
- If you stop Wi-Fi and use ADC DMA, the sampling rate does not exceed 2 MHz theoretically

However, we recommend you to use a smaller sampling rate in practice.

- Its sampling rate can reach 1000 times per second with Wi-Fi.
- The internal significant digit of ADC is 12 bits.

→ PESQUISAR buffer circular

↳ Como funciona?

↳ Como implementar?

↳ Testar (código simples usando ADC).