SOLICITACOES DO USUARIO - FASHION AI
Historico desta conversa | Exportado em 19/10/2026

Mensagens originais em ordem cronologica. Inclui pedidos, correcoes e
complementos do usuario para preservar o contexto das alteracoes.
Este documento nao confirma a implementacao dos pedidos.

1. 2026-10-19T03:03:38.282Z

Implemente todos

---

2. 2026-10-19T03:18:56.309Z

Ok, preciso subir a imagem dentro do Google Cloud?

---

3. 2026-10-19T03:22:00.686Z

Estou falando desta opcao Gerar o avatar com a GPU (semirrealista)

---

4. 2026-10-19T03:23:17.201Z

In this workspace (vscode-vfs://github/MatheusHaliski/tcc-2026-fashion-ai-backend), find the class(es) that implement the Java interface `StylizedPortraitPort` (package br.com.fashionai.application.ports). Also find where the worker's Python side handles the `stylized_portrait`/`portrait` task (likely under services/anatomical_vton/) and which environment variables configure the connection (e.g. VTON_WORKER_URL, VERTEX project/endpoint IDs). This is research only — do not write code. Report: file paths, class names, how `available()` is decided, the exact env vars required for the feature to work end-to-end, and whether the photo is sent to Google Cloud Vertex AI or to a self-hosted worker (or both — worker that forwards to Vertex).

---

5. 2026-10-19T03:47:54.197Z

Abra pull request com estas mudancas

---

6. 2026-10-19T03:51:34.252Z

Ok, continue

---

7. 2026-10-19T03:57:24.887Z

Quero que suba todas as alteracoes que fez nos pipelines da geracao do avatar 3D com GPU

---

8. 2026-10-19T04:02:43.062Z

Implement code changes in the isolated worktree /Users/matheushaliski/tcc-avatar

3d-gpu-pr. This is a coding task. Recover the exact prior avatar 3D quality improvements from the transcript edit-operation export at /tmp/avatar-edit-ops.jsonl. That JSONL contains 6 multi_replace_string_in_file operations with arrays of exact filePath/oldString/newString replacements, plus one create_file operation for lib/avatar3d/hair-flow.ts. Paths may be vscode-vfs://github/MatheusHaliski/tcc-2026-fashion-ai-backend/...; map them into /Users/matheushaliski/tcc-avatar3d-gpu-pr/.... Apply the operations in JSONL order. Use proper file editing tools, not shell file-writing tricks. Do not touch the original checkout /Users/matheushaliski/tcc-2026-fashion-ai-backend. Preserve changes exactly unless current main requires a minimal context adaptation. For each replacement, ensure oldString occurs exactly once before editing; if absent or ambiguous, investigate locally and make the smallest semantically equivalent edit, recording it in your report. After edits, run focused static validation if feasible (at minimum get_errors/typecheck relevant to changed TypeScript; do not commit). Return: files changed, any failed/adapted replacement, and validation results.

---

9. 2026-10-19T04:05:29.933Z

[Terminal aa4634d0-f496-4564-a55d-e5001f9d705c notification: command may be waiting for input — assess the output below.]
This note is not a signal to end the turn — pick one of the actions below and continue.
  1. If the command may still be producing output or the shell prompt has not returned, call get_terminal_output with id="aa4634d0-f496-4564-a55d-e5001f9d705c" to continue polling. This is the default and safest action when unsure.
  2. Only if the output clearly ends with a real non-secret input prompt (Continue? (y/n), Enter selection, etc. — a normal shell prompt like `$` or `#` does NOT count), call the vscode_askQuestions tool to ask the user, then send each answer using send_to_terminal with id="aa4634d0-f496-4564-a55d-e5001f9d705c" (which returns the next few lines of output). Repeat one prompt at a time. NEVER route secret prompts (passwords, passphrases, tokens, API keys, etc.) through vscode_askQuestions — answers to that tool are sent through the model. For secret prompts, tell the user to type the value directly into the terminal and stop.
Terminal output:
components/three/store-street-scene.tsx:107:81 - error TS2339: Property 'meshPhysicalMaterial' does not exist on type 'JSX.IntrinsicElements'.

107   <mesh position={[0, 0.94, 0.43]}><boxGeometry args={[1.5, 1.1, 0.02]} /><meshPhysicalMaterial color="#DDE6EE" transmission={0.9} roughness={0.05} transparent opacity={0.12} depthWrite={false} /></mesh>

    ~~~
    ~~~

```
e} /></mesh>)}
                                                    ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~

components/three/store-street-scene.tsx:108:80 - error TS2339: Property 'boxGeom
etry' does not exist on type 'JSX.IntrinsicElements'.

108         {[-0.76, 0.76].map((px) => <mesh key={px} position={[px, 0.94, 0.215
]}><boxGeometry args={[0.03, 1.1, 0.43]} /><meshPhysicalMaterial color="#DDE6EE"
 transmission={0.9} roughness={0.05} transparent opacity={0.12} depthWrite={fals
e} /></mesh>)}

   ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:108:120 - error TS2339: Property 'meshPh
ysicalMaterial' does not exist on type 'JSX.IntrinsicElements'.

108         {[-0.76, 0.76].map((px) => <mesh key={px} position={[px, 0.94, 0.215
]}><boxGeometry args={[0.03, 1.1, 0.43]} /><meshPhysicalMaterial color="#DDE6EE"
 transmission={0.9} roughness={0.05} transparent opacity={0.12} depthWrite={fals
e} /></mesh>)}

                                                        ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~

components/three/store-street-scene.tsx:108:242 - error TS2339: Property 'mesh'
does not exist on type 'JSX.IntrinsicElements'.

108         {[-0.76, 0.76].map((px) => <mesh key={px} position={[px, 0.94, 0.215
]}><boxGeometry args={[0.03, 1.1, 0.43]} /><meshPhysicalMaterial color="#DDE6EE"
 transmission={0.9} roughness={0.05} transparent opacity={0.12} depthWrite={fals
e} /></mesh>)}



     ~~~~~~~

components/three/store-street-scene.tsx:109:36 - error TS2339: Property 'mesh' d
oes not exist on type 'JSX.IntrinsicElements'.

109         {[-0.77, 0.77].map((px) => <mesh key={`m${px}`} position={[px, 0.94,
 0.43]}><boxGeometry args={[0.04, 1.14, 0.04]} /><meshStandardMaterial color="#1
F2126" metalness={0.6} roughness={0.3} /></mesh>)}
                                                    ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~

components/three/store-street-scene.tsx:109:85 - error TS2339: Property 'boxGeom
etry' does not exist on type 'JSX.IntrinsicElements'.

109         {[-0.77, 0.77].map((px) => <mesh key={`m${px}`} position={[px, 0.94,
 0.43]}><boxGeometry args={[0.04, 1.14, 0.04]} /><meshStandardMaterial color="#1
F2126" metalness={0.6} roughness={0.3} /></mesh>)}

        ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:109:126 - error TS2339: Property 'meshSt
andardMaterial' does not exist on type 'JSX.IntrinsicElements'.

109         {[-0.77, 0.77].map((px) => <mesh key={`m${px}`} position={[px, 0.94,
 0.43]}><boxGeometry args={[0.04, 1.14, 0.04]} /><meshStandardMaterial color="#1
F2126" metalness={0.6} roughness={0.3} /></mesh>)}
```

```
                                                                ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:109:198 - error TS2339: Property 'mesh'
does not exist on type 'JSX.IntrinsicElements'.

109         {[-0.77, 0.77].map((px) => <mesh key={`m${px}`} position={[px, 0.94,
 0.43]}><boxGeometry args={[0.04, 1.14, 0.04]} /><meshStandardMaterial color="#1
F2126" metalness={0.6} roughness={0.3} /></mesh>)}


                                                ~~~~~~~

components/three/store-street-scene.tsx:110:9 - error TS2339: Property 'mesh' do
es not exist on type 'JSX.IntrinsicElements'.

110         <mesh position={[0, 1.515, 0.215]}><boxGeometry args={[1.6, 0.05, 0.
46]} /><meshStandardMaterial color="#1F2126" metalness={0.6} roughness={0.3} /><
/mesh>
            ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:110:44 - error TS2339: Property 'boxGeom
etry' does not exist on type 'JSX.IntrinsicElements'.

110         <mesh position={[0, 1.515, 0.215]}><boxGeometry args={[1.6, 0.05, 0.
46]} /><meshStandardMaterial color="#1F2126" metalness={0.6} roughness={0.3} /><
/mesh>
                                                ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~

components/three/store-street-scene.tsx:110:84 - error TS2339: Property 'meshSta
ndardMaterial' does not exist on type 'JSX.IntrinsicElements'.

110         <mesh position={[0, 1.515, 0.215]}><boxGeometry args={[1.6, 0.05, 0.
46]} /><meshStandardMaterial color="#1F2126" metalness={0.6} roughness={0.3} /><
/mesh>

       ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:110:156 - error TS2339: Property 'mesh'
does not exist on type 'JSX.IntrinsicElements'.

110         <mesh position={[0, 1.515, 0.215]}><boxGeometry args={[1.6, 0.05, 0.
46]} /><meshStandardMaterial color="#1F2126" metalness={0.6} roughness={0.3} /><
/mesh>

                                                                              ~
~~~~~~

components/three/store-street-scene.tsx:111:9 - error TS2339: Property 'pointLig
ht' does not exist on type 'JSX.IntrinsicElements'.

111         <pointLight position={[0, 1.38, 0.25]} intensity={1.6} distance={1.8
} color="#FFF4E2" />
            ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:112:7 - error TS2339: Property 'group' d
oes not exist on type 'JSX.IntrinsicElements'.

112       </group>
```

```
          ~~~~~~~~

components/three/store-street-scene.tsx:114:7 - error TS2339: Property 'group' d
oes not exist on type 'JSX.IntrinsicElements'.

114       <group position={[0.78, 0, 0.71]}>
          ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:115:9 - error TS2339: Property 'mesh' do
es not exist on type 'JSX.IntrinsicElements'.

115         <mesh position={[0, 0.85, 0]}><boxGeometry args={[0.56, 1.7, 0.04]}
/><meshStandardMaterial color="#1F2126" metalness={0.6} roughness={0.3} /></mesh
>
            ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:115:39 - error TS2339: Property 'boxGeom
etry' does not exist on type 'JSX.IntrinsicElements'.

115         <mesh position={[0, 0.85, 0]}><boxGeometry args={[0.56, 1.7, 0.04]}
/><meshStandardMaterial color="#1F2126" metalness={0.6} roughness={0.3} /></mesh
>
                                          ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~

components/three/store-street-scene.tsx:115:79 - error TS2339: Property 'meshSta
ndardMaterial' does not exist on type 'JSX.IntrinsicElements'.

115         <mesh position={[0, 0.85, 0]}><boxGeometry args={[0.56, 1.7, 0.04]}
/><meshStandardMaterial color="#1F2126" metalness={0.6} roughness={0.3} /></mesh
>

  ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:115:151 - error TS2339: Property 'mesh'
does not exist on type 'JSX.IntrinsicElements'.

115         <mesh position={[0, 0.85, 0]}><boxGeometry args={[0.56, 1.7, 0.04]}
/><meshStandardMaterial color="#1F2126" metalness={0.6} roughness={0.3} /></mesh
>

                                                                        ~~~~~~
~

components/three/store-street-scene.tsx:116:9 - error TS2339: Property 'mesh' do
es not exist on type 'JSX.IntrinsicElements'.

116         <mesh position={[0, 0.88, 0.022]}><planeGeometry args={[0.46, 1.54]}
 /><meshStandardMaterial color="#9FB3C4" metalness={0.8} roughness={0.08} /></me
sh>
            ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:116:43 - error TS2339: Property 'planeGe
ometry' does not exist on type 'JSX.IntrinsicElements'.

116         <mesh position={[0, 0.88, 0.022]}><planeGeometry args={[0.46, 1.54]}
 /><meshStandardMaterial color="#9FB3C4" metalness={0.8} roughness={0.08} /></me
sh>
                                            ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~

components/three/store-street-scene.tsx:116:80 - error TS2339: Property 'meshSta
```

```
ndardMaterial' does not exist on type 'JSX.IntrinsicElements'.

116         <mesh position={[0, 0.88, 0.022]}><planeGeometry args={[0.46, 1.54]}
 /><meshStandardMaterial color="#9FB3C4" metalness={0.8} roughness={0.08} /></me
sh>

   ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:116:153 - error TS2339: Property 'mesh'
does not exist on type 'JSX.IntrinsicElements'.

116         <mesh position={[0, 0.88, 0.022]}><planeGeometry args={[0.46, 1.54]}
 /><meshStandardMaterial color="#9FB3C4" metalness={0.8} roughness={0.08} /></me
sh>

                                                                        ~~~~
~~~

components/three/store-street-scene.tsx:117:9 - error TS2339: Property 'mesh' do
es not exist on type 'JSX.IntrinsicElements'.

117         <mesh position={[-0.17, 0.88, 0.05]}><boxGeometry args={[0.025, 0.42
, 0.025]} /><meshStandardMaterial color={s.accentColor} metalness={0.5} roughnes
s={0.3} /></mesh>
            ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:117:46 - error TS2339: Property 'boxGeom
etry' does not exist on type 'JSX.IntrinsicElements'.

117         <mesh position={[-0.17, 0.88, 0.05]}><boxGeometry args={[0.025, 0.42
, 0.025]} /><meshStandardMaterial color={s.accentColor} metalness={0.5} roughnes
s={0.3} /></mesh>
                                                 ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~~~

components/three/store-street-scene.tsx:117:89 - error TS2339: Property 'meshSta
ndardMaterial' does not exist on type 'JSX.IntrinsicElements'.

117         <mesh position={[-0.17, 0.88, 0.05]}><boxGeometry args={[0.025, 0.42
, 0.025]} /><meshStandardMaterial color={s.accentColor} metalness={0.5} roughnes
s={0.3} /></mesh>

            ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~

components/three/store-street-scene.tsx:117:167 - error TS2339: Property 'mesh'
does not exist on type 'JSX.IntrinsicElements'.

117         <mesh position={[-0.17, 0.88, 0.05]}><boxGeometry args={[0.025, 0.42
, 0.025]} /><meshStandardMaterial color={s.accentColor} metalness={0.5} roughnes
s={0.3} /></mesh>


          ~~~~~~~

components/three/store-street-scene.tsx:118:7 - error TS2339: Property 'group' d
oes not exist on type 'JSX.IntrinsicElements'.

118       </group>
          ~~~~~~~~

components/three/store-street-scene.tsx:122:20 - error TS2339: Property 'mesh' d
```

```
oes not exist on type 'JSX.IntrinsicElements'.

122       {selected && <mesh position={[0, 0.01, 1.4]} rotation={[-Math.PI / 2,
0, 0]}><ringGeometry args={[1.35, 1.5, 48]} /><meshBasicMaterial color={s.accent
Color} toneMapped={false} /></mesh>}
                        ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~

components/three/store-street-scene.tsx:122:84 - error TS2339: Property 'ringGeo
metry' does not exist on type 'JSX.IntrinsicElements'.

122       {selected && <mesh position={[0, 0.01, 1.4]} rotation={[-Math.PI / 2,
0, 0]}><ringGeometry args={[1.35, 1.5, 48]} /><meshBasicMaterial color={s.accent
Color} toneMapped={false} /></mesh>}

       ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:122:123 - error TS2339: Property 'meshBa
sicMaterial' does not exist on type 'JSX.IntrinsicElements'.

122       {selected && <mesh position={[0, 0.01, 1.4]} rotation={[-Math.PI / 2,
0, 0]}><ringGeometry args={[1.35, 1.5, 48]} /><meshBasicMaterial color={s.accent
Color} toneMapped={false} /></mesh>}

                                                    ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:122:185 - error TS2339: Property 'mesh'
does not exist on type 'JSX.IntrinsicElements'.

122       {selected && <mesh position={[0, 0.01, 1.4]} rotation={[-Math.PI / 2,
0, 0]}><ringGeometry args={[1.35, 1.5, 48]} /><meshBasicMaterial color={s.accent
Color} toneMapped={false} /></mesh>}


                              ~~~~~~~

components/three/store-street-scene.tsx:123:5 - error TS2339: Property 'group' d
oes not exist on type 'JSX.IntrinsicElements'.

123     </group>
        ~~~~~~~~

components/three/store-street-scene.tsx:155:15 - error TS7031: Binding element '
clock' implicitly has an 'any' type.

155   useFrame(({ clock }) => { if (!reduced) place(clock.elapsedTime); });
                  ~~~~~

components/three/store-street-scene.tsx:158:5 - error TS2339: Property 'group' d
oes not exist on type 'JSX.IntrinsicElements'.

158     <group>
        ~~~~~~~

components/three/store-street-scene.tsx:159:7 - error TS2339: Property 'instance
dMesh' does not exist on type 'JSX.IntrinsicElements'.

159       <instancedMesh key={`b${n}`} ref={body} args={[undefined, undefined, n
]} castShadow><capsuleGeometry args={[0.11, 0.46, 4, 8]} /><meshStandardMaterial
 roughness={0.9} /></instancedMesh>
          ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
```

```
~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:159:91 - error TS2339: Property 'capsule
Geometry' does not exist on type 'JSX.IntrinsicElements'.

159       <instancedMesh key={`b${n}`} ref={body} args={[undefined, undefined, n
]} castShadow><capsuleGeometry args={[0.11, 0.46, 4, 8]} /><meshStandardMaterial
 roughness={0.9} /></instancedMesh>

                ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:159:136 - error TS2339: Property 'meshSt
andardMaterial' does not exist on type 'JSX.IntrinsicElements'.

159       <instancedMesh key={`b${n}`} ref={body} args={[undefined, undefined, n
]} castShadow><capsuleGeometry args={[0.11, 0.46, 4, 8]} /><meshStandardMaterial
 roughness={0.9} /></instancedMesh>

                                                                        ~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:159:176 - error TS2339: Property 'instan
cedMesh' does not exist on type 'JSX.IntrinsicElements'.

159       <instancedMesh key={`b${n}`} ref={body} args={[undefined, undefined, n
]} castShadow><capsuleGeometry args={[0.11, 0.46, 4, 8]} /><meshStandardMaterial
 roughness={0.9} /></instancedMesh>


                    ~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:160:7 - error TS2339: Property 'instance
dMesh' does not exist on type 'JSX.IntrinsicElements'.

160       <instancedMesh key={`h${n}`} ref={heads} args={[undefined, undefined,
n]}><sphereGeometry args={[0.085, 10, 8]} /><meshStandardMaterial color="#c4ad97
" roughness={0.8} /></instancedMesh>
          ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~

components/three/store-street-scene.tsx:160:81 - error TS2339: Property 'sphereG
eometry' does not exist on type 'JSX.IntrinsicElements'.

160       <instancedMesh key={`h${n}`} ref={heads} args={[undefined, undefined,
n]}><sphereGeometry args={[0.085, 10, 8]} /><meshStandardMaterial color="#c4ad97
" roughness={0.8} /></instancedMesh>

    ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:160:121 - error TS2339: Property 'meshSt
andardMaterial' does not exist on type 'JSX.IntrinsicElements'.

160       <instancedMesh key={`h${n}`} ref={heads} args={[undefined, undefined,
n]}><sphereGeometry args={[0.085, 10, 8]} /><meshStandardMaterial color="#c4ad97
" roughness={0.8} /></instancedMesh>

                                                            ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:160:177 - error TS2339: Property 'instan
cedMesh' does not exist on type 'JSX.IntrinsicElements'.
```

```
160       <instancedMesh key={`h${n}`} ref={heads} args={[undefined, undefined, n]}><sphereGeometry args={[0.085, 10, 8]} /><meshStandardMaterial color="#c4ad97" roughness={0.8} /></instancedMesh>


                    ~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:161:5 - error TS2339: Property 'group' does not exist on type 'JSX.IntrinsicElements'.

161     </group>
        ~~~~~~~~

components/three/store-street-scene.tsx:177:7 - error TS2339: Property 'color' does not exist on type 'JSX.IntrinsicElements'.

177       <color attach="background" args={["#0e1220"]} />
          ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:178:7 - error TS2339: Property 'fog' does not exist on type 'JSX.IntrinsicElements'.

178       <fog attach="fog" args={["#0e1220", 14, 30]} />
          ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:179:7 - error TS2339: Property 'hemisphereLight' does not exist on type 'JSX.IntrinsicElements'.

179       <hemisphereLight args={["#e6ecff", "#23262e", 0.8]} />
          ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:180:7 - error TS2339: Property 'directionalLight' does not exist on type 'JSX.IntrinsicElements'.

180       <directionalLight position={[4, 9, 7]} intensity={1.2} castShadow shadow-mapSize={[1024, 1024]} />
          ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:181:7 - error TS2339: Property 'directionalLight' does not exist on type 'JSX.IntrinsicElements'.

181       <directionalLight position={[-3, 4, 9]} intensity={0.55} />
          ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:182:7 - error TS2339: Property 'mesh' does not exist on type 'JSX.IntrinsicElements'.

182       <mesh rotation={[-Math.PI / 2, 0, 0]} receiveShadow><planeGeometry args={[60, 60]} /><meshStandardMaterial color="#2a2d35" roughness={0.95} /></mesh>
          ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:182:59 - error TS2339: Property 'planeGeometry' does not exist on type 'JSX.IntrinsicElements'.

182       <mesh rotation={[-Math.PI / 2, 0, 0]} receiveShadow><planeGeometry args={[60, 60]} /><meshStandardMaterial color="#2a2d35" roughness={0.95} /></mesh>
                                                              ~~~~~~~~~~~~~~~~~~~
```

```
182       <mesh rotation={[-Math.PI / 2, 0, 0]} receiveShadow><planeGeometry arg
s={[60, 60]} /><meshStandardMaterial color="#2a2d35" roughness={0.95} /></mesh>

                ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:182:149 - error TS2339: Property 'mesh'
does not exist on type 'JSX.IntrinsicElements'.

182       <mesh rotation={[-Math.PI / 2, 0, 0]} receiveShadow><planeGeometry arg
s={[60, 60]} /><meshStandardMaterial color="#2a2d35" roughness={0.95} /></mesh>

                                                                        ~~~~~~~

components/three/store-street-scene.tsx:183:7 - error TS2339: Property 'mesh' do
es not exist on type 'JSX.IntrinsicElements'.

183       <mesh rotation={[-Math.PI / 2, 0, 0]} position={[0, 0.005, 3]}><circle
Geometry args={[4.5, 48]} /><meshStandardMaterial color="#343844" roughness={0.9
} /></mesh>
          ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:183:70 - error TS2339: Property 'circleG
eometry' does not exist on type 'JSX.IntrinsicElements'.

183       <mesh rotation={[-Math.PI / 2, 0, 0]} position={[0, 0.005, 3]}><circle
Geometry args={[4.5, 48]} /><meshStandardMaterial color="#343844" roughness={0.9
} /></mesh>
                                                                        ~~~~~~~
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

components/three/store-street-scene.tsx:183:105 - error TS2339: Property 'meshSt
andardMaterial' does not exist on type 'JSX.IntrinsicElements'.

183       <mesh rotation={[-Math.PI / 2, 0, 0]} position={[0, 0.005, 3]}><circle
Geometry args={[4.5, 48]} /><meshStandardMaterial color="#343844" roughness={0.9
} /></mesh>

                                ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~~

components/three/store-street-scene.tsx:183:161 - error TS2339: Property 'mesh'
does not exist on type 'JSX.IntrinsicElements'.

183       <mesh rotation={[-Math.PI / 2, 0, 0]} position={[0, 0.005, 3]}><circle
Geometry args={[4.5, 48]} /><meshStandardMaterial color="#343844" roughness={0.9
} /></mesh>


    ~~~~~~~

lib/avatar3d/body-detect.ts:6:53 - error TS2307: Cannot find module '@mediapipe/
tasks-vision' or its corresponding type declarations.

6 import type { ImageSegmenter, PoseLandmarker } from "@mediapipe/tasks-vision";
                                                      ~~~~~~~~~~~~~~~~~~~~~~~~~

lib/avatar3d/body-detect.ts:11:29 - error TS2307: Cannot find module '@mediapipe
/tasks-vision' or its corresponding type declarations.

11 type Vision = typeof import("@mediapipe/tasks-vision");
                               ~~~~~~~~~~~~~~~~~~~~~~~~~
```

```
lib/avatar3d/body-detect.ts:14:26 - error TS2307: Cannot find module '@mediapipe
/tasks-vision' or its corresponding type declarations.

14   if (!mpP) mpP = import("@mediapipe/tasks-vision").then(async (mp) => ({ mp,
 fs: await mp.FilesetResolver.forVisionTasks(`${BASE}/wasm`) }));
                              ~~~~~~~~~~~~~~~~~~~~~~~~~

lib/avatar3d/body-detect.ts:45:26 - error TS7006: Parameter 'lm' implicitly has
an 'any' type.

45   const order = all.map((lm, i) => ({ i, s: size(lm) })).sort((a, b) => b.s -
 a.s);
                            ~~

lib/avatar3d/body-detect.ts:45:30 - error TS7006: Parameter 'i' implicitly has a
n 'any' type.

45   const order = all.map((lm, i) => ({ i, s: size(lm) })).sort((a, b) => b.s -
 a.s);
                                ~

lib/avatar3d/body-detect.ts:45:64 - error TS7006: Parameter 'a' implicitly has a
n 'any' type.

45   const order = all.map((lm, i) => ({ i, s: size(lm) })).sort((a, b) => b.s -
 a.s);
                                                                 ~

lib/avatar3d/body-detect.ts:45:67 - error TS7006: Parameter 'b' implicitly has a
n 'any' type.

45   const order = all.map((lm, i) => ({ i, s: size(lm) })).sort((a, b) => b.s -
 a.s);
                                                                     ~

lib/avatar3d/body-detect.ts:46:32 - error TS7006: Parameter 'o' implicitly has a
n 'any' type.

46   const people = order.filter((o) => o.s >= (order[0]?.s ?? 0) * 0.6).length;
                                    ~

lib/avatar3d/body-detect.ts:48:59 - error TS7006: Parameter 'p' implicitly has a
n 'any' type.

48   const pose = main === undefined ? null : all[main].map((p) => ({ x: p.x, y:
 p.y, z: p.z, visibility: p.visibility }));
                                                             ~

lib/avatar3d/body-detect.ts:49:102 - error TS7006: Parameter 'p' implicitly has
an 'any' type.

49   const world = main === undefined || !r.worldLandmarks?.[main] ? null : r.wo
rldLandmarks[main].map((p) => ({ x: p.x, y: p.y, z: p.z, visibility: p.visibilit
y }));

                          ~

lib/avatar3d/detect.ts:6:53 - error TS2307: Cannot find module '@mediapipe/tasks
-vision' or its corresponding type declarations.

6 import type { FaceLandmarker, ImageSegmenter } from "@mediapipe/tasks-vision";
```

```
                                                                ~~~~~~~~~~~~~~~~~~~~~~~~~

lib/avatar3d/detect.ts:10:29 - error TS2307: Cannot find module '@mediapipe/task
s-vision' or its corresponding type declarations.

10 type Vision = typeof import("@mediapipe/tasks-vision");
                               ~~~~~~~~~~~~~~~~~~~~~~~~~

lib/avatar3d/detect.ts:13:26 - error TS2307: Cannot find module '@mediapipe/task
s-vision' or its corresponding type declarations.

13   if (!mpP) mpP = import("@mediapipe/tasks-vision").then(async (mp) => ({ mp,
 fs: await mp.FilesetResolver.forVisionTasks(`${BASE}/wasm`) }));
                             ~~~~~~~~~~~~~~~~~~~~~~~~~

lib/avatar3d/detect.ts:46:28 - error TS7006: Parameter 'f' implicitly has an 'an
y' type.

46   const order = faces.map((f, i) => ({ i, w: width(f) })).sort((a, b) => b.w
- a.w);
                              ~

lib/avatar3d/detect.ts:46:31 - error TS7006: Parameter 'i' implicitly has an 'an
y' type.

46   const order = faces.map((f, i) => ({ i, w: width(f) })).sort((a, b) => b.w
- a.w);
                                 ~

lib/avatar3d/detect.ts:46:65 - error TS7006: Parameter 'a' implicitly has an 'an
y' type.

46   const order = faces.map((f, i) => ({ i, w: width(f) })).sort((a, b) => b.w
- a.w);
                                                                   ~

lib/avatar3d/detect.ts:46:68 - error TS7006: Parameter 'b' implicitly has an 'an
y' type.

46   const order = faces.map((f, i) => ({ i, w: width(f) })).sort((a, b) => b.w
- a.w);
                                                                      ~

lib/avatar3d/detect.ts:47:54 - error TS7006: Parameter 'o' implicitly has an 'an
y' type.

47   const main = order[0]; const count = order.filter((o) => o.w >= main.w * 0.
45).length;
                                                        ~

lib/avatar3d/detect.ts:49:60 - error TS7006: Parameter 'c' implicitly has an 'an
y' type.

49   (r.faceBlendshapes?.[main.i]?.categories ?? []).forEach((c) => { blend[c.ca
tegoryName] = c.score; });
                                                              ~

lib/avatar3d/detect.ts:50:49 - error TS7006: Parameter 'p' implicitly has an 'an
y' type.

50   return { faces: count, lm: faces[main.i].map((p) => ({ x: p.x, y: p.y, z: p
.z })), blend };
```

```
                                                        ~

lib/avatar3d/garment-geometry.ts:1:24 - error TS2307: Cannot find module 'three'
 or its corresponding type declarations.

1 import * as THREE from "three";
                         ~~~~~~~

lib/avatar3d/garment-geometry.ts:2:33 - error TS2307: Cannot find module 'three/
examples/jsm/utils/BufferGeometryUtils.js' or its corresponding type declaration
s.

2 import { mergeGeometries } from "three/examples/jsm/utils/BufferGeometryUtils.
js";
                                  ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
~~~

lib/avatar3d/garment-metrics.ts:1:29 - error TS2307: Cannot find module 'three'
or its corresponding type declarations.

1 import type * as THREE from "three";
                              ~~~~~~~

lib/avatar3d/human/attach-hair.ts:1:29 - error TS2307: Cannot find module 'three
' or its corresponding type declarations.

1 import type * as THREE from "three";
                              ~~~~~~~

lib/avatar3d/human/brows.ts:6:24 - error TS2307: Cannot find module 'three' or i
ts corresponding type declarations.

6 import * as THREE from "three";
                         ~~~~~~~

lib/avatar3d/human/export-glb.ts:7:24 - error TS2307: Cannot find module 'three'
 or its corresponding type declarations.

7 import * as THREE from "three";
                         ~~~~~~~

lib/avatar3d/human/export-glb.ts:8:30 - error TS2307: Cannot find module 'three/
examples/jsm/exporters/GLTFExporter.js' or its corresponding type declarations.

8 import { GLTFExporter } from "three/examples/jsm/exporters/GLTFExporter.js";
                               ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

lib/avatar3d/human/eye-sockets.ts:1:24 - error TS2307: Cannot find module 'three
' or its corresponding type declarations.

1 import * as THREE from "three";
                         ~~~~~~~

lib/avatar3d/human/eye-sockets.ts:56:69 - error TS7006: Parameter 'tri' implicit
ly has an 'any' type.

56       triangles: THREE.ShapeUtils.triangulateShape(points, []).map((tri) => t
ri.map((i) => points[i])),
                                                                       ~~~

lib/avatar3d/human/eye-sockets.ts:56:86 - error TS7006: Parameter 'i' implicitly
 has an 'any' type.
```

```
56       triangles: THREE.ShapeUtils.triangulateShape(points, []).map((tri) => t
ri.map((i) => points[i])),

         ~

lib/avatar3d/human/fit-matrix.ts:6:24 - error TS2307: Cannot find module 'three'
 or its corresponding type declarations.

6 import * as THREE from "three";
                         ~~~~~~~

lib/avatar3d/human/garments.ts:21:24 - error TS2307: Cannot find module 'three'
or its corresponding type declarations.

21 import * as THREE from "three";
                          ~~~~~~~

lib/avatar3d/human/garments.ts:507:27 - error TS7006: Parameter 'b' implicitly h
as an 'any' type.

507   skeleton.bones.forEach((b) => b.updateMatrixWorld(true));
                              ~

lib/avatar3d/human/garments.ts:510:33 - error TS7006: Parameter 'b' implicitly h
as an 'any' type.

510   const M = skeleton.bones.map((b, i) => { const m = new THREE.Matrix4().mul
tiplyMatrices(b.matrixWorld, skeleton.boneInverses[i]).multiply(bindMatrix); ret
urn toSpace ? m.premultiply(toSpace) : m; });
                                    ~

lib/avatar3d/human/garments.ts:510:36 - error TS7006: Parameter 'i' implicitly h
as an 'any' type.

510   const M = skeleton.bones.map((b, i) => { const m = new THREE.Matrix4().mul
tiplyMatrices(b.matrixWorld, skeleton.boneInverses[i]).multiply(bindMatrix); ret
urn toSpace ? m.premultiply(toSpace) : m; });
                                       ~

lib/avatar3d/human/garments.ts:895:24 - error TS7006: Parameter 'shader' implici
tly has an 'any' type.

895   m.onBeforeCompile = (shader) => {
                           ~~~~~~

lib/avatar3d/human/glasses-3d.ts:14:24 - error TS2307: Cannot find module 'three
' or its corresponding type declarations.

14 import * as THREE from "three";
                          ~~~~~~~

lib/avatar3d/human/glasses-3d.ts:110:44 - error TS7006: Parameter 'o' implicitly
 has an 'any' type.

110   g.userData.dispose = () => { g.traverse((o) => { if ((o as THREE.Mesh).isM
esh) (o as THREE.Mesh).geometry.dispose(); }); frame.dispose(); glass.dispose();
 };
                                                ~

lib/avatar3d/human/hair-coverage.ts:1:29 - error TS2307: Cannot find module 'thr
ee' or its corresponding type declarations.
```

```
1 import type * as THREE from "three";
                              ~~~~~~~

lib/avatar3d/human/hair-coverage.ts:30:31 - error TS7006: Parameter 'shader' imp
licitly has an 'any' type.

30   material.onBeforeCompile = (shader, renderer) => {
                                 ~~~~~~

lib/avatar3d/human/hair-coverage.ts:30:39 - error TS7006: Parameter 'renderer' i
mplicitly has an 'any' type.

30   material.onBeforeCompile = (shader, renderer) => {
                                         ~~~~~~~~

lib/avatar3d/human/hair-coverage.ts:36:30 - error TS7006: Parameter 'renderer' i
mplicitly has an 'any' type.

36   material.onBeforeRender = (renderer, ...args) => {
                                ~~~~~~~~

lib/avatar3d/human/hair-coverage.ts:36:40 - error TS7019: Rest parameter 'args'
implicitly has an 'any[]' type.

36   material.onBeforeRender = (renderer, ...args) => {
                                           ~~~~~~~

lib/avatar3d/human/hair-geometry.ts:15:24 - error TS2307: Cannot find module 'th
ree' or its corresponding type declarations.

15 import * as THREE from "three";
                          ~~~~~~~

lib/avatar3d/human/hair-motion.ts:15:24 - error TS2307: Cannot find module 'thre
e' or its corresponding type declarations.

15 import * as THREE from "three";
                          ~~~~~~~

lib/avatar3d/human/hair-motion.ts:54:24 - error TS7006: Parameter 'shader' impli
citly has an 'any' type.

54   m.onBeforeCompile = (shader, renderer) => {
                          ~~~~~~

lib/avatar3d/human/hair-motion.ts:54:32 - error TS7006: Parameter 'renderer' imp
licitly has an 'any' type.

54   m.onBeforeCompile = (shader, renderer) => {
                                  ~~~~~~~~

lib/avatar3d/human/hair-strands.ts:22:24 - error TS2307: Cannot find module 'thr
ee' or its corresponding type declarations.

22 import * as THREE from "three";
                          ~~~~~~~

lib/avatar3d/human/hair-strands.ts:673:24 - error TS7006: Parameter 'shader' imp
licitly has an 'any' type.

673   m.onBeforeCompile = (shader) => {
```

```
                            ~~~~~~

lib/avatar3d/human/pose.ts:9:24 - error TS2307: Cannot find module 'three' or it
s corresponding type declarations.

9 import * as THREE from "three";
                         ~~~~~~~

lib/avatar3d/human/three-human.ts:8:24 - error TS2307: Cannot find module 'three
' or its corresponding type declarations.

8 import * as THREE from "three";
                         ~~~~~~~

lib/avatar3d/human/three-human.ts:76:31 - error TS7006: Parameter 'shader' impli
citly has an 'any' type.

76   material.onBeforeCompile = (shader) => {
                                 ~~~~~~

lib/avatar3d/human/three-human.ts:135:63 - error TS7006: Parameter 'tri' implici
tly has an 'any' type.

135     return THREE.ShapeUtils.triangulateShape(points, []).map((tri) => tri.ma
p((i) => points[i]));
                                                                  ~~~

lib/avatar3d/human/three-human.ts:135:80 - error TS7006: Parameter 'i' implicitl
y has an 'any' type.

135     return THREE.ShapeUtils.triangulateShape(points, []).map((tri) => tri.ma
p((i) => points[i]));

   ~

lib/avatar3d/human/three-human.ts:280:33 - error TS7006: Parameter 'm' implicitl
y has an 'any' type.

280     tearLines.children.forEach((m) => { (m as THREE.Mesh).onBeforeRender = u
pdateTearOpening; });
                                    ~

lib/avatar3d/human/three-human.ts:298:91 - error TS7006: Parameter 'm' implicitl
y has an 'any' type.

298     dispose: () => { g.dispose(); eg.dispose(); cg.dispose(); tearLines.chil
dren.forEach((m) => (m as THREE.Mesh).geometry.dispose()); (body.material as THR
EE.Material).dispose(); eyeMat.dispose(); corneaMat.dispose(); tearMat.dispose()
; },

             ~

lib/avatar3d/sex-detect.ts:27:30 - error TS2307: Cannot find module '@vladmandic
/face-api' or its corresponding type declarations.

27 type FaceApi = typeof import("@vladmandic/face-api");
                                ~~~~~~~~~~~~~~~~~~~~~~

lib/avatar3d/sex-detect.ts:30:28 - error TS2307: Cannot find module '@vladmandic
/face-api' or its corresponding type declarations.

30   if (!netP) netP = import("@vladmandic/face-api").then(async (fa) => { await
```

```
 fa.nets.ageGenderNet.loadFromUri(MODEL_URL); return fa; });
                                ~~~~~~~~~~~~~~~~~~~~~~

lib/lens/redact.ts:75:63 - error TS7006: Parameter 'face' implicitly has an 'any
' type.

75   return (landmarker.detect(canvas).faceLandmarks ?? []).map((face) => face.m
ap((p) => ({ x: p.x, y: p.y })));
                                                                ~~~~

lib/lens/redact.ts:75:82 - error TS7006: Parameter 'p' implicitly has an 'any' t
ype.

75   return (landmarker.detect(canvas).faceLandmarks ?? []).map((face) => face.m
ap((p) => ({ x: p.x, y: p.y })));

    ~

lib/room3d/camera-views.ts:1:24 - error TS2307: Cannot find module 'three' or it
s corresponding type declarations.

1 import * as THREE from "three";
                         ~~~~~~~

lib/room3d/interaction.ts:1:24 - error TS2307: Cannot find module 'three' or its
 corresponding type declarations.

1 import * as THREE from "three";
                         ~~~~~~~

lib/room3d/mirror-session.ts:1:24 - error TS2307: Cannot find module 'three' or
its corresponding type declarations.

1 import * as THREE from "three";
                         ~~~~~~~

lib/room3d/room-bounds.ts:1:24 - error TS2307: Cannot find module 'three' or its
 corresponding type declarations.

1 import * as THREE from "three";
                         ~~~~~~~

lib/tryon/accessory-detect.ts:33:59 - error TS7006: Parameter 'best' implicitly
has an 'any' type.

33     const main = all.reduce<(typeof all)[number] | null>((best, lm) => (!best
 || size(lm) > size(best) ? lm : best), null);
                                                            ~~~~

lib/tryon/accessory-detect.ts:33:65 - error TS7006: Parameter 'lm' implicitly ha
s an 'any' type.

33     const main = all.reduce<(typeof all)[number] | null>((best, lm) => (!best
 || size(lm) > size(best) ? lm : best), null);
                                                                  ~~

lib/tryon/accessory-detect.ts:34:23 - error TS7006: Parameter 'p' implicitly has
 an 'any' type.

34     pose = main?.map((p) => ({ x: p.x, y: p.y, z: p.z, visibility: p.visibili
ty })) ?? null;
                         ~
```

```
next.config.ts:9:3 - error TS2353: Object literal may only specify known propert
ies, and 'agentRules' does not exist in type 'NextConfig'.

9   agentRules: false,
    ~~~~~~~~~~


Found 1623 errors in 58 files.

Errors  Files
     5  components/avatar3d/human-lab.tsx:3
     1  components/avatar3d/lab.tsx:7
     1  components/avatar3d/my-avatar.tsx:7
     3  components/charts.tsx:3
   100  components/flair/afterparty-scene.tsx:3
     4  components/globe.tsx:3
     3  components/hype/hype-history-chart.tsx:2
     9  components/room3d/approved-asset.tsx:3
    46  components/room3d/hung-garment.tsx:3
    10  components/room3d/piece-model-viewer.tsx:3
     7  components/room3d/room-avatar-controller.tsx:3
    45  components/room3d/room-furniture.tsx:3
   291  components/room3d/room-props.tsx:3
     1  components/room3d/room-scene-controls.tsx:3
   384  components/room3d/room-scene.tsx:5
    90  components/room3d/wardrobe-preview.tsx:3
    31  components/three/avatar-bust.tsx:3
     4  components/three/avatar-lighting.tsx:10
     1  components/three/avatar-still.tsx:3
     5  components/three/avatar-viewer.tsx:3
     6  components/three/common.tsx:3
    17  components/three/effects.tsx:3
    46  components/three/fitting-cabin.tsx:3
    60  components/three/fitting-room-scene.tsx:3
     7  components/three/human-avatar.tsx:4
     1  components/three/human-outfit.tsx:3
    19  components/three/look-viewer.tsx:3
    31  components/three/mannequin.tsx:3
    44  components/three/runway-scene.tsx:3
     4  components/three/scene-debug.tsx:3
   102  components/three/stage-scene.tsx:3
    35  components/three/store-fixtures.tsx:2
   142  components/three/store-street-scene.tsx:3
    10  lib/avatar3d/body-detect.ts:6
    10  lib/avatar3d/detect.ts:6
     2  lib/avatar3d/garment-geometry.ts:1
     1  lib/avatar3d/garment-metrics.ts:1
     1  lib/avatar3d/human/attach-hair.ts:1
     1  lib/avatar3d/human/brows.ts:6
     2  lib/avatar3d/human/export-glb.ts:7
     3  lib/avatar3d/human/eye-sockets.ts:1
     1  lib/avatar3d/human/fit-matrix.ts:6
     5  lib/avatar3d/human/garments.ts:21
     2  lib/avatar3d/human/glasses-3d.ts:14
     5  lib/avatar3d/human/hair-coverage.ts:1
     1  lib/avatar3d/human/hair-geometry.ts:15
     3  lib/avatar3d/human/hair-motion.ts:15
     2  lib/avatar3d/human/hair-strands.ts:22
     1  lib/avatar3d/human/pose.ts:9
     6  lib/avatar3d/human/three-human.ts:8
     2  lib/avatar3d/sex-detect.ts:27
```

```
     2  lib/lens/redact.ts:75
     1  lib/room3d/camera-views.ts:1
     1  lib/room3d/interaction.ts:1
     1  lib/room3d/mirror-session.ts:1
     1  lib/room3d/room-bounds.ts:1
     3  lib/tryon/accessory-detect.ts:33
     1  next.config.ts:9
matheushaliski@Matheuss-MacBook-Pro tcc-avatar3d-gpu-pr %  npx vitest run lib/av
atar3d
Need to install the following packages:
vitest@5.0.5
Ok to proceed? (y)
```

---

10. 2026-10-19T04:05:38.124Z

Quero que abra um PR no github com todas as alteracoes que fez nos pipelines da geracao do avatar 3D com GPU

---

11. 2026-10-19T04:43:16.031Z

Continue aprimorando com técnicas de detecção de fotografia para geração ultrarealista de imagens 3D, coloque o avatar da aba meu avatar 3D dentro do ambiente do provador (para que nao fique solto no espeço sem sentido)

---

12. 2026-10-19T04:43:28.922Z

Read-only exploration, medium thoroughness. In repository /Users/matheushaliski/tcc-2026-fashion-ai-backend, identify the current avatar 3D photo analysis/generation pipeline, especially photo quality, skin/face/hair detection and render inputs. Find the owning files and nearby tests. Also determine whether PR branch feat/avatar3d-gpu-pipeline-quality changes are already in main/current checkout. Return concise code paths, key symbols, and the smallest plausible additions for more photorealistic photographic detection.

---

13. 2026-10-19T04:43:28.946Z

Read-only exploration, medium thoroughness. In repository /Users/matheushaliski/tcc-2026-fashion-ai-backend, map how the 'Meu Avatar 3D' tab renders the avatar and how the virtual fitting room renders its 3D environment. Identify components/routes and the nearest reusable fitting-room scene/environment abstraction. Recommend the smallest change to place the My Avatar 3D avatar inside the fitting room environment instead of floating in empty space, preserving editor controls. Return exact files/symbols and relevant tests.

---

14. 2026-10-19T04:43:44.078Z

Try Again

---

15. 2026-10-19T04:44:03.379Z

Try Again

---

16. 2026-10-19T04:45:31.639Z

Try Again

---

17. 2026-10-19T10:46:45.118Z

Try Again

---

18. 2026-10-19T12:00:27.180Z

coloque controle remoto igual o do meu quarto dentro do provador

---

19. 2026-10-19T12:10:05.235Z

Ok, commit no PR agora

---

20. 2026-10-19T12:12:27.898Z

Apos, na sequencia, trabalhe em cima da largura de cards de peca, look e DNA. Do bre sua largura na visualizacao em /feed, /search,/u/[username] e demais abas qu e utilizam o recurso inclusive dentro do criador de pecas/looks

---

21. 2026-10-19T12:14:13.748Z

Em seguida, reorganize todo tipo de informacao dentro das janelas hype e info pa ra que fiquem alinhadas com os estilos selecionados dentro do editor de arte de fundo

---

22. 2026-10-19T12:15:16.220Z

Dentro das opcoes de Aura Hype, o usuario só podera acessar prata, ouro, especia l caso tenha nivel de FAI XP suficiente, ou seja, acima do nivel basico

---

23. 2026-10-19T12:15:48.463Z

Diminua as opcoes dentro do Aura Hype do editor de arte de fundo

---

24. 2026-10-19T12:16:40.444Z

Atualmente, muitas opcoes nao trazem diferenca alguma. Crie 4 opcoes aura Hype e statica (imagem estatica) que seriam variacoes de lista de numeros de atributos do hype

---

25. 2026-10-19T12:20:22.714Z

Isto para cada categoria bronze, prata, ouro, especial. E mais quatro outra variacoes de hype dinamico para cada categoria, que seriam numeros de atributos dinamicos da seguinte forma: a) classificacao dinamina por barras LED horizontais que sempre atualizam a posicao do atributo de maior peso. Por exemplo, se versatilidade é o maior ela fica em primeiro. Se trending é o menor ele fica em ultimo na fila. Efeito dinamico: Se trending ganha pontos ele sobe de posicao automaticamente na classificacao, aumentando sua barra. b) Maior e menor atributos. Amarelo com seta para cima indica o maior e crescente. Vermelho e com seta para baixo indica o menor e decrescente.

---

26. 2026-10-19T12:22:32.904Z

c) Um descricao de atributo opinativa sobre o atributo de destaque. Por exemplo, se versatilidade é a maior atualmente, ela é descrita como elogio em texto dinamico: Peça Versátil! + score hype do atributo + seta para cima.

---

27. 2026-10-19T12:24:23.748Z

d) Três atributos chaves: o painel dinamico destaca os três atributos que mais combinam com a peça baseado na leitura da marca + cor + ocasiao + nome da peca + categoria/subcategoria

---

28. 2026-10-19T12:24:59.551Z

d) Três atributos chaves: o painel dinamico destaca os três atributos que mais combinam com a peça baseado na leitura da marca + cor + ocasiao + nome da peca + categoria/subcategoria. Adicionar icones de mini estrelas piscando para enfeitar o conjunto

---

29. 2026-10-19T12:28:32.581Z

Quanto as opcoes de Hype estático, ou seja, os que nao atualizam o painel e sim apenas os numeros do hype, siga desta maneira: a) numeros na horizontal, b) numeros em duas colunas verticais. c) numeros na vertical. d) apenas o Hype Score global da peça

---

30. 2026-10-19T12:29:06.961Z

d) Três atributos chaves: o painel dinamico destaca os três atributos que mais combinam com a peça baseado na leitura da marca + cor + ocasiao + nome da peca + categoria/subcategoria. Adicionar icones de mini estrelas piscando para enfeitar o conjunto. NOTE QUE, AO EDITAR A PECA OU LOOK, O USUARIO VERA O HYPE RECALCULADO E ESTES NUMEROS ATUALIZADOS CONFORME A EDICAO

---

31. 2026-10-19T12:30:08.299Z

Para os estaticos, os quais apenas atualizam o numero score atributo hype, crie: a) numeros na horizontal. b) numeros na vertical. c) duas colunas verticais. d) apenas o score hype global da peça

---

32. 2026-10-19T12:30:56.718Z

Dentro do seletor de arte de fundo, crie videos animados com numeros ficticios que explicam cada uma destas opcoes

---

33. 2026-10-19T12:36:26.871Z

Lembre que os estaticos possuem numeros dinamicos, já que o hype sempre atualiza. Porem os dinamicos nao so possuem numeros dinamicos para um painel dinamico tambem, estude e implemente isto

---

34. 2026-10-19T12:37:40.246Z

Alem disto, dentro dos preview de card de peca e look, arrume a opcao dentro da janela segmentada chamada compacto para ser retirada

---

35. 2026-10-19T12:38:47.509Z

Esta opcao nao faz sentido, visto que deve ser realocada para dentro dos cards como botao toggle no canto superior esquerdo com desenho de icone para compacar

---

36. 2026-10-19T12:38:50.293Z

Esta opcao nao faz sentido, visto que deve ser realocada para dentro dos cards como botao toggle no canto superior esquerdo com desenho de icone para compactar

---

37. 2026-10-19T12:41:15.479Z

Desculpe retire o que eu disse sobre o compacto

---

38. 2026-10-19T12:42:13.795Z

É a opcao ampliado dentro da etapa 3-arte de fundo, nao retire apenas torne ela uma opcao de exibicao do card final

---

39. 2026-10-19T12:43:41.365Z

Quando o usuario querer editar o esquema dentro dos cards com o botao toggle ,no canto superior esquerdo com desenho de icone pode retornar para Feed

---

40. 2026-10-19T12:53:28.322Z

Ok, pode fazer commit nos PR de tudo isto

---

41. 2026-10-19T12:55:13.363Z

Try Again

---

42. 2026-10-19T12:55:29.312Z

Dentro de Aura & Material no estudio, as opcoes de Aura ainda nao renderizam os efeitos dinamicos,quando selecionadas, dentro do preview do card

---

43. 2026-10-19T12:56:48.305Z

Retirar a faixa preta que informa escore Hype abaixo do header de informacoes do dono do card, inserir no lugar do icone da janela que alterna para mostrar dados hype, o score hype da peca atualizado

---

44. 2026-10-19T13:09:13.924Z

Ok, commite todas estas alteracoes

---

45. 2026-10-19T13:10:46.552Z

Inicie o frontend novamente

---

46. 2026-10-19T13:16:23.229Z

Ok, inicie o backend deu api indisp

---

47. 2026-10-19T13:17:54.692Z

[Terminal 144321c5-1737-4e4a-bec9-5400b89b85a6 notification: command completed with exit code 1. The terminal has been cleaned up.]
Terminal output:
```
matheushaliski@Matheuss-MacBook-Pro ~ %  export JAVA_HOME=$(/usr/libexec/java_home -v 21) && mvn -pl fai-bootstrap -am spring-boot:run
[INFO] Scanning for projects...
[ERROR] [ERROR] Could not find the selected project in the reactor: fai-bootstrap @
[ERROR] Could not find the selected project in the reactor: fai-bootstrap -> [Help 1]
[ERROR]
[ERROR] To see the full stack trace of the errors, re-run Maven with the -e switch.
[ERROR] Re-run Maven using the -X switch to enable full debug logging.
```

```
[ERROR]
[ERROR] For more information about the errors and possible solutions, please rea
d the following articles:
[ERROR] [Help 1] http://cwiki.apache.org/confluence/display/MAVEN/MavenExecution
Exception

------------------------------------------------------------------------

48. 2026-10-19T13:19:08.563Z

[Terminal faf61294-3360-4e88-89f7-351c5d49ab96 notification: command completed w
ith exit code 1. The terminal has been cleaned up.]
Terminal output:
matheushaliski@Matheuss-MacBook-Pro ~ %  pushd /Users/matheushaliski/tcc-2026-fa
shion-ai-backend >/dev/null; export JAVA_HOME=$(/usr/libexec/java_home -v 21); p
rintf 'backend cwd: '; pwd; mvn -pl fai-bootstrap -am spring-boot:run
backend cwd: /Users/matheushaliski/tcc-2026-fashion-ai-backend
[INFO] Scanning for projects...
[INFO] ------------------------------------------------------------------------
[INFO] Reactor Build Order:
[INFO]
[INFO] Fashion AI API                                                     [pom]
[INFO] fai-domain                                                         [jar]
[INFO] fai-application                                                    [jar]
[INFO] fai-infrastructure                                                 [pom]
[INFO] persistence-mysql                                                  [jar]
[INFO] persistence-cassandra                                              [jar]
[INFO] cache-redis                                                        [jar]
[INFO] platform                                                           [jar]
[INFO] search-opensearch                                                  [jar]
[INFO] storage-s3                                                         [jar]
[INFO] ai-providers                                                       [jar]
[INFO] fai-web                                                            [jar]
[INFO] fai-bootstrap                                                      [jar]
[INFO]
[INFO] ------------------< br.com.fashionai:fashion-ai-api >-------------------
[INFO] Building Fashion AI API 0.1.0-SNAPSHOT                        [1/13]
[INFO]   from pom.xml
[INFO] --------------------------------[ pom ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ fashion-ai-api >
>>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ fashion-ai-api ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/target/jacoco.exec
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ fashion-ai-api <
<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ fashion-ai-api ---
[INFO]
[INFO] -------------------< br.com.fashionai:fai-domain >--------------------
[INFO] Building fai-domain 0.1.0-SNAPSHOT                            [2/13]
[INFO]   from fai-domain/pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ fai-domain >>>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ fai-domain ---
```

```
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-domain/target/jacoco.exec
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ fai-domain ---
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-domain/src/main/resources
[INFO]
[INFO] --- compiler:3.16.0:compile (default-compile) @ fai-domain ---
[INFO] Nothing to compile - all classes are up to date.
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ fai-domain --
-
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-domain/src/test/resources
[INFO]
[INFO] --- compiler:3.16.0:testCompile (default-testCompile) @ fai-domain ---
[INFO] No sources to compile
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ fai-domain <<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ fai-domain ---
[INFO]
[INFO] ------------------< br.com.fashionai:fai-application >------------------
[INFO] Building fai-application 0.1.0-SNAPSHOT                           [3/13]
[INFO]   from fai-application/pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ fai-application
>>>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ fai-application ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-application/target/jacoco.exec
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ fai-application ---
[INFO] Copying 13 resources from src/main/resources to target/classes
[INFO]
[INFO] --- compiler:3.16.0:compile (default-compile) @ fai-application ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 280 source files with javac [debug parameters release 21] to ta
rget/classes
[INFO] /Users/matheushaliski/tcc-2026-fashion-ai-backend/fai-application/src/mai
n/java/br/com/fashionai/application/ai/local/LocalAdvisors.java: /Users/matheush
aliski/tcc-2026-fashion-ai-backend/fai-application/src/main/java/br/com/fashiona
i/application/ai/local/LocalAdvisors.java uses or overrides a deprecated API.
[INFO] /Users/matheushaliski/tcc-2026-fashion-ai-backend/fai-application/src/mai
n/java/br/com/fashionai/application/ai/local/LocalAdvisors.java: Recompile with
-Xlint:deprecation for details.
[INFO] /Users/matheushaliski/tcc-2026-fashion-ai-backend/fai-application/src/mai
n/java/br/com/fashionai/application/service/SealService.java: Some input files u
se unchecked or unsafe operations.
[INFO] /Users/matheushaliski/tcc-2026-fashion-ai-backend/fai-application/src/mai
n/java/br/com/fashionai/application/service/SealService.java: Recompile with -Xl
int:unchecked for details.
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ fai-applicati
on ---
[INFO] Copying 1 resource from src/test/resources to target/test-classes
[INFO]
```

```
[INFO] --- compiler:3.16.0:testCompile (default-testCompile) @ fai-application -
--
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 216 source files with javac [debug parameters release 21] to ta
rget/test-classes
[INFO] /Users/matheushaliski/tcc-2026-fashion-ai-backend/fai-application/src/tes
t/java/br/com/fashionai/application/hype/HypeQueryPrivacyTest.java: Some input f
iles use or override a deprecated API.
[INFO] /Users/matheushaliski/tcc-2026-fashion-ai-backend/fai-application/src/tes
t/java/br/com/fashionai/application/hype/HypeQueryPrivacyTest.java: Recompile wi
th -Xlint:deprecation for details.
[INFO] /Users/matheushaliski/tcc-2026-fashion-ai-backend/fai-application/src/tes
t/java/br/com/fashionai/application/catalog/image/CatalogImagePipelineServiceTes
t.java: Some input files use unchecked or unsafe operations.
[INFO] /Users/matheushaliski/tcc-2026-fashion-ai-backend/fai-application/src/tes
t/java/br/com/fashionai/application/catalog/image/CatalogImagePipelineServiceTes
t.java: Recompile with -Xlint:unchecked for details.
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ fai-application
<<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ fai-application ---
[INFO]
[INFO] ----------------< br.com.fashionai:fai-infrastructure >-----------------
[INFO] Building fai-infrastructure 0.1.0-SNAPSHOT                         [4/13]
[INFO]   from fai-infrastructure/pom.xml
[INFO] --------------------------------[ pom ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ fai-infrastructu
re >>>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ fai-infrastructure ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-infrastructure/target/jacoco.exec
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ fai-infrastructu
re <<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ fai-infrastructure ---
[INFO]
[INFO] -----------------< br.com.fashionai:persistence-mysql >-----------------
[INFO] Building persistence-mysql 0.1.0-SNAPSHOT                          [5/13]
[INFO]   from fai-infrastructure/persistence-mysql/pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ persistence-mysq
l >>>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ persistence-mysql ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-infrastructure/persistence-mysql/tar
get/jacoco.exec
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ persistence-mysql ---
[INFO] Copying 74 resources from src/main/resources to target/classes
[INFO]
[INFO] --- compiler:3.16.0:compile (default-compile) @ persistence-mysql ---
[INFO] Recompiling the module because of changed dependency.
```

```
[INFO] Compiling 7 source files with javac [debug parameters release 21] to targ
et/classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ persistence-m
ysql ---
[INFO] Copying 1 resource from src/test/resources to target/test-classes
[INFO]
[INFO] --- compiler:3.16.0:testCompile (default-testCompile) @ persistence-mysql
 ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 3 source files with javac [debug parameters release 21] to targ
et/test-classes
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ persistence-mysq
l <<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ persistence-mysql ---
[INFO]
[INFO] ---------------< br.com.fashionai:persistence-cassandra >---------------
[INFO] Building persistence-cassandra 0.1.0-SNAPSHOT                      [6/13]
[INFO]   from fai-infrastructure/persistence-cassandra/pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ persistence-cass
andra >>>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ persistence-cassandra ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-infrastructure/persistence-cassandra
/target/jacoco.exec
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ persistence-cassandra
 ---
[INFO] Copying 1 resource from src/main/resources to target/classes
[INFO]
[INFO] --- compiler:3.16.0:compile (default-compile) @ persistence-cassandra ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 3 source files with javac [debug parameters release 21] to targ
et/classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ persistence-c
assandra ---
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-infrastructure/persistence-cassandra/src/test/resources
[INFO]
[INFO] --- compiler:3.16.0:testCompile (default-testCompile) @ persistence-cassa
ndra ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 1 source file with javac [debug parameters release 21] to targe
t/test-classes
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ persistence-cass
andra <<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ persistence-cassandra ---
[INFO]
[INFO] --------------------< br.com.fashionai:cache-redis >--------------------
[INFO] Building cache-redis 0.1.0-SNAPSHOT                                [7/13]
[INFO]   from fai-infrastructure/cache-redis/pom.xml
```

```
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ cache-redis >>>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ cache-redis ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-infrastructure/cache-redis/target/ja
coco.exec
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ cache-redis ---
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-infrastructure/cache-redis/src/main/resources
[INFO]
[INFO] --- compiler:3.16.0:compile (default-compile) @ cache-redis ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 1 source file with javac [debug parameters release 21] to targe
t/classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ cache-redis -
--
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-infrastructure/cache-redis/src/test/resources
[INFO]
[INFO] --- compiler:3.16.0:testCompile (default-testCompile) @ cache-redis ---
[INFO] No sources to compile
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ cache-redis <<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ cache-redis ---
[INFO]
[INFO] ---------------------< br.com.fashionai:platform >----------------------
[INFO] Building platform 0.1.0-SNAPSHOT                                   [8/13]
[INFO]   from fai-infrastructure/platform/pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ platform >>>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ platform ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-infrastructure/platform/target/jacoc
o.exec
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ platform ---
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-infrastructure/platform/src/main/resources
[INFO]
[INFO] --- compiler:3.16.0:compile (default-compile) @ platform ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 13 source files with javac [debug parameters release 21] to tar
get/classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ platform ---
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-infrastructure/platform/src/test/resources
[INFO]
[INFO] --- compiler:3.16.0:testCompile (default-testCompile) @ platform ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 5 source files with javac [debug parameters release 21] to targ
et/test-classes
```

```
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ platform <<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ platform ---
[INFO]
[INFO] -----------------< br.com.fashionai:search-opensearch >-----------------
[INFO] Building search-opensearch 0.1.0-SNAPSHOT                          [9/13]
[INFO]   from fai-infrastructure/search-opensearch/pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ search-opensearc
h >>>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ search-opensearch ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-infrastructure/search-opensearch/tar
get/jacoco.exec
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ search-opensearch ---
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-infrastructure/search-opensearch/src/main/resources
[INFO]
[INFO] --- compiler:3.16.0:compile (default-compile) @ search-opensearch ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 2 source files with javac [debug parameters release 21] to targ
et/classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ search-opense
arch ---
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-infrastructure/search-opensearch/src/test/resources
[INFO]
[INFO] --- compiler:3.16.0:testCompile (default-testCompile) @ search-opensearch
 ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 2 source files with javac [debug parameters release 21] to targ
et/test-classes
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ search-opensearc
h <<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ search-opensearch ---
[INFO]
[INFO] --------------------< br.com.fashionai:storage-s3 >---------------------
[INFO] Building storage-s3 0.1.0-SNAPSHOT                                [10/13]
[INFO]   from fai-infrastructure/storage-s3/pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ storage-s3 >>>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ storage-s3 ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-infrastructure/storage-s3/target/jac
oco.exec
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ storage-s3 ---
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-infrastructure/storage-s3/src/main/resources
```

```
[INFO]
[INFO] --- compiler:3.16.0:compile (default-compile) @ storage-s3 ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 1 source file with javac [debug parameters release 21] to targe
t/classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ storage-s3 --
-
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-infrastructure/storage-s3/src/test/resources
[INFO]
[INFO] --- compiler:3.16.0:testCompile (default-testCompile) @ storage-s3 ---
[INFO] No sources to compile
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ storage-s3 <<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ storage-s3 ---
[INFO]
[INFO] -------------------< br.com.fashionai:ai-providers >--------------------
[INFO] Building ai-providers 0.1.0-SNAPSHOT                               [11/13]
[INFO]   from fai-infrastructure/ai-providers/pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ ai-providers >>>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ ai-providers ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-infrastructure/ai-providers/target/j
acoco.exec
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ ai-providers ---
[INFO] Copying 4 resources from src/main/resources to target/classes
[INFO]
[INFO] --- compiler:3.16.0:compile (default-compile) @ ai-providers ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 20 source files with javac [debug parameters release 21] to tar
get/classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ ai-providers
---
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-infrastructure/ai-providers/src/test/resources
[INFO]
[INFO] --- compiler:3.16.0:testCompile (default-testCompile) @ ai-providers ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 12 source files with javac [debug parameters release 21] to tar
get/test-classes
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ ai-providers <<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ ai-providers ---
[INFO]
[INFO] ---------------------< br.com.fashionai:fai-web >----------------------
[INFO] Building fai-web 0.1.0-SNAPSHOT                                    [12/13]
[INFO]   from fai-web/pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ fai-web >>>
[INFO]
```

```
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ fai-web ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-web/target/jacoco.exec
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ fai-web ---
[INFO] Copying 3 resources from src/main/resources to target/classes
[INFO]
[INFO] --- compiler:3.16.0:compile (default-compile) @ fai-web ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 88 source files with javac [debug parameters release 21] to tar
get/classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ fai-web ---
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-web/src/test/resources
[INFO]
[INFO] --- compiler:3.16.0:testCompile (default-testCompile) @ fai-web ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 16 source files with javac [debug parameters release 21] to tar
get/test-classes
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ fai-web <<<
[INFO]
[INFO]
[INFO] --- spring-boot:4.1.1:run (default-cli) @ fai-web ---
[INFO]
[INFO] -------------------< br.com.fashionai:fai-bootstrap >-------------------
[INFO] Building fai-bootstrap 0.1.0-SNAPSHOT                          [13/13]
[INFO]   from fai-bootstrap/pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] >>> spring-boot:4.1.1:run (default-cli) > test-compile @ fai-bootstrap >>
>
[INFO]
[INFO] --- jacoco:0.8.15:prepare-agent (default) @ fai-bootstrap ---
[INFO] argLine set to -javaagent:/Users/matheushaliski/.m2/repository/org/jacoco
/org.jacoco.agent/0.8.15/org.jacoco.agent-0.8.15-runtime.jar=destfile=/Users/mat
heushaliski/tcc-2026-fashion-ai-backend/fai-bootstrap/target/jacoco.exec
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ fai-bootstrap ---
[INFO] Copying 2 resources from src/main/resources to target/classes
[INFO]
[INFO] --- compiler:3.16.0:compile (default-compile) @ fai-bootstrap ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 2 source files with javac [debug parameters release 21] to targ
et/classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ fai-bootstrap
 ---
[INFO] skip non existing resourceDirectory /Users/matheushaliski/tcc-2026-fashio
n-ai-backend/fai-bootstrap/src/test/resources
[INFO]
[INFO] --- compiler:3.16.0:testCompile (default-testCompile) @ fai-bootstrap ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 3 source files with javac [debug parameters release 21] to targ
et/test-classes
[INFO]
[INFO] <<< spring-boot:4.1.1:run (default-cli) < test-compile @ fai-bootstrap <<
<
[INFO]
[INFO]
```

```
[INFO] --- spring-boot:4.1.1:run (default-cli) @ fai-bootstrap ---
[INFO] Attaching agents: []


  .   ____          _            __ _ _
 /\\ / ___'_ __ _ _(_)_ __  __ _ \ \ \ \
( ( )\___ | '_ | '_| | '_ \/ _` | \ \ \ \
 \\/  ___)| |_)| | | | | || (_| |  ) ) ) )
  '  |____| .__|_| |_|_| |_\__, | / / / /
 =========|_|==============|___/=/_/_/_/

 :: Spring Boot ::                (v4.1.1)

10:19:03.672 INFO  [] b.c.f.b.FashionAiApplication - Starting FashionAiApplicati
on using Java 21.0.6 with PID 281 (/Users/matheushaliski/tcc-2026-fashion-ai-bac
kend/fai-bootstrap/target/classes started by matheushaliski in /Users/matheushal
iski/tcc-2026-fashion-ai-backend/fai-bootstrap)
10:19:03.674 INFO  [] b.c.f.b.FashionAiApplication - No active profile set, fall
ing back to 1 default profile: "default"
10:19:04.483 INFO  [] o.s.d.r.c.RepositoryConfigurationDelegate - Multiple Sprin
g Data modules found, entering strict repository configuration mode
10:19:04.483 INFO  [] o.s.d.r.c.RepositoryConfigurationDelegate - Bootstrapping
Spring Data JPA repositories in DEFAULT mode.
10:19:04.688 INFO  [] o.s.d.r.c.RepositoryConfigurationDelegate - Finished Sprin
g Data repository scanning in 199 ms. Found 130 JPA repository interfaces.
10:19:05.086 INFO  [] o.s.d.r.c.RepositoryConfigurationDelegate - Multiple Sprin
g Data modules found, entering strict repository configuration mode
10:19:05.087 INFO  [] o.s.d.r.c.RepositoryConfigurationDelegate - Bootstrapping
Spring Data Redis repositories in DEFAULT mode.
10:19:05.102 INFO  [] o.s.d.r.c.RepositoryConfigurationDelegate - Finished Sprin
g Data repository scanning in 7 ms. Found 0 Redis repository interfaces.
10:19:05.736 INFO  [] o.s.b.tomcat.TomcatWebServer - Tomcat initialized with por
t 8080 (http)
10:19:05.747 INFO  [] o.a.c.core.StandardService - Starting service [Tomcat]
10:19:05.747 INFO  [] o.a.c.core.StandardEngine - Starting Servlet engine: [Apac
he Tomcat/11.0.24]
10:19:05.816 INFO  [] o.s.b.w.c.s.WebApplicationContextInitializer - Root WebApp
licationContext: initialization completed in 2116 ms
10:19:05.914 WARN  [] b.c.f.w.s.ClientIpResolver - EDGE_PROXY_SECRET ausente: pe
didos que passam pelo BFF (Vercel) contam no IP da Vercel — o limite por IP do l
ogin vira um balde só para todos os usuários do site. Defina o mesmo segredo na
Vercel e aqui.
10:19:05.916 INFO  [] b.c.f.w.s.AuthRateLimitFilter - Autenticação: até 5 hashes
 de senha simultâneos (pool do banco: 10)
10:19:06.091 INFO  [] c.z.hikari.HikariDataSource - HikariPool-1 - Starting...
10:19:07.680 WARN  [] o.s.b.w.s.s.c.AnnotationConfigServletWebServerApplicationC
ontext - Exception encountered during context initialization - cancelling refres
h attempt: org.springframework.beans.factory.BeanCreationException: Error creati
ng bean with name 'entityManagerFactory' defined in class path resource [org/spr
ingframework/boot/hibernate/autoconfigure/HibernateJpaConfiguration.class]: Fail
ed to initialize dependency 'flywayInitializer' of LoadTimeWeaverAware bean 'ent
ityManagerFactory': Error creating bean with name 'flywayInitializer' defined in
 class path resource [org/springframework/boot/flyway/autoconfigure/FlywayAutoCo
nfiguration$FlywayConfiguration.class]: Unable to obtain connection from databas
e: Access denied for user 'fashionai'@'172.18.0.1' (using password: YES)
--------------------------------------------------------------------------------
--------------------------------
SQL State  : 28000
Error Code : 1045
Message    : Access denied for user 'fashionai'@'172.18.0.1' (using password: YE
S)

10:19:07.683 INFO  [] o.a.c.core.StandardService - Stopping service [Tomcat]
```

```
10:19:07.696 INFO  [] o.s.b.a.l.ConditionEvaluationReportLogger -

Error starting ApplicationContext. To display the condition evaluation report re
-run your application with 'debug' enabled.
10:19:07.708 ERROR [] o.s.boot.SpringApplication - Application run failed
org.springframework.beans.factory.BeanCreationException: Error creating bean wit
h name 'entityManagerFactory' defined in class path resource [org/springframewor
k/boot/hibernate/autoconfigure/HibernateJpaConfiguration.class]: Failed to initi
alize dependency 'flywayInitializer' of LoadTimeWeaverAware bean 'entityManagerF
actory': Error creating bean with name 'flywayInitializer' defined in class path
 resource [org/springframework/boot/flyway/autoconfigure/FlywayAutoConfiguration
$FlywayConfiguration.class]: Unable to obtain connection from database: Access d
enied for user 'fashionai'@'172.18.0.1' (using password: YES)
----------------------------------------------------------------------------
-------------------------------
SQL State  : 28000
Error Code : 1045
Message    : Access denied for user 'fashionai'@'172.18.0.1' (using password: YE
S)

        at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBe
an(AbstractBeanFactory.java:322)
        at org.springframework.beans.factory.support.AbstractBeanFactory.getBean
(AbstractBeanFactory.java:201)
        at org.springframework.context.support.AbstractApplicationContext.finish
BeanFactoryInitialization(AbstractApplicationContext.java:977)
        at org.springframework.context.support.AbstractApplicationContext.refres
h(AbstractApplicationContext.java:621)
        at org.springframework.boot.web.server.servlet.context.ServletWebServerA
pplicationContext.refresh(ServletWebServerApplicationContext.java:143)
        at org.springframework.boot.SpringApplication.refresh(SpringApplication.
java:756)
        at org.springframework.boot.SpringApplication.refreshContext(SpringAppli
cation.java:445)
        at org.springframework.boot.SpringApplication.run(SpringApplication.java
:321)
        at org.springframework.boot.SpringApplication.run(SpringApplication.java
:1365)
        at org.springframework.boot.SpringApplication.run(SpringApplication.java
:1354)
        at br.com.fashionai.bootstrap.FashionAiApplication.main(FashionAiApplica
tion.java:11)
Caused by: org.springframework.beans.factory.BeanCreationException: Error creati
ng bean with name 'flywayInitializer' defined in class path resource [org/spring
framework/boot/flyway/autoconfigure/FlywayAutoConfiguration$FlywayConfiguration.
class]: Unable to obtain connection from database: Access denied for user 'fashi
onai'@'172.18.0.1' (using password: YES)
----------------------------------------------------------------------------
-------------------------------
SQL State  : 28000
Error Code : 1045
Message    : Access denied for user 'fashionai'@'172.18.0.1' (using password: YE
S)

        at org.springframework.beans.factory.support.AbstractAutowireCapableBean
Factory.initializeBean(AbstractAutowireCapableBeanFactory.java:1815)
        at org.springframework.beans.factory.support.AbstractAutowireCapableBean
Factory.doCreateBean(AbstractAutowireCapableBeanFactory.java:603)
        at org.springframework.beans.factory.support.AbstractAutowireCapableBean
Factory.createBean(AbstractAutowireCapableBeanFactory.java:525)
        at org.springframework.beans.factory.support.AbstractBeanFactory.lambda$
doGetBean$0(AbstractBeanFactory.java:333)
```

```
        at org.springframework.beans.factory.support.DefaultSingletonBeanRegistr
y.getSingleton(DefaultSingletonBeanRegistry.java:371)
        at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBe
an(AbstractBeanFactory.java:331)
        at org.springframework.beans.factory.support.AbstractBeanFactory.getBean
(AbstractBeanFactory.java:196)
        at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBe
an(AbstractBeanFactory.java:309)
        ... 10 common frames omitted
Caused by: org.flywaydb.core.internal.exception.sqlExceptions.FlywaySqlUnableToC
onnectToDbException: Unable to obtain connection from database: Access denied fo
r user 'fashionai'@'172.18.0.1' (using password: YES)
----------------------------------------------------------------------------
------------------------------
SQL State  : 28000
Error Code : 1045
Message    : Access denied for user 'fashionai'@'172.18.0.1' (using password: YE
S)

        at org.flywaydb.core.internal.jdbc.JdbcUtils.openConnection(JdbcUtils.ja
va:78)
        at org.flywaydb.core.internal.jdbc.JdbcConnectionFactory.<init>(JdbcConn
ectionFactory.java:76)
        at org.flywaydb.core.FlywayExecutor.init(FlywayExecutor.java:275)
        at org.flywaydb.core.FlywayExecutor.execute(FlywayExecutor.java:120)
        at org.flywaydb.core.Flyway.migrate(Flyway.java:181)
        at org.springframework.boot.flyway.autoconfigure.FlywayMigrationInitiali
zer.afterPropertiesSet(FlywayMigrationInitializer.java:67)
        at org.springframework.beans.factory.support.AbstractAutowireCapableBean
Factory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1862)
        at org.springframework.beans.factory.support.AbstractAutowireCapableBean
Factory.initializeBean(AbstractAutowireCapableBeanFactory.java:1811)
        ... 17 common frames omitted
Caused by: java.sql.SQLException: Access denied for user 'fashionai'@'172.18.0.1
' (using password: YES)
        at com.mysql.cj.jdbc.exceptions.SQLError.createSQLException(SQLError.jav
a:121)
        at com.mysql.cj.jdbc.exceptions.SQLExceptionsMapping.translateException(
SQLExceptionsMapping.java:114)
        at com.mysql.cj.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:840)
        at com.mysql.cj.jdbc.ConnectionImpl.<init>(ConnectionImpl.java:416)
        at com.mysql.cj.jdbc.ConnectionImpl.getInstance(ConnectionImpl.java:237)
        at com.mysql.cj.jdbc.NonRegisteringDriver.connect(NonRegisteringDriver.j
ava:180)
        at com.zaxxer.hikari.util.DriverDataSource.getConnection(DriverDataSourc
e.java:144)
        at com.zaxxer.hikari.pool.PoolBase.newConnection(PoolBase.java:373)
        at com.zaxxer.hikari.pool.PoolBase.newPoolEntry(PoolBase.java:210)
        at com.zaxxer.hikari.pool.HikariPool.createPoolEntry(HikariPool.java:488
)
        at com.zaxxer.hikari.pool.HikariPool.checkFailFast(HikariPool.java:576)
        at com.zaxxer.hikari.pool.HikariPool.<init>(HikariPool.java:97)
        at com.zaxxer.hikari.HikariDataSource.getConnection(HikariDataSource.jav
a:111)
        at org.flywaydb.core.internal.jdbc.JdbcUtils.openConnection(JdbcUtils.ja
va:73)
        ... 24 common frames omitted
[INFO] ------------------------------------------------------------------------
[INFO] Reactor Summary for Fashion AI API 0.1.0-SNAPSHOT:
[INFO]
[INFO] Fashion AI API ..................................... SUCCESS [  0.451 s]
[INFO] fai-domain ......................................... SUCCESS [  0.364 s]
```

```
[INFO] fai-application ..................................... SUCCESS [ 20.101 s]
[INFO] fai-infrastructure ................................. SUCCESS [  0.008 s]
[INFO] persistence-mysql .................................. SUCCESS [  0.655 s]
[INFO] persistence-cassandra .............................. SUCCESS [  0.864 s]
[INFO] cache-redis ........................................ SUCCESS [  0.230 s]
[INFO] platform ........................................... SUCCESS [  0.573 s]
[INFO] search-opensearch .................................. SUCCESS [  0.482 s]
[INFO] storage-s3 ......................................... SUCCESS [  0.289 s]
[INFO] ai-providers ....................................... SUCCESS [  1.170 s]
[INFO] fai-web ............................................ SUCCESS [  1.508 s]
[INFO] fai-bootstrap ...................................... FAILURE [  5.331 s]
[INFO] ------------------------------------------------------------------------
[INFO] BUILD FAILURE
[INFO] ------------------------------------------------------------------------
[INFO] Total time:  32.648 s
[INFO] Finished at: 2026-10-19T10:19:07-03:00
[INFO] ------------------------------------------------------------------------
[ERROR] Failed to execute goal org.springframework.boot:spring-boot-maven-plugin
:4.1.1:run (default-cli) on project fai-bootstrap: Process terminated with exit
code: 1 -> [Help 1]
[ERROR]
[ERROR] To see the full stack trace of the errors, re-run Maven with the -e swit
ch.
[ERROR] Re-run Maven using the -X switch to enable full debug logging.
[ERROR]
[ERROR] For more information about the errors and possible solutions, please rea
d the following articles:
[ERROR] [Help 1] http://cwiki.apache.org/confluence/display/MAVEN/MojoExecutionE
xception
[ERROR]
[ERROR] After correcting the problems, you can resume the build with the command
[ERROR]   mvn <args> -rf :fai-bootstrap
```

---

49. 2026-10-19T13:30:01.627Z

API ainda indisponivel

---

50. 2026-10-19T13:40:04.758Z

Algo deu errado do nosso lado. Tente de novo em instantes; se persistir, informe o código de rastreio.

---

51. 2026-10-19T13:57:26.822Z

1. status: 500, code: "ERRO_INTERNO",…}

---

52. 2026-10-19T13:57:30.468Z

1. status: 500, code: "ERRO_INTERNO",…}

---

53. 2026-10-19T13:58:37.763Z

Não foi possível concluir

Algo deu errado do nosso lado. Tente de novo em instantes; se persistir, informe o código de rastreio.

---

54. 2026-10-19T14:07:57.865Z

Ok, faca commit e push de toda e qualquer alteracao nesta conversa

---

55. 2026-10-19T14:20:32.854Z

Try Again

---

56. 2026-10-19T14:27:41.814Z

Arrume a renderizacao de orelhas do avatar

---

57. 2026-10-19T14:28:23.388Z

In the workspace /Users/matheushaliski/tcc-2026-fashion-ai-backend, investigate avatar 3D ear rendering. Find relevant components, shaders, CSS, assets, and tests. Determine likely bug and report exact files/lines and a recommended fix. Do not edit files.

---

58. 2026-10-19T14:37:44.507Z

Renicie o backend pois alterei o mysql host para iriguchi.proxy.rlwy.net

Arrume a renderizacao de tudo isto: Na modelagem de avatares 3D, a criação de rostos, cabelos e orelhas realistas ou estilizados vai muito além do tom de pele base. O processo envolve topologia, microdetalhes de textura, mapas de materiais (shaders) e física.

1. Detalhes do Rosto
O rosto exige a maior densidade de detalhes devido à sensibilidade do olhar humano à expressão e ao efeito *Uncanny Valley* (Vale da Estranheza).

Estrutura Óssea e Proporções (Geometria)

- **Pontos de Ancoragem Óssea:** Proeminência das maçãs do rosto (zigomático), linha da mandíbula, formato do queixo (mento), crista supraorbital (sobrancelhas) e profundidade das órbitas oculares.
- **Pontos de Expressão (Blendshapes/Morph Targets):** Zonas de deformação para expressões faciais (músculos corrugador, risório, orbicular da boca e dos olhos).

Textura e Microdetalhes de Pele

- **Subsurface Scattering (SSS):** Simulação da penetração da luz nas camadas internas da pele antes de se dispersar, essencial para áreas finas (nariz, orelhas, pálpebras) não parecerem plástico ou pedra.
- **Mapas de Poros e Rugas (Normal/Displacement Maps):** Microgeometria dos poro

s, linhas de expressão na testa, pés de galinha, sulco nasogeniano ("bigode chinês") e rugas dinâmicas ativadas por tensão muscular.
- **Mapas de Variegação de Cor (Albedo/Base Color):**

- **Zona Vermelha (Centro):** Bochechas, nariz e lábios (alta vascularização).
- **Zona Amarela/Pálida (Superior):** Testa (pouco músculo/vasos, osso próximo da pele).
- **Zona Azulada/Verde (Inferior):** Mandíbula e queixo (sombra de barba ou pele mais fina).
- **Imperfeições e Marcas Individuais:** Sardas, manchas solares, acnes, cicatrizes, veias superficiais e olheiras.

Lábios e Olhos

- **Lábios:** Sulcos verticais (textura de estiramento), transição suave de cor (borda do lábio), especularidade/brilho de umidade e camada de cavidade oral.
- **Olhos:**

- **Córnea e Esclera:** Curvatura da córnea com refração da luz, textura das veias na esclera (branco do olho).
- **Íris e Pupila:** Textura em profundidade (fibras da íris), variação de diâmetro da pupila para animação.
- **Menisco Lacrimal:** Geometria transparente na junção entre a pálpebra e o olho para simular o filme de lágrima.

2. Detalhes do Cabelo (e Pelos Faciais)
A modelagem de cabelo varia significativamente entre a abordagem **Grooming/Strand-based** (fios individuais para renderização em tempo real high-end ou pré-render) e **Hair Cards/Mesh** (polígonos com transparência para jogos).

Características Técnicas e Físicas

- **Direção e Vórtice (Hair whorls/Cowlicks):** Padrão natural de crescimento na coroa da cabeça e linha do couro cabeludo (*hairline*).
- **Fuzz / Baby Hair:** Pelos finos e curtos ao redor da testa e têmporas para suavizar a transição entre o rosto e o cabelo.
- **Flyaways e Fios Soltos:** Fios desalinhados que quebram o aspecto rígido e geométrico.

Propriedades do Shader e Luz

- **Anisotropia (Anisotropic Highlights):** O brilho do cabelo não é circular, mas sim esticado em faixas ao longo da extensão dos fios.
- **Translucidez e SSS:** Permite que a luz atravesse os fios, gerando um brilho secundário interno (Shift de cor Marschner).
- **Variação de Cor por Fio:** Mistura de tons (fios brancos/grisalhos, mechas expostas ao sol, raízes mais escuras).

Pelos Faciais

- **Sobrancelhas e Cílios:** Espessura progressiva, curvatura e variação de densidade (mais denso no centro, mais fino nas pontas).
- **Barba e Poros de Crescimento:** Sombra de barba raspada (*stubble*) aplicada via textura Albedo ou malha de fios curtos integrados ao mapa de rugosidade.

3. Detalhes das Orelhas
As orelhas são frequentemente negligenciadas, mas desempenham papel fundamental na silhueta do avatar e na passagem de luz.

Anatomia Esculpida (Geometria)

- **Estrutura de Cartilagem:** Definição clara da **hélice**, **anti-hélice**, *

*trago**, **anti-trago** e **concha**.
- **Lóbulo:** Variação entre lóbulo preso ou solto, espessura e caimento de peso.

Translucidez e Iluminação

- **Forte Efeito SSS:** Como a orelha é composta por cartilagem fina e revestimento vascularizado, ela requer configurações intensas de *Subsurface Scattering*. Quando iluminada por trás (backlighting), a orelha deve brilhar em tons avermelhados/alaranjados quentes.

Marcas e Interações

- **Cera e Cavidade do Canal Auditivo:** Oclusão ambiental (Ambient Occlusion) mais escura e variações sutis de especularidade no interior do canal.
- **Furos de Brincos e Dobras:** Cavidades para acessórios e marcas dobras naturais na cartilagem superior.

Resumo das Propriedades de Materiais (Maps/Shaders)
Elemento**Elementos Principais de Textura/Shader****Rosto**Roughness Map (zonas secas x oleosas), Normal/Displacement (poros/rugas), SSS (translucidez sanguínea).**Cabelo**Anisotropic Roughness, Transmittance, Flow Maps (direção dos fios), Alpha/Opacity (para Hair Cards).**Orelhas**High SSS Radius (vermelho/laranja), Ambient Occlusion profunda na concha auditiva.

---

59. 2026-10-19T14:41:43.577Z

Try Again

---

60. 2026-10-19T14:42:42.768Z

Try Again

---

61. 2026-10-19T15:11:43.993Z

continue

---

62. 2026-10-19T16:17:54.947Z

[Terminal cad50d1d-9ef0-4c5c-a161-846a02d57799 notification: command completed with exit code 1. The terminal has been cleaned up.]
Terminal output:
```
        at org.hibernate.sql.results.spi.ListResultsConsumer.read(ListResultsConsumer.java:245)
        at org.hibernate.sql.results.spi.ListResultsConsumer.readRows(ListResultsConsumer.java:235)
        at org.hibernate.sql.results.spi.ListResultsConsumer.consume(ListResultsConsumer.java:164)
        at org.hibernate.sql.results.spi.ListResultsConsumer.consume(ListResultsConsumer.java:31)
        at org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.doExecuteQuery(JdbcSelectExecutorStandardImpl.java:213)
        at org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.executeQuery(JdbcSelectExecutorStandardImpl.java:100)
```

```
	at org.hibernate.sql.exec.spi.JdbcSelectExecutor.executeQuery(JdbcSelect
Executor.java:63)
	at org.hibernate.sql.exec.spi.JdbcSelectExecutor.list(JdbcSelectExecutor
.java:137)
	at org.hibernate.query.sqm.internal.ConcreteSqmSelectQueryPlan.lambda$ne
w$1(ConcreteSqmSelectQueryPlan.java:136)
	at org.hibernate.query.sqm.internal.ConcreteSqmSelectQueryPlan.withCache
ableSqmInterpretation(ConcreteSqmSelectQueryPlan.java:484)
	at org.hibernate.query.sqm.internal.ConcreteSqmSelectQueryPlan.performLi
st(ConcreteSqmSelectQueryPlan.java:411)
	at org.hibernate.query.sqm.internal.SqmQueryImpl.doList(SqmQueryImpl.jav
a:379)
	at org.hibernate.query.spi.AbstractSelectionQuery.list(AbstractSelection
Query.java:153)
	at org.hibernate.query.spi.AbstractSelectionQuery.getSingleResultOrNull(
AbstractSelectionQuery.java:320)
	at org.springframework.data.jpa.repository.query.JpaQueryExecution$Singl
eEntityExecution.doExecute(JpaQueryExecution.java:337)
	at org.springframework.data.jpa.repository.query.JpaQueryExecution.execu
te(JpaQueryExecution.java:100)
	at org.springframework.data.jpa.repository.query.AbstractJpaQuery.doExec
ute(AbstractJpaQuery.java:166)
	at org.springframework.data.jpa.repository.query.AbstractJpaQuery.execut
e(AbstractJpaQuery.java:156)
	at org.springframework.data.repository.core.support.RepositoryMethodInvo
ker.doInvoke(RepositoryMethodInvoker.java:169)
	at org.springframework.data.repository.core.support.RepositoryMethodInvo
ker.invoke(RepositoryMethodInvoker.java:158)
	at org.springframework.data.repository.core.support.QueryExecutorMethodI
nterceptor.doInvoke(QueryExecutorMethodInterceptor.java:167)
	at org.springframework.data.repository.core.support.QueryExecutorMethodI
nterceptor.invoke(QueryExecutorMethodInterceptor.java:146)
	at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
	at org.springframework.data.projection.DefaultMethodInvokingMethodInterc
eptor.invoke(DefaultMethodInvokingMethodInterceptor.java:69)
	at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
	at org.springframework.transaction.interceptor.TransactionInterceptor$1.
proceedWithInvocation(TransactionInterceptor.java:133)
	at org.springframework.transaction.interceptor.TransactionAspectSupport.
invokeWithinTransaction(TransactionAspectSupport.java:371)
	at org.springframework.transaction.interceptor.TransactionInterceptor.in
voke(TransactionInterceptor.java:130)
	at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
	at org.springframework.dao.support.PersistenceExceptionTranslationInterc
eptor.invoke(PersistenceExceptionTranslationInterceptor.java:135)
	... 167 common frames omitted
Caused by: java.lang.IllegalStateException: Unable to decrypt sensitive attribut
e
	at br.com.fashionai.domain.security.AesGcmStringConverter.convertToEntit
yAttribute(AesGcmStringConverter.java:52)
	at br.com.fashionai.domain.security.AesGcmStringConverter.convertToEntit
yAttribute(AesGcmStringConverter.java:14)
	at org.hibernate.type.descriptor.converter.internal.AttributeConverterBe
an.toDomainValue(AttributeConverterBean.java:97)
	... 204 common frames omitted
Caused by: javax.crypto.AEADBadTagException: Tag mismatch
	at java.base/com.sun.crypto.provider.GaloisCounterMode$GCMDecrypt.doFina
l(GaloisCounterMode.java:1545)
	at java.base/com.sun.crypto.provider.GaloisCounterMode.engineDoFinal(Gal
```

```
oisCounterMode.java:417)
        at java.base/javax.crypto.Cipher.doFinal(Cipher.java:2244)
        at br.com.fashionai.domain.security.AesGcmStringConverter.convertToEntit
yAttribute(AesGcmStringConverter.java:50)
        ... 206 common frames omitted
11:03:55.912 ERROR [40fed9ff-0b0f-48b6-93f3-f480890fd7ff] b.c.f.w.e.GlobalExcept
ionHandler - Erro inesperado em POST /api/auth/login
org.springframework.orm.jpa.JpaSystemException: Error attempting to apply Attrib
uteConverter
        at org.springframework.orm.jpa.EntityManagerFactoryUtils.convertJpaAcces
sExceptionIfPossible(EntityManagerFactoryUtils.java:516)
        at org.springframework.orm.jpa.hibernate.HibernateExceptionTranslator.tr
anslateExceptionIfPossible(HibernateExceptionTranslator.java:112)
        at org.springframework.orm.jpa.vendor.HibernateJpaDialect.translateExcep
tionIfPossible(HibernateJpaDialect.java:223)
        at org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.translat
eExceptionIfPossible(AbstractEntityManagerFactoryBean.java:577)
        at org.springframework.dao.support.ChainedPersistenceExceptionTranslator
.translateExceptionIfPossible(ChainedPersistenceExceptionTranslator.java:61)
        at org.springframework.dao.support.DataAccessUtils.translateIfNecessary(
DataAccessUtils.java:346)
        at org.springframework.dao.support.PersistenceExceptionTranslationInterc
eptor.invoke(PersistenceExceptionTranslationInterceptor.java:157)
        at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
        at org.springframework.data.jpa.repository.support.CrudMethodMetadataPos
tProcessor$CrudMethodMetadataPopulatingMethodInterceptor.invoke(CrudMethodMetada
taPostProcessor.java:137)
        at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
        at org.springframework.aop.framework.JdkDynamicAopProxy.invoke(JdkDynami
cAopProxy.java:222)
        at jdk.proxy2/jdk.proxy2.$Proxy207.findByEmailHash(Unknown Source)
        at br.com.fashionai.application.service.IdentityService.findByEmail(Iden
tityService.java:1050)
        at br.com.fashionai.application.service.IdentityService.login(IdentitySe
rvice.java:696)
        at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(Dire
ctMethodHandleAccessor.java:103)
        at java.base/java.lang.reflect.Method.invoke(Method.java:580)
        at org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflecti
on(AopUtils.java:359)
        at org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJo
inpoint(ReflectiveMethodInvocation.java:190)
        at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:158)
        at org.springframework.transaction.interceptor.TransactionInterceptor$1.
proceedWithInvocation(TransactionInterceptor.java:133)
        at org.springframework.transaction.interceptor.TransactionAspectSupport.
invokeWithinTransaction(TransactionAspectSupport.java:371)
        at org.springframework.transaction.interceptor.TransactionInterceptor.in
voke(TransactionInterceptor.java:130)
        at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
        at org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterce
ptor.intercept(CglibAopProxy.java:719)
        at br.com.fashionai.application.service.IdentityService$$SpringCGLIB$$0.
login(<generated>)
        at br.com.fashionai.web.controller.AuthController.login(AuthController.j
ava:62)
        at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(Dire
ctMethodHandleAccessor.java:103)
```

```
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	at org.springframework.web.method.support.InvocableHandlerMethod.doInvok
e(InvocableHandlerMethod.java:252)
	at org.springframework.web.method.support.InvocableHandlerMethod.invokeF
orRequest(InvocableHandlerMethod.java:184)
	at org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl
eHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)
	at org.springframework.web.servlet.mvc.method.annotation.RequestMappingH
andlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:934)
	at org.springframework.web.servlet.mvc.method.annotation.RequestMappingH
andlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:853)
	at org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapt
er.handle(AbstractHandlerMethodAdapter.java:86)
	at org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatch
erServlet.java:963)
	at org.springframework.web.servlet.DispatcherServlet.doService(Dispatche
rServlet.java:866)
	at org.springframework.web.servlet.FrameworkServlet.processRequest(Frame
workServlet.java:1000)
	at org.springframework.web.servlet.FrameworkServlet.doPost(FrameworkServ
let.java:903)
	at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:649)
	at org.springframework.web.servlet.FrameworkServlet.service(FrameworkSer
vlet.java:874)
	at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:710)
	at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:132)
	at org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:59
)
	at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
	at org.springframework.web.filter.CompositeFilter$VirtualFilterChain.doF
ilter(CompositeFilter.java:108)
	at org.springframework.security.web.FilterChainProxy.lambda$doFilterInte
rnal$2(FilterChainProxy.java:235)
	at org.springframework.security.web.ObservationFilterChainDecorator$Filt
erObservation$SimpleFilterObservation.lambda$wrap$1(ObservationFilterChainDecora
tor.java:491)
	at org.springframework.security.web.ObservationFilterChainDecorator$Arou
ndFilterObservation$SimpleAroundFilterObservation.lambda$wrap$1(ObservationFilte
rChainDecorator.java:353)
	at org.springframework.security.web.ObservationFilterChainDecorator.lamb
da$wrapSecured$0(ObservationFilterChainDecorator.java:84)
	at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:131)
	at org.springframework.security.web.access.intercept.AuthorizationFilter
.doFilter(AuthorizationFilter.java:101)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.web.access.ExceptionTranslationFilter.do
Filter(ExceptionTranslationFilter.java:126)
	at org.springframework.security.web.access.ExceptionTranslationFilter.do
Filter(ExceptionTranslationFilter.java:120)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$Virt
```

ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.web.session.SessionManagementFilter.doFi
lter(SessionManagementFilter.java:132)
	at org.springframework.security.web.session.SessionManagementFilter.doFi
lter(SessionManagementFilter.java:86)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.web.authentication.AnonymousAuthenticati
onFilter.doFilter(AnonymousAuthenticationFilter.java:100)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.web.servletapi.SecurityContextHolderAwar
eRequestFilter.doFilter(SecurityContextHolderAwareRequestFilter.java:181)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.web.savedrequest.RequestCacheAwareFilter
.doFilter(RequestCacheAwareFilter.java:63)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at br.com.fashionai.web.security.SessionActiveFilter.doFilterInternal(Se
ssionActiveFilter.java:47)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.oauth2.server.resource.web.authenticatio
n.BearerTokenAuthenticationFilter.doFilterInternal(BearerTokenAuthenticationFilt
er.java:174)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.oauth2.server.resource.web.OAuth2Protect
edResourceMetadataFilter.doFilterInternal(OAuth2ProtectedResourceMetadataFilter.
java:98)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse

```
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.authentication.logout.LogoutFilter.d
oFilter(LogoutFilter.java:110)
        at org.springframework.security.web.authentication.logout.LogoutFilter.d
oFilter(LogoutFilter.java:96)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.web.filter.CorsFilter.doFilterInternal(CorsFilter
.java:91)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.header.HeaderWriterFilter.doHeadersA
fter(HeaderWriterFilter.java:90)
        at org.springframework.security.web.header.HeaderWriterFilter.doFilterIn
ternal(HeaderWriterFilter.java:75)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.context.SecurityContextHolderFilter.
doFilter(SecurityContextHolderFilter.java:82)
        at org.springframework.security.web.context.SecurityContextHolderFilter.
doFilter(SecurityContextHolderFilter.java:69)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.context.request.async.WebAsyncManage
rIntegrationFilter.doFilterInternal(WebAsyncManagerIntegrationFilter.java:62)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.session.DisableEncodeUrlFilter.doFil
terInternal(DisableEncodeUrlFilter.java:42)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
```

```
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$Arou
ndFilterObservation$SimpleAroundFilterObservation.lambda$wrap$0(ObservationFilte
rChainDecorator.java:336)
	at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:227)
	at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.web.FilterChainProxy.doFilterInternal(Fi
lterChainProxy.java:237)
	at org.springframework.security.web.FilterChainProxy.doFilter(FilterChai
nProxy.java:195)
	at org.springframework.web.filter.CompositeFilter$VirtualFilterChain.doF
ilter(CompositeFilter.java:113)
	at org.springframework.web.filter.ServletRequestPathFilter.doFilter(Serv
letRequestPathFilter.java:52)
	at org.springframework.web.filter.CompositeFilter$VirtualFilterChain.doF
ilter(CompositeFilter.java:113)
	at org.springframework.web.filter.CompositeFilter.doFilter(CompositeFilt
er.java:74)
	at org.springframework.security.config.annotation.web.configuration.WebS
ecurityConfiguration$CompositeFilterChainProxy.doFilter(WebSecurityConfiguration
.java:317)
	at org.springframework.web.filter.DelegatingFilterProxy.invokeDelegate(D
elegatingFilterProxy.java:355)
	at org.springframework.web.filter.DelegatingFilterProxy.doFilter(Delegat
ingFilterProxy.java:272)
	at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
	at br.com.fashionai.web.support.AuthRateLimitFilter.doFilterInternal(Aut
hRateLimitFilter.java:173)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
	at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:101)
	at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
	at br.com.fashionai.web.support.RequestLocaleFilter.doFilterInternal(Req
uestLocaleFilter.java:53)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
	at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
	at org.springframework.web.filter.RequestContextFilter.doFilterInternal(
RequestContextFilter.java:100)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
	at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
	at org.springframework.web.filter.FormContentFilter.doFilterInternal(For
mContentFilter.java:93)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
	at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
	at org.springframework.web.filter.ServerHttpObservationFilter.doFilterIn
ternal(ServerHttpObservationFilter.java:110)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
	at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
```

```
ilterChain.java:111)
        at org.springframework.web.filter.CharacterEncodingFilter.doFilterIntern
al(CharacterEncodingFilter.java:199)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at br.com.fashionai.web.support.CorrelationIdFilter.doFilterInternal(Cor
relationIdFilter.java:59)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:101)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperV
alve.java:165)
        at org.apache.catalina.core.StandardContextValve.invoke(StandardContextV
alve.java:77)
        at org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authentica
torBase.java:535)
        at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.j
ava:115)
        at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.j
ava:86)
        at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineVal
ve.java:71)
        at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.jav
a:347)
        at org.apache.coyote.http11.Http11Processor.service(Http11Processor.java
:406)
        at org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLig
ht.java:71)
        at org.apache.coyote.AbstractProtocol$ConnectionHandler.process(Abstract
Protocol.java:1307)
        at org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpo
int.java:2036)
        at org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBas
e.java:74)
        at org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoo
lExecutor.java:949)
        at org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPo
olExecutor.java:483)
        at org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskTh
read.java:74)
        at java.base/java.lang.Thread.run(Thread.java:1583)
Caused by: jakarta.persistence.PersistenceException: Error attempting to apply A
ttributeConverter
        at org.hibernate.type.descriptor.converter.internal.AttributeConverterBe
an.toDomainValue(AttributeConverterBean.java:103)
        at org.hibernate.sql.results.graph.basic.BasicResultAssembler.assemble(B
asicResultAssembler.java:77)
        at org.hibernate.sql.results.graph.entity.internal.EntityInitializerImpl
.extractConcreteTypeStateValues(EntityInitializerImpl.java:2030)
        at org.hibernate.sql.results.graph.entity.internal.EntityInitializerImpl
.initializeEntityInstance(EntityInitializerImpl.java:1691)
        at org.hibernate.sql.results.graph.entity.internal.EntityInitializerImpl
.initializeInstance(EntityInitializerImpl.java:1597)
        at org.hibernate.sql.results.graph.entity.internal.EntityInitializerImpl
.initializeInstance(EntityInitializerImpl.java:88)
```

```
	at org.hibernate.sql.results.internal.StandardRowReader.coordinateInitia
lizers(StandardRowReader.java:239)
	at org.hibernate.sql.results.internal.StandardRowReader.readRow(Standard
RowReader.java:137)
	at org.hibernate.sql.results.spi.ListResultsConsumer.read(ListResultsCon
sumer.java:245)
	at org.hibernate.sql.results.spi.ListResultsConsumer.readRows(ListResult
sConsumer.java:235)
	at org.hibernate.sql.results.spi.ListResultsConsumer.consume(ListResults
Consumer.java:164)
	at org.hibernate.sql.results.spi.ListResultsConsumer.consume(ListResults
Consumer.java:31)
	at org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.doExec
uteQuery(JdbcSelectExecutorStandardImpl.java:213)
	at org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.execut
eQuery(JdbcSelectExecutorStandardImpl.java:100)
	at org.hibernate.sql.exec.spi.JdbcSelectExecutor.executeQuery(JdbcSelect
Executor.java:63)
	at org.hibernate.sql.exec.spi.JdbcSelectExecutor.list(JdbcSelectExecutor
.java:137)
	at org.hibernate.query.sqm.internal.ConcreteSqmSelectQueryPlan.lambda$ne
w$1(ConcreteSqmSelectQueryPlan.java:136)
	at org.hibernate.query.sqm.internal.ConcreteSqmSelectQueryPlan.withCache
ableSqmInterpretation(ConcreteSqmSelectQueryPlan.java:484)
	at org.hibernate.query.sqm.internal.ConcreteSqmSelectQueryPlan.performLi
st(ConcreteSqmSelectQueryPlan.java:411)
	at org.hibernate.query.sqm.internal.SqmQueryImpl.doList(SqmQueryImpl.jav
a:379)
	at org.hibernate.query.spi.AbstractSelectionQuery.list(AbstractSelection
Query.java:153)
	at org.hibernate.query.spi.AbstractSelectionQuery.getSingleResultOrNull(
AbstractSelectionQuery.java:320)
	at org.springframework.data.jpa.repository.query.JpaQueryExecution$Singl
eEntityExecution.doExecute(JpaQueryExecution.java:337)
	at org.springframework.data.jpa.repository.query.JpaQueryExecution.execu
te(JpaQueryExecution.java:100)
	at org.springframework.data.jpa.repository.query.AbstractJpaQuery.doExec
ute(AbstractJpaQuery.java:166)
	at org.springframework.data.jpa.repository.query.AbstractJpaQuery.execut
e(AbstractJpaQuery.java:156)
	at org.springframework.data.repository.core.support.RepositoryMethodInvo
ker.doInvoke(RepositoryMethodInvoker.java:169)
	at org.springframework.data.repository.core.support.RepositoryMethodInvo
ker.invoke(RepositoryMethodInvoker.java:158)
	at org.springframework.data.repository.core.support.QueryExecutorMethodI
nterceptor.doInvoke(QueryExecutorMethodInterceptor.java:167)
	at org.springframework.data.repository.core.support.QueryExecutorMethodI
nterceptor.invoke(QueryExecutorMethodInterceptor.java:146)
	at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
	at org.springframework.data.projection.DefaultMethodInvokingMethodInterc
eptor.invoke(DefaultMethodInvokingMethodInterceptor.java:69)
	at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
	at org.springframework.transaction.interceptor.TransactionInterceptor$1.
proceedWithInvocation(TransactionInterceptor.java:133)
	at org.springframework.transaction.interceptor.TransactionAspectSupport.
invokeWithinTransaction(TransactionAspectSupport.java:371)
	at org.springframework.transaction.interceptor.TransactionInterceptor.in
voke(TransactionInterceptor.java:130)
	at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
```

```
	at org.springframework.dao.support.PersistenceExceptionTranslationInterc
eptor.invoke(PersistenceExceptionTranslationInterceptor.java:135)
	... 167 common frames omitted
Caused by: java.lang.IllegalStateException: Unable to decrypt sensitive attribut
e
	at br.com.fashionai.domain.security.AesGcmStringConverter.convertToEntit
yAttribute(AesGcmStringConverter.java:52)
	at br.com.fashionai.domain.security.AesGcmStringConverter.convertToEntit
yAttribute(AesGcmStringConverter.java:14)
	at org.hibernate.type.descriptor.converter.internal.AttributeConverterBe
an.toDomainValue(AttributeConverterBean.java:97)
	... 204 common frames omitted
Caused by: javax.crypto.AEADBadTagException: Tag mismatch
	at java.base/com.sun.crypto.provider.GaloisCounterMode$GCMDecrypt.doFina
l(GaloisCounterMode.java:1545)
	at java.base/com.sun.crypto.provider.GaloisCounterMode.engineDoFinal(Gal
oisCounterMode.java:417)
	at java.base/javax.crypto.Cipher.doFinal(Cipher.java:2244)
	at br.com.fashionai.domain.security.AesGcmStringConverter.convertToEntit
yAttribute(AesGcmStringConverter.java:50)
	... 206 common frames omitted
11:24:45.494 ERROR [1797cf8a-bf1b-43bf-b9bd-6dd29c82d0e0] b.c.f.w.e.GlobalExcept
ionHandler - Erro inesperado em POST /api/auth/login
org.springframework.orm.jpa.JpaSystemException: Error attempting to apply Attrib
uteConverter
	at org.springframework.orm.jpa.EntityManagerFactoryUtils.convertJpaAcces
sExceptionIfPossible(EntityManagerFactoryUtils.java:516)
	at org.springframework.orm.jpa.hibernate.HibernateExceptionTranslator.tr
anslateExceptionIfPossible(HibernateExceptionTranslator.java:112)
	at org.springframework.orm.jpa.vendor.HibernateJpaDialect.translateExcep
tionIfPossible(HibernateJpaDialect.java:223)
	at org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.translat
eExceptionIfPossible(AbstractEntityManagerFactoryBean.java:577)
	at org.springframework.dao.support.ChainedPersistenceExceptionTranslator
.translateExceptionIfPossible(ChainedPersistenceExceptionTranslator.java:61)
	at org.springframework.dao.support.DataAccessUtils.translateIfNecessary(
DataAccessUtils.java:346)
	at org.springframework.dao.support.PersistenceExceptionTranslationInterc
eptor.invoke(PersistenceExceptionTranslationInterceptor.java:157)
	at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
	at org.springframework.data.jpa.repository.support.CrudMethodMetadataPos
tProcessor$CrudMethodMetadataPopulatingMethodInterceptor.invoke(CrudMethodMetada
taPostProcessor.java:137)
	at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
	at org.springframework.aop.framework.JdkDynamicAopProxy.invoke(JdkDynami
cAopProxy.java:222)
	at jdk.proxy2/jdk.proxy2.$Proxy207.findByEmailHash(Unknown Source)
	at br.com.fashionai.application.service.IdentityService.findByEmail(Iden
tityService.java:1050)
	at br.com.fashionai.application.service.IdentityService.login(IdentitySe
rvice.java:696)
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(Dire
ctMethodHandleAccessor.java:103)
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	at org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflecti
on(AopUtils.java:359)
	at org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJo
inpoint(ReflectiveMethodInvocation.java:190)
	at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:158)
```

```
        at org.springframework.transaction.interceptor.TransactionInterceptor$1.
proceedWithInvocation(TransactionInterceptor.java:133)
        at org.springframework.transaction.interceptor.TransactionAspectSupport.
invokeWithinTransaction(TransactionAspectSupport.java:371)
        at org.springframework.transaction.interceptor.TransactionInterceptor.in
voke(TransactionInterceptor.java:130)
        at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
        at org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterce
ptor.intercept(CglibAopProxy.java:719)
        at br.com.fashionai.application.service.IdentityService$$SpringCGLIB$$0.
login(<generated>)
        at br.com.fashionai.web.controller.AuthController.login(AuthController.j
ava:62)
        at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(Dire
ctMethodHandleAccessor.java:103)
        at java.base/java.lang.reflect.Method.invoke(Method.java:580)
        at org.springframework.web.method.support.InvocableHandlerMethod.doInvok
e(InvocableHandlerMethod.java:252)
        at org.springframework.web.method.support.InvocableHandlerMethod.invokeF
orRequest(InvocableHandlerMethod.java:184)
        at org.springframework.web.servlet.mvc.method.annotation.ServletInvocabl
eHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:117)
        at org.springframework.web.servlet.mvc.method.annotation.RequestMappingH
andlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:934)
        at org.springframework.web.servlet.mvc.method.annotation.RequestMappingH
andlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:853)
        at org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapt
er.handle(AbstractHandlerMethodAdapter.java:86)
        at org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatch
erServlet.java:963)
        at org.springframework.web.servlet.DispatcherServlet.doService(Dispatche
rServlet.java:866)
        at org.springframework.web.servlet.FrameworkServlet.processRequest(Frame
workServlet.java:1000)
        at org.springframework.web.servlet.FrameworkServlet.doPost(FrameworkServ
let.java:903)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:649)
        at org.springframework.web.servlet.FrameworkServlet.service(FrameworkSer
vlet.java:874)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:710)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:132)
        at org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:59
)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at org.springframework.web.filter.CompositeFilter$VirtualFilterChain.doF
ilter(CompositeFilter.java:108)
        at org.springframework.security.web.FilterChainProxy.lambda$doFilterInte
rnal$2(FilterChainProxy.java:235)
        at org.springframework.security.web.ObservationFilterChainDecorator$Filt
erObservation$SimpleFilterObservation.lambda$wrap$1(ObservationFilterChainDecora
tor.java:491)
        at org.springframework.security.web.ObservationFilterChainDecorator$Arou
ndFilterObservation$SimpleAroundFilterObservation.lambda$wrap$1(ObservationFilte
rChainDecorator.java:353)
        at org.springframework.security.web.ObservationFilterChainDecorator.lamb
da$wrapSecured$0(ObservationFilterChainDecorator.java:84)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:131)
        at org.springframework.security.web.access.intercept.AuthorizationFilter
```

```
.doFilter(AuthorizationFilter.java:101)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.access.ExceptionTranslationFilter.do
Filter(ExceptionTranslationFilter.java:126)
        at org.springframework.security.web.access.ExceptionTranslationFilter.do
Filter(ExceptionTranslationFilter.java:120)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.session.SessionManagementFilter.doFi
lter(SessionManagementFilter.java:132)
        at org.springframework.security.web.session.SessionManagementFilter.doFi
lter(SessionManagementFilter.java:86)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.authentication.AnonymousAuthenticati
onFilter.doFilter(AnonymousAuthenticationFilter.java:100)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.servletapi.SecurityContextHolderAwar
eRequestFilter.doFilter(SecurityContextHolderAwareRequestFilter.java:181)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.savedrequest.RequestCacheAwareFilter
.doFilter(RequestCacheAwareFilter.java:63)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at br.com.fashionai.web.security.SessionActiveFilter.doFilterInternal(Se
ssionActiveFilter.java:47)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.oauth2.server.resource.web.authenticatio
```

n.BearerTokenAuthenticationFilter.doFilterInternal(BearerTokenAuthenticationFilter.java:174)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$VirtualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.oauth2.server.resource.web.OAuth2ProtectedResourceMetadataFilter.doFilterInternal(OAuth2ProtectedResourceMetadataFilter.java:98)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$VirtualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.web.authentication.logout.LogoutFilter.doFilter(LogoutFilter.java:110)
	at org.springframework.security.web.authentication.logout.LogoutFilter.doFilter(LogoutFilter.java:96)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$VirtualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.web.filter.CorsFilter.doFilterInternal(CorsFilter.java:91)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$VirtualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.web.header.HeaderWriterFilter.doHeadersAfter(HeaderWriterFilter.java:90)
	at org.springframework.security.web.header.HeaderWriterFilter.doFilterInternal(HeaderWriterFilter.java:75)
	at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$VirtualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
	at org.springframework.security.web.context.SecurityContextHolderFilter.doFilter(SecurityContextHolderFilter.java:82)
	at org.springframework.security.web.context.SecurityContextHolderFilter.doFilter(SecurityContextHolderFilter.java:69)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
	at org.springframework.security.web.ObservationFilterChainDecorator$ObservationFilter.doFilter(ObservationFilterChainDecorator.java:230)
	at org.springframework.security.web.ObservationFilterChainDecorator$Virt

```
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.context.request.async.WebAsyncManage
rIntegrationFilter.doFilterInternal(WebAsyncManagerIntegrationFilter.java:62)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:230)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.session.DisableEncodeUrlFilter.doFil
terInternal(DisableEncodeUrlFilter.java:42)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.wrapFilter(ObservationFilterChainDecorator.java:243)
        at org.springframework.security.web.ObservationFilterChainDecorator$Arou
ndFilterObservation$SimpleAroundFilterObservation.lambda$wrap$0(ObservationFilte
rChainDecorator.java:336)
        at org.springframework.security.web.ObservationFilterChainDecorator$Obse
rvationFilter.doFilter(ObservationFilterChainDecorator.java:227)
        at org.springframework.security.web.ObservationFilterChainDecorator$Virt
ualFilterChain.doFilter(ObservationFilterChainDecorator.java:140)
        at org.springframework.security.web.FilterChainProxy.doFilterInternal(Fi
lterChainProxy.java:237)
        at org.springframework.security.web.FilterChainProxy.doFilter(FilterChai
nProxy.java:195)
        at org.springframework.web.filter.CompositeFilter$VirtualFilterChain.doF
ilter(CompositeFilter.java:113)
        at org.springframework.web.filter.ServletRequestPathFilter.doFilter(Serv
letRequestPathFilter.java:52)
        at org.springframework.web.filter.CompositeFilter$VirtualFilterChain.doF
ilter(CompositeFilter.java:113)
        at org.springframework.web.filter.CompositeFilter.doFilter(CompositeFilt
er.java:74)
        at org.springframework.security.config.annotation.web.configuration.WebS
ecurityConfiguration$CompositeFilterChainProxy.doFilter(WebSecurityConfiguration
.java:317)
        at org.springframework.web.filter.DelegatingFilterProxy.invokeDelegate(D
elegatingFilterProxy.java:355)
        at org.springframework.web.filter.DelegatingFilterProxy.doFilter(Delegat
ingFilterProxy.java:272)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at br.com.fashionai.web.support.AuthRateLimitFilter.doFilterInternal(Aut
hRateLimitFilter.java:173)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:101)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at br.com.fashionai.web.support.RequestLocaleFilter.doFilterInternal(Req
uestLocaleFilter.java:53)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at org.springframework.web.filter.RequestContextFilter.doFilterInternal(
```

```
RequestContextFilter.java:100)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at org.springframework.web.filter.FormContentFilter.doFilterInternal(For
mContentFilter.java:93)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at org.springframework.web.filter.ServerHttpObservationFilter.doFilterIn
ternal(ServerHttpObservationFilter.java:110)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at org.springframework.web.filter.CharacterEncodingFilter.doFilterIntern
al(CharacterEncodingFilter.java:199)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at br.com.fashionai.web.support.CorrelationIdFilter.doFilterInternal(Cor
relationIdFilter.java:59)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:116)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerR
equestFilter.java:101)
        at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationF
ilterChain.java:111)
        at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperV
alve.java:165)
        at org.apache.catalina.core.StandardContextValve.invoke(StandardContextV
alve.java:77)
        at org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authentica
torBase.java:535)
        at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.j
ava:115)
        at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.j
ava:86)
        at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineVal
ve.java:71)
        at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.jav
a:347)
        at org.apache.coyote.http11.Http11Processor.service(Http11Processor.java
:406)
        at org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLig
ht.java:71)
        at org.apache.coyote.AbstractProtocol$ConnectionHandler.process(Abstract
Protocol.java:1307)
        at org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpo
int.java:2036)
        at org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBas
e.java:74)
        at org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoo
lExecutor.java:949)
        at org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPo
olExecutor.java:483)
        at org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskTh
```

```
read.java:74)
        at java.base/java.lang.Thread.run(Thread.java:1583)
Caused by: jakarta.persistence.PersistenceException: Error attempting to apply A
ttributeConverter
        at org.hibernate.type.descriptor.converter.internal.AttributeConverterBe
an.toDomainValue(AttributeConverterBean.java:103)
        at org.hibernate.sql.results.graph.basic.BasicResultAssembler.assemble(B
asicResultAssembler.java:77)
        at org.hibernate.sql.results.graph.entity.internal.EntityInitializerImpl
.extractConcreteTypeStateValues(EntityInitializerImpl.java:2030)
        at org.hibernate.sql.results.graph.entity.internal.EntityInitializerImpl
.initializeEntityInstance(EntityInitializerImpl.java:1691)
        at org.hibernate.sql.results.graph.entity.internal.EntityInitializerImpl
.initializeInstance(EntityInitializerImpl.java:1597)
        at org.hibernate.sql.results.graph.entity.internal.EntityInitializerImpl
.initializeInstance(EntityInitializerImpl.java:88)
        at org.hibernate.sql.results.internal.StandardRowReader.coordinateInitia
lizers(StandardRowReader.java:239)
        at org.hibernate.sql.results.internal.StandardRowReader.readRow(Standard
RowReader.java:137)
        at org.hibernate.sql.results.spi.ListResultsConsumer.read(ListResultsCon
sumer.java:245)
        at org.hibernate.sql.results.spi.ListResultsConsumer.readRows(ListResult
sConsumer.java:235)
        at org.hibernate.sql.results.spi.ListResultsConsumer.consume(ListResults
Consumer.java:164)
        at org.hibernate.sql.results.spi.ListResultsConsumer.consume(ListResults
Consumer.java:31)
        at org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.doExec
uteQuery(JdbcSelectExecutorStandardImpl.java:213)
        at org.hibernate.sql.exec.internal.JdbcSelectExecutorStandardImpl.execut
eQuery(JdbcSelectExecutorStandardImpl.java:100)
        at org.hibernate.sql.exec.spi.JdbcSelectExecutor.executeQuery(JdbcSelect
Executor.java:63)
        at org.hibernate.sql.exec.spi.JdbcSelectExecutor.list(JdbcSelectExecutor
.java:137)
        at org.hibernate.query.sqm.internal.ConcreteSqmSelectQueryPlan.lambda$ne
w$1(ConcreteSqmSelectQueryPlan.java:136)
        at org.hibernate.query.sqm.internal.ConcreteSqmSelectQueryPlan.withCache
ableSqmInterpretation(ConcreteSqmSelectQueryPlan.java:484)
        at org.hibernate.query.sqm.internal.ConcreteSqmSelectQueryPlan.performLi
st(ConcreteSqmSelectQueryPlan.java:411)
        at org.hibernate.query.sqm.internal.SqmQueryImpl.doList(SqmQueryImpl.jav
a:379)
        at org.hibernate.query.spi.AbstractSelectionQuery.list(AbstractSelection
Query.java:153)
        at org.hibernate.query.spi.AbstractSelectionQuery.getSingleResultOrNull(
AbstractSelectionQuery.java:320)
        at org.springframework.data.jpa.repository.query.JpaQueryExecution$Singl
eEntityExecution.doExecute(JpaQueryExecution.java:337)
        at org.springframework.data.jpa.repository.query.JpaQueryExecution.execu
te(JpaQueryExecution.java:100)
        at org.springframework.data.jpa.repository.query.AbstractJpaQuery.doExec
ute(AbstractJpaQuery.java:166)
        at org.springframework.data.jpa.repository.query.AbstractJpaQuery.execut
e(AbstractJpaQuery.java:156)
        at org.springframework.data.repository.core.support.RepositoryMethodInvo
ker.doInvoke(RepositoryMethodInvoker.java:169)
        at org.springframework.data.repository.core.support.RepositoryMethodInvo
ker.invoke(RepositoryMethodInvoker.java:158)
        at org.springframework.data.repository.core.support.QueryExecutorMethodI
nterceptor.doInvoke(QueryExecutorMethodInterceptor.java:167)
```

```
        at org.springframework.data.repository.core.support.QueryExecutorMethodI
nterceptor.invoke(QueryExecutorMethodInterceptor.java:146)
        at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
        at org.springframework.data.projection.DefaultMethodInvokingMethodInterc
eptor.invoke(DefaultMethodInvokingMethodInterceptor.java:69)
        at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
        at org.springframework.transaction.interceptor.TransactionInterceptor$1.
proceedWithInvocation(TransactionInterceptor.java:133)
        at org.springframework.transaction.interceptor.TransactionAspectSupport.
invokeWithinTransaction(TransactionAspectSupport.java:371)
        at org.springframework.transaction.interceptor.TransactionInterceptor.in
voke(TransactionInterceptor.java:130)
        at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(
ReflectiveMethodInvocation.java:179)
        at org.springframework.dao.support.PersistenceExceptionTranslationInterc
eptor.invoke(PersistenceExceptionTranslationInterceptor.java:135)
        ... 167 common frames omitted
Caused by: java.lang.IllegalStateException: Unable to decrypt sensitive attribut
e
        at br.com.fashionai.domain.security.AesGcmStringConverter.convertToEntit
yAttribute(AesGcmStringConverter.java:52)
        at br.com.fashionai.domain.security.AesGcmStringConverter.convertToEntit
yAttribute(AesGcmStringConverter.java:14)
        at org.hibernate.type.descriptor.converter.internal.AttributeConverterBe
an.toDomainValue(AttributeConverterBean.java:97)
        ... 204 common frames omitted
Caused by: javax.crypto.AEADBadTagException: Tag mismatch
        at java.base/com.sun.crypto.provider.GaloisCounterMode$GCMDecrypt.doFina
l(GaloisCounterMode.java:1545)
        at java.base/com.sun.crypto.provider.GaloisCounterMode.engineDoFinal(Gal
oisCounterMode.java:417)
        at java.base/javax.crypto.Cipher.doFinal(Cipher.java:2244)
        at br.com.fashionai.domain.security.AesGcmStringConverter.convertToEntit
yAttribute(AesGcmStringConverter.java:50)
        ... 206 common frames omitted
11:46:35.146 WARN  [] c.z.hikari.pool.HikariPool - HikariPool-1 - Thread starvat
ion or clock leap detected (housekeeper delta=54s787ms).
12:02:03.799 WARN  [] c.z.hikari.pool.HikariPool - HikariPool-1 - Thread starvat
ion or clock leap detected (housekeeper delta=15m28s668ms).
12:16:40.038 INFO  [] o.s.b.tomcat.GracefulShutdown - Commencing graceful shutdo
wn. Waiting for active requests to complete
12:16:40.042 INFO  [] o.s.b.tomcat.GracefulShutdown - Graceful shutdown complete
12:16:40.136 INFO  [] o.s.o.j.LocalContainerEntityManagerFactoryBean - Closing J
PA EntityManagerFactory for persistence unit 'default'
12:16:40.144 INFO  [] c.z.hikari.HikariDataSource - HikariPool-1 - Shutdown init
iated...
12:16:40.148 INFO  [] c.z.hikari.HikariDataSource - HikariPool-1 - Shutdown comp
leted.
[INFO] ------------------------------------------------------------------------
[INFO] Reactor Summary for Fashion AI API 0.1.0-SNAPSHOT:
[INFO]
[INFO] Fashion AI API ..................................... SUCCESS [  0.551 s]
[INFO] fai-domain ......................................... SUCCESS [  0.433 s]
[INFO] fai-application .................................... SUCCESS [  0.289 s]
[INFO] fai-infrastructure ................................. SUCCESS [  0.014 s]
[INFO] persistence-mysql .................................. SUCCESS [  0.164 s]
[INFO] persistence-cassandra .............................. SUCCESS [  0.171 s]
[INFO] cache-redis ........................................ SUCCESS [  0.066 s]
[INFO] platform ........................................... SUCCESS [  0.077 s]
[INFO] search-opensearch .................................. SUCCESS [  0.071 s]
```

```
[INFO] storage-s3 ..................................... SUCCESS [  0.095 s]
[INFO] ai-providers ................................... SUCCESS [  0.108 s]
[INFO] fai-web ........................................ SUCCESS [  0.137 s]
[INFO] fai-bootstrap .................................. FAILURE [  01:15 h]
[INFO] ------------------------------------------------------------------------
[INFO] BUILD FAILURE
[INFO] ------------------------------------------------------------------------
[INFO] Total time:  01:15 h
[INFO] Finished at: 2026-10-19T12:16:40-03:00
[INFO] ------------------------------------------------------------------------
[ERROR] Failed to execute goal org.springframework.boot:spring-boot-maven-plugin
:4.1.1:run (default-cli) on project fai-bootstrap: Process terminated with exit
code: 143 -> [Help 1]
[ERROR]
[ERROR] To see the full stack trace of the errors, re-run Maven with the -e swit
ch.
[ERROR] Re-run Maven using the -X switch to enable full debug logging.
[ERROR]
[ERROR] For more information about the errors and possible solutions, please rea
d the following articles:
[ERROR] [Help 1] http://cwiki.apache.org/confluence/display/MAVEN/MojoExecutionE
xception
[ERROR]
[ERROR] After correcting the problems, you can resume the build with the command
[ERROR]   mvn <args> -rf :fai-bootstrap
```

---

63. 2026-10-19T16:17:58.803Z

Try Again

---

64. 2026-10-19T16:29:28.598Z

Try Again

---

65. 2026-10-19T16:38:20.551Z

Vou relatar os problemas de frontend que relatei: 1. PROVADOR (/try-on): ao entr ar no espelho a camera fica como nesta captura de tela. 2. QUARTO /room: ao entr ar no espelho e utilizar o analogico direito para rotacionar a camera esta atra vessa a superficie da roupa, crie uma forma de focar no espelho com a camera sem pre apontando para a borda superior do espelho (faça no espelho do provador tamb ém) sem a possibilidade de focar em qualquer objeto que nao seja o reflexo do es pelho

---

66. 2026-10-19T16:39:19.161Z

Em /closet, tirar o hover effect do modal que abre ao clicar em uma peça

---

67. 2026-10-19T16:42:53.425Z

Em /pieces/new ainda é possivel acessar presets bloqueados ao clicar em aura hyp e. Faca com que nao seja necessario rolar para o fim da pagina para visualizar o

preview inteiro (fixe no topo).

---

68. 2026-10-19T16:43:34.720Z

Nao foram implementadas as variações de Aura Hype mencionadas anteriormente

---

69. 2026-10-19T16:44:36.634Z

O toggle até aparece no preview, porem nao alterna de feed para ampliado

---

70. 2026-10-19T16:45:37.423Z

Assim que terminar as alteracoes, faca push para o remoto automaticamente

---

71. 2026-10-19T16:45:40.557Z

Assim que terminar as alteracoes, faca push para o remoto automaticamente

---

72. 2026-10-19T16:49:36.261Z

Lembra que disse no historico desta conversa sobre refatorar opcoes dentro dos presets Aura Hype? Ao clicar mostrar duas faixas: uma para cards estaticos, outra para cards dinamicos

---

73. 2026-10-19T16:57:20.816Z

Continue para o trabalho do avatar em orelhas

---

74. 2026-10-19T16:59:52.322Z

Ainda nao via as alteracoes, no local, dos Aura Hype dinamicos e estaticos (segue a mesma lista extensa antiga)

---

75. 2026-10-19T17:00:30.701Z

Ok, reuna todas as mensagens que mandei solicitando alteracoes em um pdf

---