

Processando config 8, seed 1, teste: BlockAlphabit
xx
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
xx

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	2
Value of the statistic	:	0.70
p-value of test	:	0.70

CPU time used : 00:00:00.03

Generator state:
16777216 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 6.95
p-value of test : 0.54

CPU time used : 00:00:00.03

Generator state:

33554432 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 110.98
p-value of test : 0.86

CPU time used : 00:00:00.02

Generator state:

50331648 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32927.21
p-value of test : 0.27

CPU time used : 00:00:00.03

Generator state:

67108864 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 192.89
p-value of test : 0.20

CPU time used : 00:00:00.02

Generator state:

83886080 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 355.03
p-value of test : 0.03

CPU time used : 00:00:00.03

Generator state:

100663296 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 0.36
p-value of test : 0.36

CPU time used : 00:00:00.02

Generator state:

117440512 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	25.91
p-value of test	:	0.77

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	21.28
p-value of test	:	0.90

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	23.16
p-value of test	:	0.87

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	33.11
p-value of test	:	0.13

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	21.55
p-value of test	:	0.12

CPU time used : 00:00:00.07

Generator state:

134217728 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	83.74
p-value of test	:	0.03

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	71.80
p-value of test	:	0.18

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	158.16
p-value of test	:	0.53

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	52.29
p-value of test	:	0.65

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	34.35
p-value of test	:	0.36

CPU time used : 00:00:00.06

Generator state:
150994944 bits have been read.

===== Summary results of Alphabit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216
Number of statistics:	17
Total CPU time:	00:00:00.32

All tests were passed

```
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Alphabit:  nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 2
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 2,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE
```

```
For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:
```

```
Delta = 1,  Mu = 2.9802323e-08,  Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom      : 2
Value of the statistic            : 1.26
p-value of test                   : 0.53
```

```
-----
CPU time used                     : 00:00:00.02
```

```
Generator state:
```

```
167772160 bits have been read.
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 2
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 4,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
```

Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	8
Value of the statistic	:	11.36
p-value of test	:	0.18

CPU time used : 00:00:00.02

Generator state:

184549376 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	128
Value of the statistic	:	125.67
p-value of test	:	0.54

CPU time used : 00:00:00.02

Generator state:

201326592 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 2
```

smultin_MultinomialBitsOver test:

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 16,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1,  Mu = 0.00097653271,  Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom      : 32768
Value of the statistic            : 32859.61
p-value of test                   : 0.36
```

```
-----
CPU time used                     : 00:00:00.03
```

Generator state:

218103808 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 2
```

sstring_HammingIndep test:

```
-----
N = 1,  n = 524288,  r = 0,  s = 32,  L = 16,  d = 0
```

Counters with expected numbers >= 10

```
-----
Number of degrees of freedom      : 177
Chi-square statistic             : 158.00
p-value of test                   : 0.84
```

```
-----
CPU time used                     : 00:00:00.02
```

Generator state:

234881024 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305
Chi-square statistic	:	369.57
p-value of test	:	6.6e-3

CPU time used	:	00:00:00.00
---------------	---	-------------

Generator state:

251658240 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic	:	1.34
p-value of test	:	0.09

CPU time used	:	00:00:00.02
---------------	---	-------------

Generator state:

268435456 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	28.64
p-value of test	:	0.64

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	36.30
p-value of test	:	0.24

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	40.94
p-value of test	:	0.13

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	32.34
p-value of test	:	0.15

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	27.06
p-value of test	:	0.03

CPU time used : 00:00:00.07

Generator state:

285212672 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	76.42
p-value of test	:	0.10

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	56.24
p-value of test	:	0.68

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	125.69
p-value of test	:	0.98

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	48.19
p-value of test	:	0.79

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	30.50
p-value of test	:	0.54

CPU time used : 00:00:00.04

Generator state:

301989888 bits have been read.

===== Summary results of Alphabit =====

Version:	TestU01 1.2.3
Generator:	ufire_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216
Number of statistics:	17
Total CPU time:	00:00:00.25

All tests were passed

```
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Alphabit:  nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 4
```

smultin_MultinomialBitsOver test:

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 2,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1,  Mu = 2.9802323e-08,  Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom      : 2
Value of the statistic             : 2.83
p-value of test                   : 0.24
```

```
-----
CPU time used                     : 00:00:00.02
```

Generator state:

318767104 bits have been read.

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 4
```

smultin_MultinomialBitsOver test:

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 4,
Sparse = FALSE
```

```
Number of bits = n = 16777216
```

Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For $\Delta > -1$, we use the ChiSquare approximation
Correction factor of the ChiSquare:

$\Delta = 1$, $\mu = 2.0861626e-07$, $\sigma = 1$

Test Results for $\Delta = 1.0000$

Number of degrees of freedom	:	8
Value of the statistic	:	7.84
p-value of test	:	0.45

CPU time used : 00:00:00.02

Generator state:
335544320 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

 $N = 1$, $n = 16777216$, $r = 0$, $s = 32$, $L = 8$,
Sparse = FALSE

Number of bits = $n = 16777216$
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For $\Delta > -1$, we use the ChiSquare approximation
Correction factor of the ChiSquare:

$\Delta = 1$, $\mu = 3.784895e-06$, $\sigma = 1$

Test Results for $\Delta = 1.0000$

Number of degrees of freedom	:	128
Value of the statistic	:	120.39
p-value of test	:	0.67

CPU time used : 00:00:00.02

Generator state:
352321536 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32927.92
p-value of test : 0.27

CPU time used : 00:00:00.03

Generator state:

369098752 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 157.91
p-value of test : 0.85

CPU time used : 00:00:00.00

Generator state:

385875968 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305
Chi-square statistic	:	316.59
p-value of test	:	0.31

CPU time used : 00:00:00.02

Generator state:

402653184 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic	:	-1.00
p-value of test	:	0.84

CPU time used : 00:00:00.02

Generator state:

419430400 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	26.98
p-value of test	:	0.72

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	25.47
p-value of test	:	0.75

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	29.67
p-value of test	:	0.59

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	25.06
p-value of test	:	0.46

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	5.53
p-value of test	:	0.99

CPU time used : 00:00:00.06

Generator state:

436207616 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	75.34
p-value of test	:	0.12

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	56.55
p-value of test	:	0.67

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	171.32
p-value of test	:	0.26

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	58.17
p-value of test	:	0.43

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	38.59
p-value of test	:	0.20

CPU time used : 00:00:00.04

Generator state:

452984576 bits have been read.

===== Summary results of Alphabit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216

Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed

XXX
Starting Alhabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 5.95
p-value of test : 0.05

CPU time used : 00:00:00.02

Generator state:
469761792 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

```
Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1, Mu = 2.0861626e-07, Sigma = 1
```

Test Results for Delta = 1.0000

```
Number of degrees of freedom : 8
Value of the statistic       : 7.19
p-value of test              : 0.52
```

CPU time used : 00:00:00.03

Generator state:

486539008 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

```
Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1, Mu = 3.784895e-06, Sigma = 1
```

Test Results for Delta = 1.0000

```
Number of degrees of freedom : 128
Value of the statistic       : 134.69
p-value of test              : 0.33
```

CPU time used : 00:00:00.00

Generator state:

503316224 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32787.21
p-value of test : 0.47

CPU time used : 00:00:00.03

Generator state:

520093440 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 191.88
p-value of test : 0.21

CPU time used : 00:00:00.02

Generator state:
536870656 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305
Chi-square statistic	:	301.41
p-value of test	:	0.55

CPU time used : 00:00:00.00

Generator state:
553647872 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -0.94
p-value of test : 0.83

CPU time used : 00:00:00.02

Generator state:
570425088 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

swalk_RandomWalk1 test:

```
-----
N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64
```

Test on the values of the Statistic H

```
Number of degrees of freedom      : 32
ChiSquare statistic                : 32.25
p-value of test                   : 0.45
```

Test on the values of the Statistic M

```
Number of degrees of freedom      : 31
ChiSquare statistic                : 33.67
p-value of test                   : 0.34
```

Test on the values of the Statistic J

```
Number of degrees of freedom      : 32
ChiSquare statistic                : 28.87
p-value of test                   : 0.63
```

Test on the values of the Statistic R

```
Number of degrees of freedom      : 25
ChiSquare statistic                : 20.64
p-value of test                   : 0.71
```

Test on the values of the Statistic C

```
Number of degrees of freedom      : 15
ChiSquare statistic                : 13.68
p-value of test                   : 0.55
```

CPU time used : 00:00:00.07

Generator state:
587202304 bits have been read.

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen:   r = 0,   s = 32,   w = 8
```

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	40.39
p-value of test	:	0.98

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	49.09
p-value of test	:	0.88

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	161.44
p-value of test	:	0.45

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	41.38
p-value of test	:	0.94

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	30.24
p-value of test	:	0.56

CPU time used : 00:00:00.04

Generator state:
603979264 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3

Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed

XXX
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 2.78
p-value of test : 0.25

CPU time used : 00:00:00.02

Generator state:
620756480 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	8
Value of the statistic	:	8.47
p-value of test	:	0.39

CPU time used : 00:00:00.02

Generator state:
637533696 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	128
Value of the statistic	:	130.82
p-value of test	:	0.41

CPU time used : 00:00:00.02

Generator state:
654310912 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	: 32768
Value of the statistic	: 33154.00
p-value of test	: 0.07

CPU time used : 00:00:00.02

Generator state:

671088128 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	: 177
Chi-square statistic	: 160.46
p-value of test	: 0.81

CPU time used : 00:00:00.02

Generator state:

687865344 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305

Chi-square statistic : 331.99

p-value of test : 0.14

CPU time used : 00:00:00.00

Generator state:

704642560 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -1.04

p-value of test : 0.85

CPU time used : 00:00:00.02

Generator state:

721419776 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	26.22
p-value of test	:	0.75

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	35.01
p-value of test	:	0.28

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	21.19
p-value of test	:	0.93

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	21.37
p-value of test	:	0.67

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	24.14
p-value of test	:	0.06

CPU time used : 00:00:00.07

Generator state:

738196992 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	54.96
p-value of test	:	0.72

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	55.80
p-value of test	:	0.70

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	163.12
p-value of test	:	0.42

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	44.63
p-value of test	:	0.88

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	17.94
p-value of test	:	0.98

CPU time used : 00:00:00.04

Generator state:
754973952 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed

XXX
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 1.40
p-value of test : 0.50

CPU time used : 00:00:00.02

Generator state:

771751168 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 17.97
p-value of test : 0.02

CPU time used : 00:00:00.02

Generator state:

788528384 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 118.97
p-value of test : 0.70

CPU time used : 00:00:00.00

Generator state:
805305600 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32729.40
p-value of test : 0.56

CPU time used : 00:00:00.03

Generator state:
822082816 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 165.98
p-value of test : 0.71

CPU time used : 00:00:00.02

Generator state:
838860032 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 266.81
p-value of test : 0.94

CPU time used : 00:00:00.00

Generator state:
855637248 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -0.74
p-value of test : 0.77

CPU time used : 00:00:00.03

Generator state:
872414464 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	27.28
p-value of test	:	0.70

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	23.15
p-value of test	:	0.84

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	23.29
p-value of test	:	0.87

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	26.93
p-value of test	:	0.36

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	13.73
p-value of test	:	0.55

CPU time used : 00:00:00.07

Generator state:

889191680 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config8_seed1.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	60.21
p-value of test	:	0.54

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	59.83
p-value of test	:	0.55

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	147.05
p-value of test	:	0.76

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	39.18
p-value of test	:	0.97

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	34.27
p-value of test	:	0.36

CPU time used : 00:00:00.04

Generator state:

905968640 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed