

```
Processando config 13, seed 2, teste: Rabbit
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Rabbit: nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 2, n = 8388608, r = 0, s = 32, L = 38,
Sparse = TRUE
```

```
Number of bits = n = 8388608
Number of cells =  $2^L$  = 274877906944
Expected number per cell =  $1 / 32768$ 
EColl =  $n^2 / (2k)$  = 128
Hashing = TRUE
```

```
Collision test
CollisionOver: density =  $n / k = 1 / 32768.00$ 
Expected number of collisions =  $\mu = 128.00$ 
```

```
-----
Results of CollisionOver test:
```

```
POISSON approximation :
Expected number of collisions =  $N \cdot \mu$  : 256.00
Observed number of collisions : 271
p-value of test : 0.18
```

```
-----
Total number of cells containing j balls
```

```
j = 0 : 549739036943
j = 1 : 16776674
j = 2 : 271
j = 3 : 0
j = 4 : 0
j = 5 : 0
```

```
-----
CPU time used : 00:00:04.51
```

```
Generator state:
16777216 bits have been read.
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin
```

snpair_ClosePairsBitMatch test:

N = 1, n = 262144, r = 0, t = 2

Max of all bit distances : 17.00
p-value of test : 0.39

CPU time used : 00:00:00.06

Generator state:
33554432 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

snpair_ClosePairsBitMatch test:

N = 1, n = 131072, r = 0, t = 4

Max of all bit distances : 8.00
p-value of test : 0.12

CPU time used : 00:00:00.06

Generator state:
50331648 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

svaria_AppearanceSpacings test:

N = 1, Q = 524288, K = 524288, r = 0, s = 30, L = 15

Sequences of $n = (K + Q)L = 15728640$ bits
Q = 524288 initialization blocks
K = 524288 blocks for the test
the blocks have L = 15 bits

Normal statistic : 0.058
p-value of test : 0.48

CPU time used : 00:00:00.00

Generator state:
67108864 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

scomp_LinearComp test:

N = 1, n = 18176, r = 0, s = 32

Number of degrees of freedom : 7
Chi2 statistic for size of jumps : 6.83
p-value of test : 0.45

Normal statistic for number of jumps : -0.36
p-value of test : 0.64

CPU time used : 00:00:00.18

Generator state:
67127040 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

scomp_LempelZiv test:

N = 1, n = 16777216, r = 0, s = 32, k = 24

Normal statistic : -0.52
p-value of test : 0.70

CPU time used : 00:00:00.42

Generator state:

83904256 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sspectral_Fourier1 test:

N = 1, n = 1048576, r = 0, s = 32, k = 20

Normal statistic : -0.69
p-value of test : 0.75

CPU time used : 00:00:00.20

Generator state:

84952832 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sspectral_Fourier3 test:

N = 8065, n = 2048, r = 0, s = 32, k = 11

Kolmogorov-Smirnov+ statistic = D+ : 0.029
p-value of test : 0.40

Kolmogorov-Smirnov- statistic = D- : 0.013
p-value of test : 0.83

Anderson-Darling statistic = A2 : 0.35
p-value of test : 0.90

CPU time used : 00:00:00.12

Generator state:

101728032 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sstring_LongestHeadRun test:

N = 1, n = 60, r = 0, s = 32, L = 279616

Number of degrees of freedom : 3
Chi-square statistic : 3.37
p-value of test : 0.34

Global longest run of 1 : 22.00
p-value of test : 0.63

CPU time used : 00:00:00.06

Generator state:
118504992 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sstring_PeriodsInStrings test:

N = 1, n = 524288, r = 0, s = 31

Number of degrees of freedom : 94
Chi-square statistic : 96.69
p-value of test : 0.40

CPU time used : 00:00:00.01

Generator state:
135282208 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sstring_HammingWeight test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Number of degrees of freedom : 22
Chi-square statistic : 26.77
p-value of test : 0.22

CPU time used : 00:00:00.00

Generator state:
152059424 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 0.73
p-value of test : 0.23

CPU time used : 00:00:00.00

Generator state:
168836640 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sstring_HammingCorr test:

N = 1, n = 262144, r = 0, s = 32, L = 64

Normal statistic : 0.96
p-value of test : 0.17

CPU time used : 00:00:00.00

Generator state:
185613856 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sstring_HammingCorr test:

N = 1, n = 131072, r = 0, s = 32, L = 128

Normal statistic : 0.66
p-value of test : 0.25

CPU time used : 00:00:00.00

Generator state:
202391072 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 143.16
p-value of test : 0.97

CPU time used : 00:00:00.00

Generator state:
219168288 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 210.13
p-value of test : 1 - 8.4e-6 *****

CPU time used : 00:00:00.02

Generator state:

235945504 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sstring_HammingIndep test:

N = 1, n = 131072, r = 0, s = 32, L = 64, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 489
Chi-square statistic : 490.01
p-value of test : 0.48

CPU time used : 00:00:00.00

Generator state:

252722720 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

sstring_AutoCor test:

N = 1, n = 16777153, r = 0, s = 32, d = 1

```
-----
Normal statistic          :    0.047
p-value of test          :    0.48
-----
```

```
CPU time used            :   00:00:00.00
```

```
Generator state:
 269499904 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin
```

```
sstring_AutoCor test:
```

```
-----
      N =  1,   n = 16777154,   r =  0,   s = 32,   d = 2
-----
```

```
-----
Normal statistic          :    0.40
p-value of test          :    0.34
-----
```

```
CPU time used            :   00:00:00.00
```

```
Generator state:
 286277088 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin
```

```
sstring_Run test:
```

```
-----
      N =  1,   n = 3355443,   r =  0,   s =  32
-----
```

```
-----
Total number of 1 runs:  3355450
-----
```

```
Number of degrees of freedom      :    36
Chi2 statistic for number of runs :   57.82
p-value of test                   :    0.01
-----
```

```
-----
Total number of bits:  13419840
-----
```

```
Normal statistic for number of bits :   -0.37
p-value of test                   :    0.65
```

CPU time used : 00:00:00.05

Generator state:
299696928 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

smarsa_MatrixRank test:

N = 1, n = 16384, r = 0, s = 32, L = 32, k = 32

Number of degrees of freedom : 3
Chi-square statistic : 2.11
p-value of test : 0.55

CPU time used : 00:00:00.06

Generator state:
316474144 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

smarsa_MatrixRank test:

N = 1, n = 163, r = 0, s = 32, L = 320, k = 320

Number of degrees of freedom : 2
Chi-square statistic : 1056.73
p-value of test : eps *****

CPU time used : 00:00:00.08

Generator state:
333165344 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

swalk_RandomWalk1 test:

N = 1, n = 131072, r = 0, s = 32, L0 = 128, L1 = 128

Test on the values of the Statistic H

Number of degrees of freedom	:	42
ChiSquare statistic	:	51.24
p-value of test	:	0.16

Test on the values of the Statistic M

Number of degrees of freedom	:	42
ChiSquare statistic	:	38.76
p-value of test	:	0.61

Test on the values of the Statistic J

Number of degrees of freedom	:	64
ChiSquare statistic	:	75.30
p-value of test	:	0.16

Test on the values of the Statistic R

Number of degrees of freedom	:	36
ChiSquare statistic	:	36.86
p-value of test	:	0.43

Test on the values of the Statistic C

Number of degrees of freedom	:	22
ChiSquare statistic	:	18.92
p-value of test	:	0.65

CPU time used : 00:00:00.06

Generator state:
349942560 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

swalk_RandomWalk1 test:

N = 1, n = 16384, r = 0, s = 32, L0 = 1024, L1 = 1024

Test on the values of the Statistic H

Number of degrees of freedom	:	94
ChiSquare statistic	:	73.97
p-value of test	:	0.94

Test on the values of the Statistic M

Number of degrees of freedom	:	94
ChiSquare statistic	:	97.38
p-value of test	:	0.39

Test on the values of the Statistic J

Number of degrees of freedom	:	512
ChiSquare statistic	:	463.21
p-value of test	:	0.94

Test on the values of the Statistic R

Number of degrees of freedom	:	90
ChiSquare statistic	:	74.32
p-value of test	:	0.88

Test on the values of the Statistic C

Number of degrees of freedom	:	50
ChiSquare statistic	:	42.22
p-value of test	:	0.77

CPU time used : 00:00:00.04

Generator state:

366719776 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config13_seed2.bin

swalk_RandomWalk1 test:

N = 1, n = 1675, r = 0, s = 32, L0 = 10016, L1 = 10016

Test on the values of the Statistic H

Number of degrees of freedom	:	130
ChiSquare statistic	:	134.93
p-value of test	:	0.37

Test on the values of the Statistic M

Number of degrees of freedom	:	131
ChiSquare statistic	:	138.84
p-value of test	:	0.30

Test on the values of the Statistic J

Number of degrees of freedom	:	161
ChiSquare statistic	:	172.48
p-value of test	:	0.25

Test on the values of the Statistic R

Number of degrees of freedom	:	130
ChiSquare statistic	:	136.99
p-value of test	:	0.32

Test on the values of the Statistic C

Number of degrees of freedom	:	89
ChiSquare statistic	:	89.44
p-value of test	:	0.47

CPU time used : 00:00:00.02

Generator state:

383496576 bits have been read.

===== Summary results of Rabbit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin
Number of bits:	16777216
Number of statistics:	39

Total CPU time: 00:00:06.18
The following tests gave p-values outside [0.001, 0.9990]:
(eps means a value < 1.0e-300):
(eps1 means a value < 1.0e-15):

Test		p-value

16	HammingIndep, L = 32	1 - 8.4e-6
22	MatrixRank, 320 x 320	eps

All other tests were passed