

```
Processando config 15, seed 0, teste: Rabbit
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Rabbit: nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config15_seed0.bin
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 2, n = 8388608, r = 0, s = 32, L = 38,
Sparse = TRUE
```

```
Number of bits = n = 8388608
Number of cells =  $2^L$  = 274877906944
Expected number per cell =  $1 / 32768$ 
EColl =  $n^2 / (2k)$  = 128
Hashing = TRUE
```

```
Collision test
CollisionOver: density =  $n / k = 1 / 32768.00$ 
Expected number of collisions =  $\mu = 128.00$ 
```

```
-----
Results of CollisionOver test:
```

```
POISSON approximation :
Expected number of collisions =  $N \cdot \mu$  : 256.00
Observed number of collisions : 264
p-value of test : 0.32
```

```
-----
Total number of cells containing j balls
```

```
j = 0 : 549739036936
j = 1 : 16776688
j = 2 : 264
j = 3 : 0
j = 4 : 0
j = 5 : 0
```

```
-----
CPU time used : 00:00:04.50
```

```
Generator state:
16777216 bits have been read.
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config15_seed0.bin
```

snpair\_ClosePairsBitMatch test:

-----  
N = 1, n = 262144, r = 0, t = 2

-----  
Max of all bit distances : 18.00  
p-value of test : 0.12

-----  
CPU time used : 00:00:00.05

Generator state:  
33554432 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

snpair\_ClosePairsBitMatch test:

-----  
N = 1, n = 131072, r = 0, t = 4

-----  
Max of all bit distances : 8.00  
p-value of test : 0.12

-----  
CPU time used : 00:00:00.06

Generator state:  
50331648 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

svaria\_AppearanceSpacings test:

-----  
N = 1, Q = 524288, K = 524288, r = 0, s = 30, L = 15

Sequences of  $n = (K + Q)L = 15728640$  bits  
Q = 524288 initialization blocks  
K = 524288 blocks for the test  
the blocks have L = 15 bits

-----  
Normal statistic : 0.54  
p-value of test : 0.29

-----  
CPU time used : 00:00:00.00

Generator state:  
67108864 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

scomp\_LinearComp test:

-----  
N = 1, n = 18176, r = 0, s = 32

-----  
Number of degrees of freedom : 7  
Chi2 statistic for size of jumps : 3.33  
p-value of test : 0.85

-----  
Normal statistic for number of jumps : -0.87  
p-value of test : 0.81

-----  
CPU time used : 00:00:00.18

Generator state:  
67127040 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

scomp\_LempelZiv test:

-----  
N = 1, n = 16777216, r = 0, s = 32, k = 24

-----  
Normal statistic : 0.63  
p-value of test : 0.26

-----  
CPU time used : 00:00:00.41

Generator state:

83904256 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sspectral\_Fourier1 test:

-----

N = 1, n = 1048576, r = 0, s = 32, k = 20

-----

Normal statistic : -0.97  
p-value of test : 0.83

-----

CPU time used : 00:00:00.20

Generator state:

84952832 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sspectral\_Fourier3 test:

-----

N = 8065, n = 2048, r = 0, s = 32, k = 11

-----

Kolmogorov-Smirnov+ statistic = D+ : 0.033  
p-value of test : 0.33

Kolmogorov-Smirnov- statistic = D- : 0.024  
p-value of test : 0.54

Anderson-Darling statistic = A2 : 0.77  
p-value of test : 0.51

-----

CPU time used : 00:00:00.12

Generator state:

101728032 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sstring\_LongestHeadRun test:

-----  
N = 1, n = 60, r = 0, s = 32, L = 279616

-----  
Number of degrees of freedom : 3  
Chi-square statistic : 1.74  
p-value of test : 0.63

-----  
Global longest run of 1 : 25.00  
p-value of test : 0.22

-----  
CPU time used : 00:00:00.06

Generator state:  
118504992 bits have been read.

\*\*\*\*\*  
HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sstring\_PeriodsInStrings test:

-----  
N = 1, n = 524288, r = 0, s = 31

-----  
Number of degrees of freedom : 94  
Chi-square statistic : 84.60  
p-value of test : 0.75

-----  
CPU time used : 00:00:00.02

Generator state:  
135282208 bits have been read.

\*\*\*\*\*  
HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sstring\_HammingWeight test:

-----  
N = 1, n = 524288, r = 0, s = 32, L = 32

-----  
Number of degrees of freedom : 22  
Chi-square statistic : 15.92  
p-value of test : 0.82  
-----

CPU time used : 00:00:00.00

Generator state:  
152059424 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sstring\_HammingCorr test:

-----  
N = 1, n = 524288, r = 0, s = 32, L = 32

-----  
Normal statistic : 0.13  
p-value of test : 0.45  
-----

CPU time used : 00:00:00.00

Generator state:  
168836640 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sstring\_HammingCorr test:

-----  
N = 1, n = 262144, r = 0, s = 32, L = 64

-----  
Normal statistic : -0.70  
p-value of test : 0.76  
-----

CPU time used : 00:00:00.00

Generator state:  
185613856 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sstring\_HammingCorr test:

-----

N = 1, n = 131072, r = 0, s = 32, L = 128

-----  
Normal statistic : -0.92  
p-value of test : 0.82

-----  
CPU time used : 00:00:00.00

Generator state:  
202391072 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sstring\_HammingIndep test:

-----

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

-----  
Number of degrees of freedom : 177  
Chi-square statistic : 215.39  
p-value of test : 0.03

-----  
CPU time used : 00:00:00.00

Generator state:  
219168288 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sstring\_HammingIndep test:

-----  
N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

-----  
Number of degrees of freedom : 305  
Chi-square statistic : 309.23  
p-value of test : 0.42

-----  
CPU time used : 00:00:00.00

Generator state:

235945504 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sstring\_HammingIndep test:

-----  
N = 1, n = 131072, r = 0, s = 32, L = 64, d = 0

Counters with expected numbers >= 10

-----  
Number of degrees of freedom : 489  
Chi-square statistic : 399.78  
p-value of test : 0.9988

-----  
CPU time used : 00:00:00.01

Generator state:

252722720 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

sstring\_AutoCor test:

-----  
N = 1, n = 16777153, r = 0, s = 32, d = 1

```
-----
Normal statistic          :   -1.37
p-value of test          :    0.91
-----
```

```
CPU time used            :   00:00:00.01
```

```
Generator state:
 269499904 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config15_seed0.bin
```

```
sstring_AutoCor test:
```

```
-----
      N =  1,   n = 16777154,   r =  0,   s = 32,   d = 2
-----
```

```
-----
Normal statistic          :   -0.76
p-value of test          :    0.78
-----
```

```
CPU time used            :   00:00:00.00
```

```
Generator state:
 286277088 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config15_seed0.bin
```

```
sstring_Run test:
```

```
-----
      N =  1,   n = 3355443,   r =  0,   s =  32
-----
```

```
-----
Total number of 1 runs:  3355447
```

```
Number of degrees of freedom      :   36
Chi2 statistic for number of runs :  33.13
p-value of test                   :    0.61
-----
```

```
-----
Total number of bits:  13424416
```

```
Normal statistic for number of bits :    0.51
p-value of test                     :    0.30
```

-----  
CPU time used : 00:00:00.05

Generator state:  
299701504 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

smarsa\_MatrixRank test:

-----  
N = 1, n = 16384, r = 0, s = 32, L = 32, k = 32

-----  
Number of degrees of freedom : 3  
Chi-square statistic : 2.22  
p-value of test : 0.53

-----  
CPU time used : 00:00:00.06

Generator state:  
316478720 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

smarsa\_MatrixRank test:

-----  
N = 1, n = 163, r = 0, s = 32, L = 320, k = 320

-----  
Number of degrees of freedom : 2  
Chi-square statistic : 0.13  
p-value of test : 0.94

-----  
CPU time used : 00:00:00.07

Generator state:  
333169920 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

swalk\_RandomWalk1 test:

-----  
N = 1, n = 131072, r = 0, s = 32, L0 = 128, L1 = 128

-----  
Test on the values of the Statistic H

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 42    |
| ChiSquare statistic          | : | 35.16 |
| p-value of test              | : | 0.76  |

-----  
Test on the values of the Statistic M

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 42    |
| ChiSquare statistic          | : | 53.54 |
| p-value of test              | : | 0.11  |

-----  
Test on the values of the Statistic J

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 64    |
| ChiSquare statistic          | : | 55.83 |
| p-value of test              | : | 0.76  |

-----  
Test on the values of the Statistic R

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 36    |
| ChiSquare statistic          | : | 47.10 |
| p-value of test              | : | 0.10  |

-----  
Test on the values of the Statistic C

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 22    |
| ChiSquare statistic          | : | 19.59 |
| p-value of test              | : | 0.61  |

-----  
CPU time used : 00:00:00.06

Generator state:

349947136 bits have been read.

\*\*\*\*\*  
HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

swalk\_RandomWalk1 test:

-----  
N = 1, n = 16384, r = 0, s = 32, L0 = 1024, L1 = 1024

-----  
Test on the values of the Statistic H

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 94    |
| ChiSquare statistic          | : | 88.15 |
| p-value of test              | : | 0.65  |

-----  
Test on the values of the Statistic M

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 94    |
| ChiSquare statistic          | : | 88.48 |
| p-value of test              | : | 0.64  |

-----  
Test on the values of the Statistic J

|                              |   |        |
|------------------------------|---|--------|
| Number of degrees of freedom | : | 512    |
| ChiSquare statistic          | : | 523.79 |
| p-value of test              | : | 0.35   |

-----  
Test on the values of the Statistic R

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 90    |
| ChiSquare statistic          | : | 83.13 |
| p-value of test              | : | 0.68  |

-----  
Test on the values of the Statistic C

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 50    |
| ChiSquare statistic          | : | 43.35 |
| p-value of test              | : | 0.74  |

-----  
CPU time used : 00:00:00.04

Generator state:

366724352 bits have been read.

\*\*\*\*\*  
HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config15\_seed0.bin

swalk\_RandomWalk1 test:

-----  
N = 1, n = 1675, r = 0, s = 32, L0 = 10016, L1 = 10016

-----  
Test on the values of the Statistic H

|                              |   |        |
|------------------------------|---|--------|
| Number of degrees of freedom | : | 130    |
| ChiSquare statistic          | : | 130.59 |
| p-value of test              | : | 0.47   |

-----  
Test on the values of the Statistic M

|                              |   |        |
|------------------------------|---|--------|
| Number of degrees of freedom | : | 131    |
| ChiSquare statistic          | : | 127.31 |
| p-value of test              | : | 0.57   |

-----  
Test on the values of the Statistic J

|                              |   |        |
|------------------------------|---|--------|
| Number of degrees of freedom | : | 161    |
| ChiSquare statistic          | : | 168.74 |
| p-value of test              | : | 0.32   |

-----  
Test on the values of the Statistic R

|                              |   |        |
|------------------------------|---|--------|
| Number of degrees of freedom | : | 130    |
| ChiSquare statistic          | : | 160.32 |
| p-value of test              | : | 0.04   |

-----  
Test on the values of the Statistic C

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 89    |
| ChiSquare statistic          | : | 78.41 |
| p-value of test              | : | 0.78  |

-----  
CPU time used : 00:00:00.04

Generator state:

383501152 bits have been read.

===== Summary results of Rabbit =====

|                       |                     |
|-----------------------|---------------------|
| Version:              | TestU01 1.2.3       |
| Generator:            | ufile_CreateReadBin |
| Number of bits:       | 16777216            |
| Number of statistics: | 39                  |

Total CPU time: 00:00:06.14

All tests were passed