

```
Processando config 16, seed 0, teste: Rabbit
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Rabbit: nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 2, n = 8388608, r = 0, s = 32, L = 38,
Sparse = TRUE
```

```
Number of bits = n = 8388608
Number of cells =  $2^L$  = 274877906944
Expected number per cell =  $1 / 32768$ 
EColl =  $n^2 / (2k)$  = 128
Hashing = TRUE
```

```
Collision test
CollisionOver: density =  $n / k = 1 / 32768.00$ 
Expected number of collisions =  $\mu = 128.00$ 
```

```
-----
Results of CollisionOver test:
```

```
POISSON approximation :
Expected number of collisions =  $N \cdot \mu$  : 256.00
Observed number of collisions : 249
p-value of test : 0.65
```

```
-----
Total number of cells containing j balls
```

```
j = 0 : 549739036921
j = 1 : 16776718
j = 2 : 249
j = 3 : 0
j = 4 : 0
j = 5 : 0
```

```
-----
CPU time used : 00:00:04.43
```

```
Generator state:
16777216 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin
```

snpair_ClosePairsBitMatch test:

N = 1, n = 262144, r = 0, t = 2

Max of all bit distances : 18.00
p-value of test : 0.12

CPU time used : 00:00:00.05

Generator state:
33554432 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

snpair_ClosePairsBitMatch test:

N = 1, n = 131072, r = 0, t = 4

Max of all bit distances : 8.00
p-value of test : 0.12

CPU time used : 00:00:00.06

Generator state:
50331648 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

svaria_AppearanceSpacings test:

N = 1, Q = 524288, K = 524288, r = 0, s = 30, L = 15

Sequences of $n = (K + Q)L = 15728640$ bits
Q = 524288 initialization blocks
K = 524288 blocks for the test
the blocks have L = 15 bits

Normal statistic : 0.47
p-value of test : 0.32

CPU time used : 00:00:00.00

Generator state:
67108864 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

scomp_LinearComp test:

N = 1, n = 18176, r = 0, s = 32

Number of degrees of freedom : 7
Chi2 statistic for size of jumps : 12.41
p-value of test : 0.09

Normal statistic for number of jumps : 1.88
p-value of test : 0.03

CPU time used : 00:00:00.18

Generator state:
67127040 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

scomp_LempelZiv test:

N = 1, n = 16777216, r = 0, s = 32, k = 24

Normal statistic : 1.11
p-value of test : 0.13

CPU time used : 00:00:00.39

Generator state:

83904256 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sspectral_Fourier1 test:

N = 1, n = 1048576, r = 0, s = 32, k = 20

Normal statistic : -0.24
p-value of test : 0.60

CPU time used : 00:00:00.19

Generator state:

84952832 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sspectral_Fourier3 test:

N = 8065, n = 2048, r = 0, s = 32, k = 11

Kolmogorov-Smirnov+ statistic = D+ : 6.90e-3
p-value of test : 0.95

Kolmogorov-Smirnov- statistic = D- : 0.050
p-value of test : 0.08

Anderson-Darling statistic = A2 : 1.35
p-value of test : 0.22

CPU time used : 00:00:00.12

Generator state:

101728032 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sstring_LongestHeadRun test:

N = 1, n = 60, r = 0, s = 32, L = 279616

Number of degrees of freedom : 3
Chi-square statistic : 1.47
p-value of test : 0.69

Global longest run of 1 : 21.00
p-value of test : 0.86

CPU time used : 00:00:00.06

Generator state:
118504992 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sstring_PeriodsInStrings test:

N = 1, n = 524288, r = 0, s = 31

Number of degrees of freedom : 94
Chi-square statistic : 113.22
p-value of test : 0.09

CPU time used : 00:00:00.01

Generator state:
135282208 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sstring_HammingWeight test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Number of degrees of freedom : 22
Chi-square statistic : 26.85
p-value of test : 0.22

CPU time used : 00:00:00.00

Generator state:
152059424 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -0.50
p-value of test : 0.69

CPU time used : 00:00:00.00

Generator state:
168836640 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sstring_HammingCorr test:

N = 1, n = 262144, r = 0, s = 32, L = 64

Normal statistic : 0.018
p-value of test : 0.49

CPU time used : 00:00:00.00

Generator state:
185613856 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sstring_HammingCorr test:

N = 1, n = 131072, r = 0, s = 32, L = 128

Normal statistic : 0.72
p-value of test : 0.24

CPU time used : 00:00:00.00

Generator state:
202391072 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 164.18
p-value of test : 0.75

CPU time used : 00:00:00.01

Generator state:
219168288 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 314.10
p-value of test : 0.35

CPU time used : 00:00:00.00

Generator state:

235945504 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sstring_HammingIndep test:

N = 1, n = 131072, r = 0, s = 32, L = 64, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 489
Chi-square statistic : 472.53
p-value of test : 0.70

CPU time used : 00:00:00.01

Generator state:

252722720 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

sstring_AutoCor test:

N = 1, n = 16777153, r = 0, s = 32, d = 1

```
-----
Normal statistic          :   -1.59
p-value of test          :    0.94
-----
```

```
CPU time used            :   00:00:00.00
```

```
Generator state:
 269499904 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin
```

```
sstring_AutoCor test:
```

```
-----
      N =  1,   n = 16777154,   r =  0,   s = 32,   d = 2
-----
```

```
-----
Normal statistic          :    0.060
p-value of test          :    0.48
-----
```

```
CPU time used            :   00:00:00.01
```

```
Generator state:
 286277088 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin
```

```
sstring_Run test:
```

```
-----
      N =  1,   n = 3355443,   r =  0,   s =  32
-----
```

```
-----
Total number of 1 runs:  3355445
```

```
Number of degrees of freedom      :   36
Chi2 statistic for number of runs :  38.50
p-value of test                   :   0.36
-----
```

```
-----
Total number of bits:  13426624
```

```
Normal statistic for number of bits :    0.94
p-value of test                   :    0.17
```

CPU time used : 00:00:00.05

Generator state:
299703712 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

smarsa_MatrixRank test:

N = 1, n = 16384, r = 0, s = 32, L = 32, k = 32

Number of degrees of freedom : 3
Chi-square statistic : 3.81
p-value of test : 0.28

CPU time used : 00:00:00.06

Generator state:
316480928 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

smarsa_MatrixRank test:

N = 1, n = 163, r = 0, s = 32, L = 320, k = 320

Number of degrees of freedom : 2
Chi-square statistic : 0.98
p-value of test : 0.61

CPU time used : 00:00:00.07

Generator state:
333172128 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

swalk_RandomWalk1 test:

N = 1, n = 131072, r = 0, s = 32, L0 = 128, L1 = 128

Test on the values of the Statistic H

Number of degrees of freedom	:	42
ChiSquare statistic	:	51.52
p-value of test	:	0.15

Test on the values of the Statistic M

Number of degrees of freedom	:	42
ChiSquare statistic	:	33.63
p-value of test	:	0.82

Test on the values of the Statistic J

Number of degrees of freedom	:	64
ChiSquare statistic	:	76.33
p-value of test	:	0.14

Test on the values of the Statistic R

Number of degrees of freedom	:	36
ChiSquare statistic	:	35.62
p-value of test	:	0.49

Test on the values of the Statistic C

Number of degrees of freedom	:	22
ChiSquare statistic	:	18.43
p-value of test	:	0.68

CPU time used : 00:00:00.06

Generator state:
349949344 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

swalk_RandomWalk1 test:

N = 1, n = 16384, r = 0, s = 32, L0 = 1024, L1 = 1024

Test on the values of the Statistic H

Number of degrees of freedom	:	94
ChiSquare statistic	:	67.34
p-value of test	:	0.98

Test on the values of the Statistic M

Number of degrees of freedom	:	94
ChiSquare statistic	:	96.74
p-value of test	:	0.40

Test on the values of the Statistic J

Number of degrees of freedom	:	512
ChiSquare statistic	:	504.87
p-value of test	:	0.58

Test on the values of the Statistic R

Number of degrees of freedom	:	90
ChiSquare statistic	:	97.83
p-value of test	:	0.27

Test on the values of the Statistic C

Number of degrees of freedom	:	50
ChiSquare statistic	:	50.78
p-value of test	:	0.44

CPU time used : 00:00:00.04

Generator state:

366726560 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config16_seed0.bin

swalk_RandomWalk1 test:

N = 1, n = 1675, r = 0, s = 32, L0 = 10016, L1 = 10016

Test on the values of the Statistic H

Number of degrees of freedom	:	130
ChiSquare statistic	:	127.59
p-value of test	:	0.54

Test on the values of the Statistic M

Number of degrees of freedom	:	131
ChiSquare statistic	:	146.32
p-value of test	:	0.17

Test on the values of the Statistic J

Number of degrees of freedom	:	161
ChiSquare statistic	:	170.05
p-value of test	:	0.30

Test on the values of the Statistic R

Number of degrees of freedom	:	130
ChiSquare statistic	:	131.00
p-value of test	:	0.46

Test on the values of the Statistic C

Number of degrees of freedom	:	89
ChiSquare statistic	:	89.32
p-value of test	:	0.47

CPU time used : 00:00:00.04

Generator state:

383503360 bits have been read.

===== Summary results of Rabbit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin
Number of bits:	16777216
Number of statistics:	39

Total CPU time: 00:00:06.06

All tests were passed