

Processando config 7, seed 2, teste: Rabbit
 xx
 Starting Rabbit: nb = 16777216
 Version: TestU01 1.2.3
 xx

 HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
 Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

smultin_MultinomialBitsOver test:

 N = 2, n = 8388608, r = 0, s = 32, L = 38,
 Sparse = TRUE

 Number of bits = n = 8388608
 Number of cells = 2^L = 274877906944
 Expected number per cell = $1 / 32768$
 EColl = $n^2 / (2k)$ = 128
 Hashing = TRUE

 Collision test
 CollisionOver: density = $n / k = 1 / 32768.00$
 Expected number of collisions = $\mu = 128.00$

 Results of CollisionOver test:

POISSON approximation :
 Expected number of collisions = $N \cdot \mu$: 256.00
 Observed number of collisions : 312
 p-value of test : $3.8e-4$ *****

 Total number of cells containing j balls

j = 0	:	549739036984
j = 1	:	16776592
j = 2	:	312
j = 3	:	0
j = 4	:	0
j = 5	:	0

 CPU time used : 00:00:04.47

Generator state:
 16777216 bits have been read.

 HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
 Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

snpair_ClosePairsBitMatch test:

N = 1, n = 262144, r = 0, t = 2

Max of all bit distances : 17.00
p-value of test : 0.39

CPU time used : 00:00:00.05

Generator state:
33554432 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

snpair_ClosePairsBitMatch test:

N = 1, n = 131072, r = 0, t = 4

Max of all bit distances : 8.00
p-value of test : 0.12

CPU time used : 00:00:00.08

Generator state:
50331648 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

svaria_AppearanceSpacings test:

N = 1, Q = 524288, K = 524288, r = 0, s = 30, L = 15

Sequences of $n = (K + Q)L = 15728640$ bits
Q = 524288 initialization blocks
K = 524288 blocks for the test
the blocks have L = 15 bits

Normal statistic : -0.081
p-value of test : 0.53

CPU time used : 00:00:00.00

Generator state:
67108864 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

scomp_LinearComp test:

N = 1, n = 18176, r = 0, s = 32

Number of degrees of freedom : 7
Chi2 statistic for size of jumps : 4.27
p-value of test : 0.75

Normal statistic for number of jumps : -0.66
p-value of test : 0.74

CPU time used : 00:00:00.18

Generator state:
67127040 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

scomp_LempelZiv test:

N = 1, n = 16777216, r = 0, s = 32, k = 24

Normal statistic : -1.47
p-value of test : 0.93

CPU time used : 00:00:00.41

Generator state:

83904256 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sspectral_Fourier1 test:

N = 1, n = 1048576, r = 0, s = 32, k = 20

Normal statistic : -1.32
p-value of test : 0.91

CPU time used : 00:00:00.21

Generator state:

84952832 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sspectral_Fourier3 test:

N = 8065, n = 2048, r = 0, s = 32, k = 11

Kolmogorov-Smirnov+ statistic = D+ : 0.014
p-value of test : 0.82

Kolmogorov-Smirnov- statistic = D- : 0.039
p-value of test : 0.21

Anderson-Darling statistic = A2 : 0.72
p-value of test : 0.54

CPU time used : 00:00:00.12

Generator state:

101728032 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sstring_LongestHeadRun test:

N = 1, n = 60, r = 0, s = 32, L = 279616

Number of degrees of freedom : 3
Chi-square statistic : 4.02
p-value of test : 0.26

Global longest run of 1 : 24.00
p-value of test : 0.39

CPU time used : 00:00:00.06

Generator state:
118504992 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sstring_PeriodsInStrings test:

N = 1, n = 524288, r = 0, s = 31

Number of degrees of freedom : 94
Chi-square statistic : 84.36
p-value of test : 0.75

CPU time used : 00:00:00.02

Generator state:
135282208 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sstring_HammingWeight test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Number of degrees of freedom : 22
Chi-square statistic : 19.58
p-value of test : 0.61

CPU time used : 00:00:00.00

Generator state:
152059424 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 2.20
p-value of test : 0.01

CPU time used : 00:00:00.00

Generator state:
168836640 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sstring_HammingCorr test:

N = 1, n = 262144, r = 0, s = 32, L = 64

Normal statistic : 0.95
p-value of test : 0.17

CPU time used : 00:00:00.00

Generator state:
185613856 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sstring_HammingCorr test:

N = 1, n = 131072, r = 0, s = 32, L = 128

Normal statistic : -0.31
p-value of test : 0.62

CPU time used : 00:00:00.02

Generator state:
202391072 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 171.68
p-value of test : 0.60

CPU time used : 00:00:00.00

Generator state:
219168288 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 314.24
p-value of test : 0.35

CPU time used : 00:00:00.00

Generator state:

235945504 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sstring_HammingIndep test:

N = 1, n = 131072, r = 0, s = 32, L = 64, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 489
Chi-square statistic : 490.14
p-value of test : 0.48

CPU time used : 00:00:00.00

Generator state:

252722720 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

sstring_AutoCor test:

N = 1, n = 16777153, r = 0, s = 32, d = 1

```
-----
Normal statistic          :   -0.74
p-value of test          :    0.77
-----
```

```
CPU time used            :   00:00:00.02
```

```
Generator state:
269499904 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
```

```
sstring_AutoCor test:
```

```
-----
N = 1,  n = 16777154,  r = 0,  s = 32,  d = 2
-----
```

```
-----
Normal statistic          :    2.02
p-value of test          :    0.02
-----
```

```
CPU time used            :   00:00:00.00
```

```
Generator state:
286277088 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
```

```
sstring_Run test:
```

```
-----
N = 1,  n = 3355443,  r = 0,  s = 32
-----
```

```
-----
Total number of 1 runs: 3355445
```

```
Number of degrees of freedom : 36
Chi2 statistic for number of runs : 43.90
p-value of test : 0.17
-----
```

```
-----
Total number of bits: 13425888
```

```
Normal statistic for number of bits : 0.79
p-value of test : 0.21
```

CPU time used : 00:00:00.05

Generator state:
299702976 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

smarsa_MatrixRank test:

N = 1, n = 16384, r = 0, s = 32, L = 32, k = 32

Number of degrees of freedom : 3
Chi-square statistic : 1.30
p-value of test : 0.73

CPU time used : 00:00:00.06

Generator state:
316480192 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

smarsa_MatrixRank test:

N = 1, n = 163, r = 0, s = 32, L = 320, k = 320

Number of degrees of freedom : 2
Chi-square statistic : 1056.73
p-value of test : eps *****

CPU time used : 00:00:00.08

Generator state:
333171392 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

swalk_RandomWalk1 test:

N = 1, n = 131072, r = 0, s = 32, L0 = 128, L1 = 128

Test on the values of the Statistic H

Number of degrees of freedom	:	42
ChiSquare statistic	:	35.17
p-value of test	:	0.76

Test on the values of the Statistic M

Number of degrees of freedom	:	42
ChiSquare statistic	:	62.19
p-value of test	:	0.02

Test on the values of the Statistic J

Number of degrees of freedom	:	64
ChiSquare statistic	:	45.64
p-value of test	:	0.96

Test on the values of the Statistic R

Number of degrees of freedom	:	36
ChiSquare statistic	:	29.03
p-value of test	:	0.79

Test on the values of the Statistic C

Number of degrees of freedom	:	22
ChiSquare statistic	:	24.95
p-value of test	:	0.30

CPU time used : 00:00:00.06

Generator state:

349948608 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

swalk_RandomWalk1 test:

N = 1, n = 16384, r = 0, s = 32, L0 = 1024, L1 = 1024

Test on the values of the Statistic H

Number of degrees of freedom	:	94
ChiSquare statistic	:	98.18
p-value of test	:	0.36

Test on the values of the Statistic M

Number of degrees of freedom	:	94
ChiSquare statistic	:	83.32
p-value of test	:	0.78

Test on the values of the Statistic J

Number of degrees of freedom	:	512
ChiSquare statistic	:	541.94
p-value of test	:	0.17

Test on the values of the Statistic R

Number of degrees of freedom	:	90
ChiSquare statistic	:	105.10
p-value of test	:	0.13

Test on the values of the Statistic C

Number of degrees of freedom	:	50
ChiSquare statistic	:	47.78
p-value of test	:	0.56

CPU time used : 00:00:00.05

Generator state:

366725824 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

swalk_RandomWalk1 test:

N = 1, n = 1675, r = 0, s = 32, L0 = 10016, L1 = 10016

Test on the values of the Statistic H

Number of degrees of freedom	:	130
ChiSquare statistic	:	125.86
p-value of test	:	0.59

Test on the values of the Statistic M

Number of degrees of freedom	:	131
ChiSquare statistic	:	140.32
p-value of test	:	0.27

Test on the values of the Statistic J

Number of degrees of freedom	:	161
ChiSquare statistic	:	168.30
p-value of test	:	0.33

Test on the values of the Statistic R

Number of degrees of freedom	:	130
ChiSquare statistic	:	164.32
p-value of test	:	0.02

Test on the values of the Statistic C

Number of degrees of freedom	:	89
ChiSquare statistic	:	86.09
p-value of test	:	0.57

CPU time used : 00:00:00.03

Generator state:

383502624 bits have been read.

===== Summary results of Rabbit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin
Number of bits:	16777216
Number of statistics:	39

Total CPU time: 00:00:06.13
The following tests gave p-values outside [0.001, 0.9990]:
(eps means a value < 1.0e-300):
(eps1 means a value < 1.0e-15):

Test	p-value
-----	-----
1 MultinomialBitsOver	3.8e-4
22 MatrixRank, 320 x 320	eps
-----	-----

All other tests were passed