

Processando config 28, seed 2, teste: BlockAlphabit
 xxx
 Starting Alphabit: nb = 16777216
 Version: TestU01 1.2.3
 xxx

 HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
 Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
 unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
 Sparse = FALSE

Number of bits = n = 16777216
 Number of cells = 2^L = 4
 Expected number per cell = 4194304
 Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

 Test Results for Delta = 1.0000

Number of degrees of freedom	:	2
Value of the statistic	:	2.89
p-value of test	:	0.24

 CPU time used : 00:00:00.03

Generator state:

16777216 bits have been read.

 HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
 Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
 unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
 Sparse = FALSE

Number of bits = n = 16777216
 Number of cells = 2^L = 16
 Expected number per cell = 1048576
 Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 4.87
p-value of test : 0.77

CPU time used : 00:00:00.02

Generator state:

33554432 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 149.20
p-value of test : 0.10

CPU time used : 00:00:00.02

Generator state:

50331648 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32850.79
p-value of test : 0.37

CPU time used : 00:00:00.03

Generator state:

67108864 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 156.19
p-value of test : 0.87

CPU time used : 00:00:00.03

Generator state:

83886080 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 331.05
p-value of test : 0.15

CPU time used : 00:00:00.03

Generator state:

100663296 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 0.46
p-value of test : 0.32

CPU time used : 00:00:00.02

Generator state:

117440512 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	35.92
p-value of test	:	0.29

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	32.98
p-value of test	:	0.37

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	26.64
p-value of test	:	0.73

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	21.90
p-value of test	:	0.64

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	13.04
p-value of test	:	0.60

CPU time used : 00:00:00.06

Generator state:

134217728 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	46.07
p-value of test	:	0.93

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	73.10
p-value of test	:	0.16

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	159.99
p-value of test	:	0.49

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	44.20
p-value of test	:	0.89

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	32.97
p-value of test	:	0.42

CPU time used : 00:00:00.06

Generator state:
150994944 bits have been read.

===== Summary results of Alphabit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216
Number of statistics:	17
Total CPU time:	00:00:00.31

All tests were passed

```
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Alphabit:  nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 2
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 2,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE
```

```
For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:
```

```
Delta = 1,  Mu = 2.9802323e-08,  Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom      : 2
Value of the statistic            : 0.90
p-value of test                   : 0.64
```

```
-----
CPU time used                     : 00:00:00.03
```

```
Generator state:
```

```
167772160 bits have been read.
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 2
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 4,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
```

Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	8
Value of the statistic	:	12.45
p-value of test	:	0.13

CPU time used : 00:00:00.02

Generator state:

184549376 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216	
Number of cells = 2^L =	256
Expected number per cell =	65536
Hashing =	FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	128
Value of the statistic	:	113.84
p-value of test	:	0.81

CPU time used : 00:00:00.02

Generator state:

201326592 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2
```

smultin_MultinomialBitsOver test:

```
-----
N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1, Mu = 0.00097653271, Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom : 32768
Value of the statistic : 32692.37
p-value of test : 0.62
```

```
-----
CPU time used : 00:00:00.03
```

Generator state:

218103808 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2
```

sstring_HammingIndep test:

```
-----
N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0
```

Counters with expected numbers >= 10

```
-----
Number of degrees of freedom : 177
Chi-square statistic : 174.57
p-value of test : 0.54
```

```
-----
CPU time used : 00:00:00.02
```

Generator state:

234881024 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305
Chi-square statistic	:	291.43
p-value of test	:	0.70

CPU time used	:	00:00:00.02
---------------	---	-------------

Generator state:

251658240 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic	:	1.19
p-value of test	:	0.12

CPU time used	:	00:00:00.02
---------------	---	-------------

Generator state:

268435456 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	49.35
p-value of test	:	0.03

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	34.44
p-value of test	:	0.31

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	37.12
p-value of test	:	0.24

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	22.63
p-value of test	:	0.60

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	14.30
p-value of test	:	0.50

CPU time used : 00:00:00.06

Generator state:

285212672 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	68.46
p-value of test	:	0.27

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	69.00
p-value of test	:	0.25

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	158.12
p-value of test	:	0.53

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	45.51
p-value of test	:	0.86

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	21.15
p-value of test	:	0.93

CPU time used : 00:00:00.06

Generator state:

301989888 bits have been read.

===== Summary results of Alhabit =====

Version:	TestU01 1.2.3
Generator:	ufire_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216
Number of statistics:	17
Total CPU time:	00:00:00.28

All tests were passed

```
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Alphabit:  nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 4
```

smultin_MultinomialBitsOver test:

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 2,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1,  Mu = 2.9802323e-08,  Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom      : 2
Value of the statistic             : 0.13
p-value of test                   : 0.94
```

```
-----
CPU time used                      : 00:00:00.03
```

Generator state:

318767104 bits have been read.

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 4
```

smultin_MultinomialBitsOver test:

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 4,
Sparse = FALSE
```

```
Number of bits = n = 16777216
```

Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For $\Delta > -1$, we use the ChiSquare approximation
Correction factor of the ChiSquare:

$\Delta = 1$, $\mu = 2.0861626e-07$, $\sigma = 1$

Test Results for $\Delta = 1.0000$

Number of degrees of freedom	:	8
Value of the statistic	:	7.40
p-value of test	:	0.49

CPU time used : 00:00:00.00

Generator state:
335544320 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For $\Delta > -1$, we use the ChiSquare approximation
Correction factor of the ChiSquare:

$\Delta = 1$, $\mu = 3.784895e-06$, $\sigma = 1$

Test Results for $\Delta = 1.0000$

Number of degrees of freedom	:	128
Value of the statistic	:	116.61
p-value of test	:	0.76

CPU time used : 00:00:00.02

Generator state:
352321536 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32732.88
p-value of test : 0.55

CPU time used : 00:00:00.03

Generator state:

369098752 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 155.12
p-value of test : 0.88

CPU time used : 00:00:00.02

Generator state:

385875968 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305
Chi-square statistic	:	321.34
p-value of test	:	0.25

CPU time used : 00:00:00.00

Generator state:

402653184 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic	:	0.97
p-value of test	:	0.17

CPU time used : 00:00:00.03

Generator state:

419430400 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	39.46
p-value of test	:	0.17

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	36.10
p-value of test	:	0.24

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	49.68
p-value of test	:	0.02

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	24.84
p-value of test	:	0.47

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	14.39
p-value of test	:	0.50

CPU time used : 00:00:00.06

Generator state:

436207616 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	65.38
p-value of test	:	0.36

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	68.35
p-value of test	:	0.27

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	151.55
p-value of test	:	0.67

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	64.51
p-value of test	:	0.23

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	38.30
p-value of test	:	0.21

CPU time used : 00:00:00.05

Generator state:

452984576 bits have been read.

===== Summary results of Alphabit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216

Number of statistics: 17
Total CPU time: 00:00:00.27

All tests were passed

XXX
Starting Alhabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 1.65
p-value of test : 0.44

CPU time used : 00:00:00.02

Generator state:
469761792 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

```
Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1, Mu = 2.0861626e-07, Sigma = 1
```

Test Results for Delta = 1.0000

```
Number of degrees of freedom : 8
Value of the statistic       : 7.96
p-value of test              : 0.44
```

CPU time used : 00:00:00.00

Generator state:

486539008 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

```
Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1, Mu = 3.784895e-06, Sigma = 1
```

Test Results for Delta = 1.0000

```
Number of degrees of freedom : 128
Value of the statistic       : 129.67
p-value of test              : 0.44
```

CPU time used : 00:00:00.02

Generator state:

503316224 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 33092.27
p-value of test : 0.10

CPU time used : 00:00:00.03

Generator state:

520093440 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 147.47
p-value of test : 0.95

CPU time used : 00:00:00.02

Generator state:
536870656 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	: 305
Chi-square statistic	: 272.03
p-value of test	: 0.91

CPU time used : 00:00:00.00

Generator state:
553647872 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -0.099
p-value of test : 0.54

CPU time used : 00:00:00.00

Generator state:
570425088 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

swalk_RandomWalk1 test:

```
-----
N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64
```

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	32.19
p-value of test	:	0.46

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	29.77
p-value of test	:	0.53

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	36.41
p-value of test	:	0.27

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	21.54
p-value of test	:	0.66

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	14.78
p-value of test	:	0.47

CPU time used : 00:00:00.06

Generator state:

587202304 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	45.72
p-value of test	:	0.94

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	51.41
p-value of test	:	0.83

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	134.88
p-value of test	:	0.93

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	56.60
p-value of test	:	0.49

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	31.49
p-value of test	:	0.49

CPU time used : 00:00:00.05

Generator state:
603979264 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3

Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed

XXX
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 1.20
p-value of test : 0.55

CPU time used : 00:00:00.02

Generator state:
620756480 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	8
Value of the statistic	:	6.00
p-value of test	:	0.65

CPU time used : 00:00:00.02

Generator state:
637533696 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	128
Value of the statistic	:	143.02
p-value of test	:	0.17

CPU time used : 00:00:00.02

Generator state:
654310912 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 33095.64
p-value of test : 0.10

CPU time used : 00:00:00.03

Generator state:

671088128 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 188.72
p-value of test : 0.26

CPU time used : 00:00:00.00

Generator state:

687865344 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305

Chi-square statistic : 261.99

p-value of test : 0.96

CPU time used : 00:00:00.02

Generator state:

704642560 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 0.92

p-value of test : 0.18

CPU time used : 00:00:00.00

Generator state:

721419776 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	22.75
p-value of test	:	0.89

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	39.97
p-value of test	:	0.13

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	26.76
p-value of test	:	0.73

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	28.65
p-value of test	:	0.28

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	22.25
p-value of test	:	0.10

CPU time used : 00:00:00.06

Generator state:

738196992 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	48.04
p-value of test	:	0.90

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	52.13
p-value of test	:	0.81

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	165.10
p-value of test	:	0.37

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	47.97
p-value of test	:	0.80

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	35.09
p-value of test	:	0.32

CPU time used : 00:00:00.06

Generator state:
754973952 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed

XXX
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 3.28
p-value of test : 0.19

CPU time used : 00:00:00.02

Generator state:

771751168 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 8.03
p-value of test : 0.43

CPU time used : 00:00:00.00

Generator state:

788528384 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 115.10
p-value of test : 0.79

CPU time used : 00:00:00.02

Generator state:
805305600 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32772.18
p-value of test : 0.49

CPU time used : 00:00:00.03

Generator state:
822082816 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 142.70
p-value of test : 0.97

CPU time used : 00:00:00.00

Generator state:
838860032 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 295.87
p-value of test : 0.64

CPU time used : 00:00:00.02

Generator state:
855637248 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 0.79
p-value of test : 0.21

CPU time used : 00:00:00.00

Generator state:
872414464 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	37.30
p-value of test	:	0.24

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	34.05
p-value of test	:	0.32

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	26.07
p-value of test	:	0.76

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	18.81
p-value of test	:	0.81

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	12.51
p-value of test	:	0.64

CPU time used : 00:00:00.06

Generator state:

889191680 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config28_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	71.83
p-value of test	:	0.18

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	52.37
p-value of test	:	0.80

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	176.16
p-value of test	:	0.18

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	62.45
p-value of test	:	0.29

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	34.26
p-value of test	:	0.36

CPU time used : 00:00:00.05

Generator state:

905968640 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.24

All tests were passed