

Processando config 2, seed 3, teste: BlockAlphabit
xx
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
xx

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	2
Value of the statistic	:	0.38
p-value of test	:	0.83

CPU time used : 00:00:00.03

Generator state:
16777216 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 8.00
p-value of test : 0.43

CPU time used : 00:00:00.01

Generator state:
33554432 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 98.55
p-value of test : 0.98

CPU time used : 00:00:00.03

Generator state:
50331648 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32589.14
p-value of test : 0.76

CPU time used : 00:00:00.03

Generator state:

67108864 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 200.71
p-value of test : 0.11

CPU time used : 00:00:00.03

Generator state:

83886080 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 289.11
p-value of test : 0.73

CPU time used : 00:00:00.01

Generator state:

100663296 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -1.14
p-value of test : 0.87

CPU time used : 00:00:00.01

Generator state:

117440512 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	45.23
p-value of test	:	0.06

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	28.24
p-value of test	:	0.61

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	32.73
p-value of test	:	0.43

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	35.23
p-value of test	:	0.08

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	9.06
p-value of test	:	0.87

CPU time used : 00:00:00.07

Generator state:

134217728 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62	
ChiSquare statistic	:	170.19	
p-value of test	:	5.0e-12	*****

Test on the values of the Statistic M

Number of degrees of freedom	:	62	
ChiSquare statistic	:	132.23	
p-value of test	:	5.3e-7	*****

Test on the values of the Statistic J

Number of degrees of freedom	:	160	
ChiSquare statistic	:	141.05	
p-value of test	:	0.86	

Test on the values of the Statistic R

Number of degrees of freedom	:	57	
ChiSquare statistic	:	60.73	
p-value of test	:	0.34	

Test on the values of the Statistic C

Number of degrees of freedom	:	32	
ChiSquare statistic	:	33.83	
p-value of test	:	0.38	

CPU time used : 00:00:00.05

Generator state:

150994944 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.32
The following tests gave p-values outside [0.001, 0.9990]:
(eps means a value < 1.0e-300):

(eps1 means a value < 1.0e-15):

Test	p-value
9 RandomWalk1 H (L = 320)	5.0e-12
9 RandomWalk1 M (L = 320)	5.3e-7

All other tests were passed

```
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Alphabit:  nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 5.81
p-value of test : 0.05

CPU time used : 00:00:00.01

Generator state:

167772160 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 7.40
p-value of test : 0.49

CPU time used : 00:00:00.01

Generator state:

184549376 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 130.52
p-value of test : 0.42

CPU time used : 00:00:00.01

Generator state:
201326592 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32810.57
p-value of test : 0.43

CPU time used : 00:00:00.03

Generator state:
218103808 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 181.25
p-value of test : 0.40

CPU time used : 00:00:00.01

Generator state:
234881024 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 313.96
p-value of test : 0.35

CPU time used : 00:00:00.01

Generator state:
251658240 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -0.17
p-value of test : 0.57

CPU time used : 00:00:00.01

Generator state:
268435456 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	25.69
p-value of test	:	0.78

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	33.35
p-value of test	:	0.35

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	23.91
p-value of test	:	0.85

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	20.70
p-value of test	:	0.71

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	8.11
p-value of test	:	0.92

CPU time used : 00:00:00.05

Generator state:

285212672 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62	
ChiSquare statistic	:	526.84	
p-value of test	:	eps	*****

Test on the values of the Statistic M

Number of degrees of freedom	:	62	
ChiSquare statistic	:	252.52	
p-value of test	:	eps	*****

Test on the values of the Statistic J

Number of degrees of freedom	:	160	
ChiSquare statistic	:	266.43	
p-value of test	:	2.6e-7	*****

Test on the values of the Statistic R

Number of degrees of freedom	:	57	
ChiSquare statistic	:	78.84	
p-value of test	:	0.03	

Test on the values of the Statistic C

Number of degrees of freedom	:	32	
ChiSquare statistic	:	36.82	
p-value of test	:	0.26	

CPU time used : 00:00:00.05

Generator state:

301989888 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.28
The following tests gave p-values outside [0.001, 0.9990]:
(eps means a value < 1.0e-300):
(eps1 means a value < 1.0e-15):

Test	p-value
-----	-----
9 RandomWalk1 H (L = 320)	eps
9 RandomWalk1 M (L = 320)	eps
9 RandomWalk1 J (L = 320)	2.6e-7
-----	-----

All other tests were passed

XXX
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 3.45
p-value of test : 0.18

CPU time used : 00:00:00.01

Generator state:
318767104 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	8
Value of the statistic	:	4.69
p-value of test	:	0.79

CPU time used : 00:00:00.01

Generator state:

335544320 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 106.01
p-value of test : 0.92

CPU time used : 00:00:00.01

Generator state:
352321536 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32758.57
p-value of test : 0.51

CPU time used : 00:00:00.01

Generator state:
369098752 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 179.63
p-value of test : 0.43

CPU time used : 00:00:00.01

Generator state:

385875968 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 3237.08
p-value of test : eps *****

CPU time used : 00:00:00.01

Generator state:

402653184 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

```
-----
Normal statistic          :   -1.36
p-value of test          :    0.91
-----
```

```
CPU time used            :   00:00:00.01
-----
```

```
Generator state:
419430400 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:    /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen:  r = 0,    s = 32,    w = 4
```

```
swalk_RandomWalk1 test:
```

```
-----
      N = 1,  n = 262144,  r = 0,    s = 32,    L0 = 64,    L1 = 64
-----
```

```
-----
Test on the values of the Statistic H
```

```
Number of degrees of freedom      :    32
ChiSquare statistic               : 1406.79
p-value of test                   :    eps      *****
```

```
-----
Test on the values of the Statistic M
```

```
Number of degrees of freedom      :    31
ChiSquare statistic               :  368.25
p-value of test                   :    eps      *****
```

```
-----
Test on the values of the Statistic J
```

```
Number of degrees of freedom      :    32
ChiSquare statistic               :  107.27
p-value of test                   : 4.7e-10      *****
```

```
-----
Test on the values of the Statistic R
```

```
Number of degrees of freedom      :    25
ChiSquare statistic               :   17.74
p-value of test                   :    0.85
```

```
-----
Test on the values of the Statistic C
```

```
Number of degrees of freedom      :    15
ChiSquare statistic               :   13.93
```

p-value of test : 0.53

CPU time used : 00:00:00.07

Generator state:
436207616 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62	
ChiSquare statistic	:	607.78	
p-value of test	:	eps	*****

Test on the values of the Statistic M

Number of degrees of freedom	:	62	
ChiSquare statistic	:	305.14	
p-value of test	:	eps	*****

Test on the values of the Statistic J

Number of degrees of freedom	:	160	
ChiSquare statistic	:	324.70	
p-value of test	:	2.8e-13	*****

Test on the values of the Statistic R

Number of degrees of freedom	:	57	
ChiSquare statistic	:	93.16	
p-value of test	:	1.8e-3	

Test on the values of the Statistic C

Number of degrees of freedom	:	32	
ChiSquare statistic	:	41.10	
p-value of test	:	0.13	

CPU time used : 00:00:00.05

Generator state:
452984576 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.26
The following tests gave p-values outside [0.001, 0.9990]:
(eps means a value < 1.0e-300):
(eps1 means a value < 1.0e-15):

Test	p-value
-----	-----
6 HammingIndep, L = 32	eps
8 RandomWalk1 H (L = 64)	eps
8 RandomWalk1 M (L = 64)	eps
8 RandomWalk1 J (L = 64)	4.7e-10
9 RandomWalk1 H (L = 320)	eps
9 RandomWalk1 M (L = 320)	eps
9 RandomWalk1 J (L = 320)	2.8e-13
-----	-----

All other tests were passed

XX
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
XX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

```
-----
Test Results for Delta = 1.0000

Number of degrees of freedom      : 2
Value of the statistic            : 2.56
p-value of test                   : 0.28
```

```
-----
CPU time used                     : 00:00:00.01
```

```
Generator state:
469761792 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE
```

```
For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:
```

```
Delta = 1, Mu = 2.0861626e-07, Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom      : 8
Value of the statistic            : 8.70
p-value of test                   : 0.37
```

```
-----
CPU time used                     : 00:00:00.01
```

```
Generator state:
486539008 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 112.10
p-value of test : 0.84

CPU time used : 00:00:00.01

Generator state:

503316224 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 33043.23
p-value of test : 0.14

CPU time used : 00:00:00.03

Generator state:
520093440 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	177	
Chi-square statistic	:	6187.12	
p-value of test	:	eps	*****

CPU time used : 00:00:00.03

Generator state:
536870656 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305	
Chi-square statistic	:	2927.85	
p-value of test	:	eps	*****

CPU time used : 00:00:00.01

Generator state:
553647872 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -3.09
p-value of test : 0.9990 *****

CPU time used : 00:00:00.01

Generator state:
570425088 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom : 32
ChiSquare statistic : 1776.21
p-value of test : eps *****

Test on the values of the Statistic M

Number of degrees of freedom : 31
ChiSquare statistic : 893.92
p-value of test : eps *****

Test on the values of the Statistic J

Number of degrees of freedom : 32
ChiSquare statistic : 329.79
p-value of test : eps *****

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	32.41
p-value of test	:	0.15

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	12.33
p-value of test	:	0.65

CPU time used : 00:00:00.07

Generator state:
587202304 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	741.62
p-value of test	:	eps *****

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	444.45
p-value of test	:	eps *****

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	262.13
p-value of test	:	6.3e-7 *****

Test on the values of the Statistic R

Number of degrees of freedom : 57
ChiSquare statistic : 46.51
p-value of test : 0.84

Test on the values of the Statistic C

Number of degrees of freedom : 32
ChiSquare statistic : 33.58
p-value of test : 0.39

CPU time used : 00:00:00.05

Generator state:
603979264 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.25
The following tests gave p-values outside [0.001, 0.9990]:
(eps means a value < 1.0e-300):
(eps1 means a value < 1.0e-15):

Test	p-value
5 HammingIndep, L = 16	eps
6 HammingIndep, L = 32	eps
7 HammingCorr, L = 32	0.9990
8 RandomWalk1 H (L = 64)	eps
8 RandomWalk1 M (L = 64)	eps
8 RandomWalk1 J (L = 64)	eps
9 RandomWalk1 H (L = 320)	eps
9 RandomWalk1 M (L = 320)	eps
9 RandomWalk1 J (L = 320)	6.3e-7

All other tests were passed

XXX
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux
ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	2
Value of the statistic	:	6.44
p-value of test	:	0.04

CPU time used : 00:00:00.01

Generator state:

620756480 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	8
Value of the statistic	:	5.61
p-value of test	:	0.69

CPU time used : 00:00:00.01

Generator state:
637533696 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 109.00
p-value of test : 0.89

CPU time used : 00:00:00.01

Generator state:
654310912 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536

Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32258.73
p-value of test : 0.98

CPU time used : 00:00:00.03

Generator state:
671088128 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 169.65
p-value of test : 0.64

CPU time used : 00:00:00.03

Generator state:
687865344 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers ≥ 10

```
-----  
Number of degrees of freedom      : 305  
Chi-square statistic              : 275.64  
p-value of test                   : 0.89  
-----
```

```
-----  
CPU time used                     : 00:00:00.01  
-----
```

Generator state:
704642560 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingCorr test:

```
-----  
N = 1, n = 524288, r = 0, s = 32, L = 32  
-----
```

```
-----  
Normal statistic                  : 0.47  
p-value of test                   : 0.32  
-----
```

```
-----  
CPU time used                     : 00:00:00.01  
-----
```

Generator state:
721419776 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

swalk_RandomWalk1 test:

```
-----  
N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64  
-----
```

Test on the values of the Statistic H

```
-----  
Number of degrees of freedom      : 32  
ChiSquare statistic              : 28.76  
-----
```

p-value of test : 0.63

Test on the values of the Statistic M

Number of degrees of freedom : 31
ChiSquare statistic : 33.34
p-value of test : 0.35

Test on the values of the Statistic J

Number of degrees of freedom : 32
ChiSquare statistic : 22.03
p-value of test : 0.91

Test on the values of the Statistic R

Number of degrees of freedom : 25
ChiSquare statistic : 28.45
p-value of test : 0.29

Test on the values of the Statistic C

Number of degrees of freedom : 15
ChiSquare statistic : 10.91
p-value of test : 0.76

CPU time used : 00:00:00.07

Generator state:
738196992 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom : 62
ChiSquare statistic : 1099.92
p-value of test : eps *****

```

-----
Test on the values of the Statistic M

Number of degrees of freedom      :    62
ChiSquare statistic               :   576.45
p-value of test                   :    eps      *****

```

```

-----
Test on the values of the Statistic J

Number of degrees of freedom      :   160
ChiSquare statistic               :   309.35
p-value of test                   :  1.4e-11      *****

```

```

-----
Test on the values of the Statistic R

Number of degrees of freedom      :    57
ChiSquare statistic               :   30.82
p-value of test                   :    0.9982

```

```

-----
Test on the values of the Statistic C

Number of degrees of freedom      :    32
ChiSquare statistic               :   22.33
p-value of test                   :    0.90

```

```

-----
CPU time used                     :  00:00:00.05

```

```

Generator state:
 754973952 bits have been read.

```

===== Summary results of Alphabit =====

```

Version:          TestU01 1.2.3
Generator:        ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:   16777216
Number of statistics: 17
Total CPU time:   00:00:00.25
The following tests gave p-values outside [0.001, 0.9990]:
(eps means a value < 1.0e-300):
(eps1 means a value < 1.0e-15):

```

Test	p-value
9 RandomWalk1 H (L = 320)	eps
9 RandomWalk1 M (L = 320)	eps
9 RandomWalk1 J (L = 320)	1.4e-11

```

-----
All other tests were passed

```

```
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Alphabit:  nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
```

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 32
```

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	2
Value of the statistic	:	0.77
p-value of test	:	0.68

CPU time used : 00:00:00.01

Generator state:

771751168 bits have been read.

```
*****
```

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 32
```

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 5.00
p-value of test : 0.76

CPU time used : 00:00:00.01

Generator state:

788528384 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 114.51
p-value of test : 0.80

CPU time used : 00:00:00.01

Generator state:

805305600 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32842.45
p-value of test : 0.38

CPU time used : 00:00:00.03

Generator state:

822082816 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 169.79
p-value of test : 0.64

CPU time used : 00:00:00.01

Generator state:

838860032 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 298.02
p-value of test : 0.60

CPU time used : 00:00:00.01

Generator state:

855637248 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -0.30
p-value of test : 0.62

CPU time used : 00:00:00.01

Generator state:

872414464 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	19.45
p-value of test	:	0.96

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	22.69
p-value of test	:	0.86

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	17.06
p-value of test	:	0.99

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	23.53
p-value of test	:	0.55

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	22.07
p-value of test	:	0.11

CPU time used : 00:00:00.05

Generator state:

889191680 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed3.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62	
ChiSquare statistic	:	1072.32	
p-value of test	:	eps	*****

Test on the values of the Statistic M

Number of degrees of freedom	:	62	
ChiSquare statistic	:	718.33	
p-value of test	:	eps	*****

Test on the values of the Statistic J

Number of degrees of freedom	:	160	
ChiSquare statistic	:	324.13	
p-value of test	:	3.3e-13	*****

Test on the values of the Statistic R

Number of degrees of freedom	:	57	
ChiSquare statistic	:	83.82	
p-value of test	:	0.01	

Test on the values of the Statistic C

Number of degrees of freedom	:	32	
ChiSquare statistic	:	36.26	
p-value of test	:	0.28	

CPU time used : 00:00:00.05

Generator state:
905968640 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.25
The following tests gave p-values outside [0.001, 0.9990]:
(eps means a value < 1.0e-300):

(eps1 means a value $< 1.0e-15$):

Test		p-value

9	RandomWalk1 H (L = 320)	eps
9	RandomWalk1 M (L = 320)	eps
9	RandomWalk1 J (L = 320)	3.3e-13

All other tests were passed