

Processando config 6, seed 4, teste: BlockAlphabit
xx
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
xx

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 4.28
p-value of test : 0.12

CPU time used : 00:00:00.03

Generator state:
16777216 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 12.43
p-value of test : 0.13

CPU time used : 00:00:00.02

Generator state:

33554432 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 134.29
p-value of test : 0.33

CPU time used : 00:00:00.02

Generator state:

50331648 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32904.73
p-value of test : 0.30

CPU time used : 00:00:00.03

Generator state:

67108864 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 205.80
p-value of test : 0.07

CPU time used : 00:00:00.02

Generator state:

83886080 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 293.43
p-value of test : 0.67

CPU time used : 00:00:00.03

Generator state:

100663296 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -1.13
p-value of test : 0.87

CPU time used : 00:00:00.02

Generator state:

117440512 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	26.49
p-value of test	:	0.74

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	30.21
p-value of test	:	0.51

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	29.13
p-value of test	:	0.61

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	13.85
p-value of test	:	0.96

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	15.81
p-value of test	:	0.39

CPU time used : 00:00:00.07

Generator state:

134217728 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	67.74
p-value of test	:	0.29

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	69.58
p-value of test	:	0.24

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	139.07
p-value of test	:	0.88

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	57.67
p-value of test	:	0.45

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	35.66
p-value of test	:	0.30

CPU time used : 00:00:00.04

Generator state:

150994944 bits have been read.

===== Summary results of Alphabit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216
Number of statistics:	17
Total CPU time:	00:00:00.31

All tests were passed

```
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Alphabit:  nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 2
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 2,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE
```

```
For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:
```

```
Delta = 1,  Mu = 2.9802323e-08,  Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom      : 2
Value of the statistic            : 3.36
p-value of test                   : 0.19
```

```
-----
CPU time used                     : 00:00:00.03
```

```
Generator state:
```

```
167772160 bits have been read.
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 2
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 4,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
```

Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	8
Value of the statistic	:	6.15
p-value of test	:	0.63

CPU time used : 00:00:00.00

Generator state:

184549376 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216	
Number of cells = 2^L =	256
Expected number per cell =	65536
Hashing =	FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	128
Value of the statistic	:	128.42
p-value of test	:	0.47

CPU time used : 00:00:00.02

Generator state:

201326592 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2
```

smultin_MultinomialBitsOver test:

```
-----
N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1, Mu = 0.00097653271, Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom : 32768
Value of the statistic : 32878.58
p-value of test : 0.33
```

```
-----
CPU time used : 00:00:00.03
```

Generator state:

218103808 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2
```

sstring_HammingIndep test:

```
-----
N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0
```

Counters with expected numbers >= 10

```
-----
Number of degrees of freedom : 177
Chi-square statistic : 189.86
p-value of test : 0.24
```

```
-----
CPU time used : 00:00:00.02
```

Generator state:

234881024 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305
Chi-square statistic	:	329.66
p-value of test	:	0.16

CPU time used	:	00:00:00.02
---------------	---	-------------

Generator state:

251658240 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic	:	-1.35
p-value of test	:	0.91

CPU time used	:	00:00:00.02
---------------	---	-------------

Generator state:

268435456 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	31.42
p-value of test	:	0.50

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	35.23
p-value of test	:	0.27

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	51.54
p-value of test	:	0.02

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	28.39
p-value of test	:	0.29

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	23.05
p-value of test	:	0.08

CPU time used : 00:00:00.06

Generator state:

285212672 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	51.47
p-value of test	:	0.83

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	58.61
p-value of test	:	0.60

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	137.06
p-value of test	:	0.91

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	70.33
p-value of test	:	0.11

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	33.98
p-value of test	:	0.37

CPU time used : 00:00:00.07

Generator state:

301989888 bits have been read.

===== Summary results of Alhabit =====

Version:	TestU01 1.2.3
Generator:	ufire_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216
Number of statistics:	17
Total CPU time:	00:00:00.28

All tests were passed

```
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Alhabit:  nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 4
```

smultin_MultinomialBitsOver test:

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 2,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1,  Mu = 2.9802323e-08,  Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom      : 2
Value of the statistic             : 1.03
p-value of test                   : 0.60
```

```
-----
CPU time used                     : 00:00:00.02
```

Generator state:

318767104 bits have been read.

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 4
```

smultin_MultinomialBitsOver test:

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 4,
Sparse = FALSE
```

```
Number of bits = n = 16777216
```

Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For $\Delta > -1$, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 3.83
p-value of test : 0.87

CPU time used : 00:00:00.02

Generator state:
335544320 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For $\Delta > -1$, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 149.56
p-value of test : 0.09

CPU time used : 00:00:00.00

Generator state:
352321536 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32623.63
p-value of test : 0.71

CPU time used : 00:00:00.03

Generator state:

369098752 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 169.29
p-value of test : 0.65

CPU time used : 00:00:00.02

Generator state:

385875968 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305
Chi-square statistic	:	298.25
p-value of test	:	0.60

CPU time used : 00:00:00.02

Generator state:

402653184 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic	:	0.84
p-value of test	:	0.20

CPU time used : 00:00:00.02

Generator state:

419430400 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	31.08
p-value of test	:	0.51

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	27.23
p-value of test	:	0.66

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	30.93
p-value of test	:	0.52

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	20.80
p-value of test	:	0.70

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	6.67
p-value of test	:	0.97

CPU time used : 00:00:00.07

Generator state:

436207616 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	56.68
p-value of test	:	0.67

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	52.56
p-value of test	:	0.80

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	149.92
p-value of test	:	0.70

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	70.97
p-value of test	:	0.10

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	20.98
p-value of test	:	0.93

CPU time used : 00:00:00.04

Generator state:

452984576 bits have been read.

===== Summary results of Alphabit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216

Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed

XXX
Starting Alhabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 2.75
p-value of test : 0.25

CPU time used : 00:00:00.02

Generator state:
469761792 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

```
Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1, Mu = 2.0861626e-07, Sigma = 1
```

Test Results for Delta = 1.0000

```
Number of degrees of freedom : 8
Value of the statistic       : 7.39
p-value of test              : 0.49
```

CPU time used : 00:00:00.02

Generator state:

486539008 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

```
Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1, Mu = 3.784895e-06, Sigma = 1
```

Test Results for Delta = 1.0000

```
Number of degrees of freedom : 128
Value of the statistic       : 133.82
p-value of test              : 0.34
```

CPU time used : 00:00:00.00

Generator state:

503316224 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32909.93
p-value of test : 0.29

CPU time used : 00:00:00.03

Generator state:

520093440 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 161.82
p-value of test : 0.79

CPU time used : 00:00:00.02

Generator state:
536870656 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305
Chi-square statistic	:	303.43
p-value of test	:	0.51

CPU time used : 00:00:00.00

Generator state:
553647872 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 0.061
p-value of test : 0.48

CPU time used : 00:00:00.03

Generator state:
570425088 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

swalk_RandomWalk1 test:

```
-----
N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64
```

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	30.29
p-value of test	:	0.55

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	25.58
p-value of test	:	0.74

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	35.69
p-value of test	:	0.30

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	34.43
p-value of test	:	0.10

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	10.72
p-value of test	:	0.77

CPU time used : 00:00:00.06

Generator state:

587202304 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	61.04
p-value of test	:	0.51

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	56.28
p-value of test	:	0.68

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	134.37
p-value of test	:	0.93

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	68.26
p-value of test	:	0.15

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	34.16
p-value of test	:	0.36

CPU time used : 00:00:00.06

Generator state:
603979264 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3

Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed

XXX
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 5.67
p-value of test : 0.06

CPU time used : 00:00:00.02

Generator state:
620756480 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	8
Value of the statistic	:	6.23
p-value of test	:	0.62

CPU time used : 00:00:00.00

Generator state:
637533696 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	128
Value of the statistic	:	151.96
p-value of test	:	0.07

CPU time used : 00:00:00.00

Generator state:
654310912 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32708.03
p-value of test : 0.59

CPU time used : 00:00:00.03

Generator state:

671088128 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 188.80
p-value of test : 0.26

CPU time used : 00:00:00.02

Generator state:

687865344 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305

Chi-square statistic : 290.18

p-value of test : 0.72

CPU time used : 00:00:00.00

Generator state:

704642560 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 1.55

p-value of test : 0.06

CPU time used : 00:00:00.03

Generator state:

721419776 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	43.03
p-value of test	:	0.09

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	37.27
p-value of test	:	0.20

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	30.88
p-value of test	:	0.52

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	28.29
p-value of test	:	0.29

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	19.68
p-value of test	:	0.18

CPU time used : 00:00:00.06

Generator state:

738196992 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	60.59
p-value of test	:	0.53

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	69.74
p-value of test	:	0.23

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	153.16
p-value of test	:	0.64

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	57.84
p-value of test	:	0.44

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	28.55
p-value of test	:	0.64

CPU time used : 00:00:00.04

Generator state:
754973952 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.24

All tests were passed

XXX
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 1.98
p-value of test : 0.37

CPU time used : 00:00:00.02

Generator state:

771751168 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 8.02
p-value of test : 0.43

CPU time used : 00:00:00.02

Generator state:

788528384 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 146.61
p-value of test : 0.12

CPU time used : 00:00:00.00

Generator state:
805305600 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32852.75
p-value of test : 0.37

CPU time used : 00:00:00.03

Generator state:
822082816 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 158.16
p-value of test : 0.84

CPU time used : 00:00:00.00

Generator state:
838860032 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 283.02
p-value of test : 0.81

CPU time used : 00:00:00.02

Generator state:
855637248 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 0.76
p-value of test : 0.22

CPU time used : 00:00:00.00

Generator state:
872414464 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	35.12
p-value of test	:	0.32

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	34.32
p-value of test	:	0.31

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	29.31
p-value of test	:	0.60

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	19.92
p-value of test	:	0.75

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	9.28
p-value of test	:	0.86

CPU time used : 00:00:00.07

Generator state:
889191680 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed4.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	73.57
p-value of test	:	0.15

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	76.84
p-value of test	:	0.10

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	146.78
p-value of test	:	0.77

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	56.47
p-value of test	:	0.49

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	44.76
p-value of test	:	0.07

CPU time used : 00:00:00.04

Generator state:

905968640 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed