

Processando config 7, seed 2, teste: BlockAlphabit
xx
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
xx

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 2.17
p-value of test : 0.34

CPU time used : 00:00:00.03

Generator state:

16777216 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 8.73
p-value of test : 0.37

CPU time used : 00:00:00.02

Generator state:

33554432 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 135.35
p-value of test : 0.31

CPU time used : 00:00:00.03

Generator state:

50331648 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 33021.79
p-value of test : 0.16

CPU time used : 00:00:00.03

Generator state:

67108864 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 185.80
p-value of test : 0.31

CPU time used : 00:00:00.03

Generator state:

83886080 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 352.04
p-value of test : 0.03

CPU time used : 00:00:00.02

Generator state:

100663296 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 1.74
p-value of test : 0.04

CPU time used : 00:00:00.02

Generator state:

117440512 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	52.83
p-value of test	:	0.01

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	26.99
p-value of test	:	0.67

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	35.45
p-value of test	:	0.31

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	19.98
p-value of test	:	0.75

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	13.83
p-value of test	:	0.54

CPU time used : 00:00:00.07

Generator state:

134217728 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 1

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	55.22
p-value of test	:	0.72

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	59.12
p-value of test	:	0.58

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	151.98
p-value of test	:	0.66

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	58.44
p-value of test	:	0.42

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	19.22
p-value of test	:	0.96

CPU time used : 00:00:00.06

Generator state:

150994944 bits have been read.

===== Summary results of Alphabit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216
Number of statistics:	17
Total CPU time:	00:00:00.32

All tests were passed

```
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Alphabit:  nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 2
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 2,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE
```

```
For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:
```

```
Delta = 1,  Mu = 2.9802323e-08,  Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom      : 2
Value of the statistic             : 0.64
p-value of test                    : 0.73
```

```
-----
CPU time used                      : 00:00:00.02
```

```
Generator state:
```

```
167772160 bits have been read.
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 2
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 4,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
```

Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	8
Value of the statistic	:	10.20
p-value of test	:	0.25

CPU time used : 00:00:00.02

Generator state:

184549376 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom	:	128
Value of the statistic	:	124.88
p-value of test	:	0.56

CPU time used : 00:00:00.02

Generator state:

201326592 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2
```

smultin_MultinomialBitsOver test:

```
-----
N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE
```

```
Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1, Mu = 0.00097653271, Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom : 32768
Value of the statistic : 32845.32
p-value of test : 0.38
```

```
-----
CPU time used : 00:00:00.03
```

Generator state:

218103808 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2
```

sstring_HammingIndep test:

```
-----
N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0
```

Counters with expected numbers >= 10

```
-----
Number of degrees of freedom : 177
Chi-square statistic : 165.07
p-value of test : 0.73
```

```
-----
CPU time used : 00:00:00.02
```

Generator state:

234881024 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305
Chi-square statistic	:	369.82
p-value of test	:	6.5e-3

CPU time used	:	00:00:00.02
---------------	---	-------------

Generator state:

251658240 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic	:	-0.86
p-value of test	:	0.81

CPU time used	:	00:00:00.02
---------------	---	-------------

Generator state:

268435456 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	16.46
p-value of test	:	0.99

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	31.81
p-value of test	:	0.43

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	35.10
p-value of test	:	0.32

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	34.70
p-value of test	:	0.09

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	14.53
p-value of test	:	0.49

CPU time used : 00:00:00.07

Generator state:

285212672 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 2

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	73.40
p-value of test	:	0.15

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	59.10
p-value of test	:	0.58

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	185.45
p-value of test	:	0.08

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	61.56
p-value of test	:	0.32

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	31.42
p-value of test	:	0.50

CPU time used : 00:00:00.04

Generator state:

301989888 bits have been read.

===== Summary results of Alhabit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216
Number of statistics:	17
Total CPU time:	00:00:00.27

All tests were passed

```
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Alphabit:  nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 4
```

smultin_MultinomialBitsOver test:

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:
Delta = 1,  Mu = 2.9802323e-08,  Sigma = 1
```

```
-----
Test Results for Delta = 1.0000
```

```
Number of degrees of freedom      : 2
Value of the statistic             : 1.13
p-value of test                   : 0.57
```

```
-----
CPU time used                      : 00:00:00.02
```

```
Generator state:
318767104 bits have been read.
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:  /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen:  r = 0,  s = 32,  w = 4
```

smultin_MultinomialBitsOver test:

```
-----
N = 1,  n = 16777216,  r = 0,  s = 32,  L = 4,
Sparse = FALSE

Number of bits = n = 16777216
```

Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For $\Delta > -1$, we use the ChiSquare approximation
Correction factor of the ChiSquare:

$\Delta = 1$, $\mu = 2.0861626e-07$, $\sigma = 1$

Test Results for $\Delta = 1.0000$

Number of degrees of freedom	:	8
Value of the statistic	:	9.96
p-value of test	:	0.27

CPU time used : 00:00:00.02

Generator state:
335544320 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For $\Delta > -1$, we use the ChiSquare approximation
Correction factor of the ChiSquare:

$\Delta = 1$, $\mu = 3.784895e-06$, $\sigma = 1$

Test Results for $\Delta = 1.0000$

Number of degrees of freedom	:	128
Value of the statistic	:	145.47
p-value of test	:	0.14

CPU time used : 00:00:00.02

Generator state:
352321536 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32506.64
p-value of test : 0.85

CPU time used : 00:00:00.03

Generator state:

369098752 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 191.54
p-value of test : 0.22

CPU time used : 00:00:00.00

Generator state:

385875968 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305
Chi-square statistic	:	289.34
p-value of test	:	0.73

CPU time used : 00:00:00.02

Generator state:

402653184 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic	:	0.53
p-value of test	:	0.30

CPU time used : 00:00:00.03

Generator state:

419430400 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	21.90
p-value of test	:	0.91

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	31.65
p-value of test	:	0.43

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	25.74
p-value of test	:	0.77

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	23.30
p-value of test	:	0.56

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	16.90
p-value of test	:	0.33

CPU time used : 00:00:00.06

Generator state:

436207616 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 4

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	72.91
p-value of test	:	0.16

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	42.43
p-value of test	:	0.97

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	161.97
p-value of test	:	0.44

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	50.25
p-value of test	:	0.72

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	35.27
p-value of test	:	0.32

CPU time used : 00:00:00.04

Generator state:

452984576 bits have been read.

===== Summary results of Alphabit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits:	16777216

Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed

XXX
Starting Alhabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 0.32
p-value of test : 0.85

CPU time used : 00:00:00.02

Generator state:
469761792 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

```
Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1, Mu = 2.0861626e-07, Sigma = 1
```

Test Results for Delta = 1.0000

```
Number of degrees of freedom : 8
Value of the statistic       : 4.46
p-value of test              : 0.81
```

CPU time used : 00:00:00.02

Generator state:

486539008 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

```
Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE
```

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

```
Delta = 1, Mu = 3.784895e-06, Sigma = 1
```

Test Results for Delta = 1.0000

```
Number of degrees of freedom : 128
Value of the statistic       : 121.42
p-value of test              : 0.65
```

CPU time used : 00:00:00.02

Generator state:

503316224 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32551.07
p-value of test : 0.80

CPU time used : 00:00:00.03

Generator state:

520093440 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 170.42
p-value of test : 0.63

CPU time used : 00:00:00.00

Generator state:
536870656 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom	:	305
Chi-square statistic	:	307.44
p-value of test	:	0.45

CPU time used : 00:00:00.02

Generator state:
553647872 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 0.18
p-value of test : 0.43

CPU time used : 00:00:00.00

Generator state:
570425088 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	54.11
p-value of test	:	8.6e-3

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	42.46
p-value of test	:	0.08

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	38.06
p-value of test	:	0.21

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	34.62
p-value of test	:	0.10

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	17.96
p-value of test	:	0.26

CPU time used : 00:00:00.07

Generator state:

587202304 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 8
```

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	58.97
p-value of test	:	0.59

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	53.81
p-value of test	:	0.76

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	175.89
p-value of test	:	0.18

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	58.04
p-value of test	:	0.44

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	17.60
p-value of test	:	0.98

CPU time used : 00:00:00.04

Generator state:
603979264 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3

Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed

XXX
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 4.25
p-value of test : 0.12

CPU time used : 00:00:00.02

Generator state:
620756480 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 8.73
p-value of test : 0.37

CPU time used : 00:00:00.00

Generator state:

637533696 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation

Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 114.83
p-value of test : 0.79

CPU time used : 00:00:00.02

Generator state:

654310912 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 32829.84
p-value of test : 0.40

CPU time used : 00:00:00.02

Generator state:

671088128 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 177.91
p-value of test : 0.47

CPU time used : 00:00:00.02

Generator state:

687865344 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305

Chi-square statistic : 293.02

p-value of test : 0.68

CPU time used : 00:00:00.00

Generator state:

704642560 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin

unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 0.24

p-value of test : 0.41

CPU time used : 00:00:00.03

Generator state:

721419776 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	33.07
p-value of test	:	0.41

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	25.43
p-value of test	:	0.75

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	39.88
p-value of test	:	0.16

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	19.76
p-value of test	:	0.76

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	11.52
p-value of test	:	0.71

CPU time used : 00:00:00.06

Generator state:

738196992 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 16

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	49.30
p-value of test	:	0.88

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	45.53
p-value of test	:	0.94

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	179.03
p-value of test	:	0.14

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	57.13
p-value of test	:	0.47

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	40.61
p-value of test	:	0.14

CPU time used : 00:00:00.04

Generator state:
754973952 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.24

All tests were passed

XXX
Starting Alphabit: nb = 16777216
Version: TestU01 1.2.3
XXX

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 2,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 4
Expected number per cell = 4194304
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.9802323e-08, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 2
Value of the statistic : 0.94
p-value of test : 0.63

CPU time used : 00:00:00.02

Generator state:

771751168 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 4,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 16
Expected number per cell = 1048576
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 2.0861626e-07, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 8
Value of the statistic : 7.75
p-value of test : 0.46

CPU time used : 00:00:00.00

Generator state:

788528384 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 8,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 256
Expected number per cell = 65536
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 3.784895e-06, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 128
Value of the statistic : 132.77
p-value of test : 0.37

CPU time used : 00:00:00.02

Generator state:
805305600 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

smultin_MultinomialBitsOver test:

N = 1, n = 16777216, r = 0, s = 32, L = 16,
Sparse = FALSE

Number of bits = n = 16777216
Number of cells = 2^L = 65536
Expected number per cell = 256
Hashing = FALSE

For Delta > -1, we use the ChiSquare approximation
Correction factor of the ChiSquare:

Delta = 1, Mu = 0.00097653271, Sigma = 1

Test Results for Delta = 1.0000

Number of degrees of freedom : 32768
Value of the statistic : 33068.11
p-value of test : 0.12

CPU time used : 00:00:00.03

Generator state:
822082816 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 223.49
p-value of test : 0.01

CPU time used : 00:00:00.02

Generator state:
838860032 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 349.76
p-value of test : 0.04

CPU time used : 00:00:00.00

Generator state:
855637248 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -0.42
p-value of test : 0.66

CPU time used : 00:00:00.02

Generator state:
872414464 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

swalk_RandomWalk1 test:

N = 1, n = 262144, r = 0, s = 32, L0 = 64, L1 = 64

Test on the values of the Statistic H

Number of degrees of freedom	:	32
ChiSquare statistic	:	23.71
p-value of test	:	0.85

Test on the values of the Statistic M

Number of degrees of freedom	:	31
ChiSquare statistic	:	22.18
p-value of test	:	0.88

Test on the values of the Statistic J

Number of degrees of freedom	:	32
ChiSquare statistic	:	35.03
p-value of test	:	0.33

Test on the values of the Statistic R

Number of degrees of freedom	:	25
ChiSquare statistic	:	26.91
p-value of test	:	0.36

Test on the values of the Statistic C

Number of degrees of freedom	:	15
ChiSquare statistic	:	11.48
p-value of test	:	0.72

CPU time used : 00:00:00.06

Generator state:

889191680 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config7_seed2.bin
unif01_CreateBitBlockGen: r = 0, s = 32, w = 32

swalk_RandomWalk1 test:

N = 1, n = 52428, r = 0, s = 32, L0 = 320, L1 = 320

Test on the values of the Statistic H

Number of degrees of freedom	:	62
ChiSquare statistic	:	59.52
p-value of test	:	0.57

Test on the values of the Statistic M

Number of degrees of freedom	:	62
ChiSquare statistic	:	60.79
p-value of test	:	0.52

Test on the values of the Statistic J

Number of degrees of freedom	:	160
ChiSquare statistic	:	152.55
p-value of test	:	0.65

Test on the values of the Statistic R

Number of degrees of freedom	:	57
ChiSquare statistic	:	50.27
p-value of test	:	0.72

Test on the values of the Statistic C

Number of degrees of freedom	:	32
ChiSquare statistic	:	38.77
p-value of test	:	0.19

CPU time used : 00:00:00.06

Generator state:

905968640 bits have been read.

===== Summary results of Alphabit =====

Version: TestU01 1.2.3
Generator: ufile_CreateReadBin, unif01_CreateBitBlockGen:
Number of bits: 16777216
Number of statistics: 17
Total CPU time: 00:00:00.25

All tests were passed