

```
Processando config 20, seed 0, teste: Rabbit
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Starting Rabbit: nb = 16777216
Version: TestU01 1.2.3
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config20_seed0.bin
```

```
smultin_MultinomialBitsOver test:
```

```
-----
N = 2, n = 8388608, r = 0, s = 32, L = 38,
Sparse = TRUE
```

```
Number of bits = n = 8388608
Number of cells =  $2^L$  = 274877906944
Expected number per cell =  $1 / 32768$ 
EColl =  $n^2 / (2k)$  = 128
Hashing = TRUE
```

```
Collision test
CollisionOver: density =  $n / k = 1 / 32768.00$ 
Expected number of collisions =  $\mu = 128.00$ 
```

```
-----
Results of CollisionOver test:
```

```
POISSON approximation :
Expected number of collisions =  $N \cdot \mu$  : 256.00
Observed number of collisions : 250
p-value of test : 0.63
```

```
-----
Total number of cells containing j balls
```

```
j = 0 : 549739036922
j = 1 : 16776716
j = 2 : 250
j = 3 : 0
j = 4 : 0
j = 5 : 0
```

```
-----
CPU time used : 00:00:04.44
```

```
Generator state:
16777216 bits have been read.
```

```
*****
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config20_seed0.bin
```

snpair\_ClosePairsBitMatch test:

-----  
N = 1, n = 262144, r = 0, t = 2

-----  
Max of all bit distances : 17.00  
p-value of test : 0.39

-----  
CPU time used : 00:00:00.06

Generator state:  
33554432 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

snpair\_ClosePairsBitMatch test:

-----  
N = 1, n = 131072, r = 0, t = 4

-----  
Max of all bit distances : 8.00  
p-value of test : 0.12

-----  
CPU time used : 00:00:00.06

Generator state:  
50331648 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

svaria\_AppearanceSpacings test:

-----  
N = 1, Q = 524288, K = 524288, r = 0, s = 30, L = 15

Sequences of  $n = (K + Q)L = 15728640$  bits  
Q = 524288 initialization blocks  
K = 524288 blocks for the test  
the blocks have L = 15 bits

-----  
Normal statistic : -1.08  
p-value of test : 0.86

-----  
CPU time used : 00:00:00.00

Generator state:  
67108864 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

scomp\_LinearComp test:

-----  
N = 1, n = 18176, r = 0, s = 32

-----  
Number of degrees of freedom : 7  
Chi2 statistic for size of jumps : 11.31  
p-value of test : 0.13

-----  
Normal statistic for number of jumps : 0.90  
p-value of test : 0.19

-----  
CPU time used : 00:00:00.18

Generator state:  
67127040 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

scomp\_LempelZiv test:

-----  
N = 1, n = 16777216, r = 0, s = 32, k = 24

-----  
Normal statistic : -3.57  
p-value of test : 0.9998 \*\*\*\*\*

-----  
CPU time used : 00:00:00.41

Generator state:

83904256 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sspectral\_Fourier1 test:

-----

N = 1, n = 1048576, r = 0, s = 32, k = 20

-----

Normal statistic : -0.26  
p-value of test : 0.60

-----

CPU time used : 00:00:00.20

Generator state:

84952832 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sspectral\_Fourier3 test:

-----

N = 8065, n = 2048, r = 0, s = 32, k = 11

-----

Kolmogorov-Smirnov+ statistic = D+ : 0.033  
p-value of test : 0.32

Kolmogorov-Smirnov- statistic = D- : 0.022  
p-value of test : 0.61

Anderson-Darling statistic = A2 : 0.46  
p-value of test : 0.79

-----

CPU time used : 00:00:00.12

Generator state:

101728032 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sstring\_LongestHeadRun test:

-----  
N = 1, n = 60, r = 0, s = 32, L = 279616

-----  
Number of degrees of freedom : 3  
Chi-square statistic : 5.55  
p-value of test : 0.14

-----  
Global longest run of 1 : 21.00  
p-value of test : 0.86

-----  
CPU time used : 00:00:00.06

Generator state:  
118504992 bits have been read.

\*\*\*\*\*  
HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sstring\_PeriodsInStrings test:

-----  
N = 1, n = 524288, r = 0, s = 31

-----  
Number of degrees of freedom : 94  
Chi-square statistic : 79.91  
p-value of test : 0.85

-----  
CPU time used : 00:00:00.01

Generator state:  
135282208 bits have been read.

\*\*\*\*\*  
HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sstring\_HammingWeight test:

-----  
N = 1, n = 524288, r = 0, s = 32, L = 32

-----  
Number of degrees of freedom : 22  
Chi-square statistic : 21.14  
p-value of test : 0.51  
-----

-----  
CPU time used : 00:00:00.00

Generator state:  
152059424 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sstring\_HammingCorr test:

-----  
N = 1, n = 524288, r = 0, s = 32, L = 32

-----  
Normal statistic : -0.088  
p-value of test : 0.53  
-----

-----  
CPU time used : 00:00:00.00

Generator state:  
168836640 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sstring\_HammingCorr test:

-----  
N = 1, n = 262144, r = 0, s = 32, L = 64

-----  
Normal statistic : 0.54  
p-value of test : 0.30  
-----

-----  
CPU time used : 00:00:00.00

Generator state:  
185613856 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sstring\_HammingCorr test:

-----

N = 1, n = 131072, r = 0, s = 32, L = 128

-----  
Normal statistic : 1.32  
p-value of test : 0.09

-----  
CPU time used : 00:00:00.00

Generator state:  
202391072 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sstring\_HammingIndep test:

-----

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

-----

Number of degrees of freedom : 177  
Chi-square statistic : 170.38  
p-value of test : 0.63

-----  
CPU time used : 00:00:00.01

Generator state:  
219168288 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sstring\_HammingIndep test:

-----  
N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

-----  
Number of degrees of freedom : 305  
Chi-square statistic : 282.12  
p-value of test : 0.82  
-----

CPU time used : 00:00:00.00

Generator state:

235945504 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sstring\_HammingIndep test:

-----  
N = 1, n = 131072, r = 0, s = 32, L = 64, d = 0

Counters with expected numbers >= 10

-----  
Number of degrees of freedom : 489  
Chi-square statistic : 544.99  
p-value of test : 0.04  
-----

CPU time used : 00:00:00.00

Generator state:

252722720 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

sstring\_AutoCor test:

-----  
N = 1, n = 16777153, r = 0, s = 32, d = 1

```
-----
Normal statistic          :   -1.70
p-value of test          :    0.95
-----
```

```
CPU time used            :   00:00:00.01
```

```
Generator state:
 269499904 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config20_seed0.bin
```

```
sstring_AutoCor test:
```

```
-----
      N =  1,   n = 16777154,   r =  0,   s = 32,   d = 2
-----
```

```
-----
Normal statistic          :    0.39
p-value of test          :    0.35
-----
```

```
CPU time used            :   00:00:00.00
```

```
Generator state:
 286277088 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config20_seed0.bin
```

```
sstring_Run test:
```

```
-----
      N =  1,   n = 3355443,   r =  0,   s =  32
-----
```

```
-----
Total number of 1 runs:  3355444
```

```
Number of degrees of freedom      :   36
Chi2 statistic for number of runs :  29.40
p-value of test                   :   0.77
-----
```

```
-----
Total number of bits:  13422304
```

```
Normal statistic for number of bits :    0.10
p-value of test                   :    0.46
```

-----  
CPU time used : 00:00:00.05

Generator state:  
299699392 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

smarsa\_MatrixRank test:

-----  
N = 1, n = 16384, r = 0, s = 32, L = 32, k = 32

-----  
Number of degrees of freedom : 3  
Chi-square statistic : 4.15  
p-value of test : 0.25

-----  
CPU time used : 00:00:00.06

Generator state:  
316476608 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

smarsa\_MatrixRank test:

-----  
N = 1, n = 163, r = 0, s = 32, L = 320, k = 320

-----  
Number of degrees of freedom : 2  
Chi-square statistic : 1.45  
p-value of test : 0.49

-----  
CPU time used : 00:00:00.08

Generator state:  
333167808 bits have been read.

\*\*\*\*\*

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

swalk\_RandomWalk1 test:

-----  
N = 1, n = 131072, r = 0, s = 32, L0 = 128, L1 = 128

-----  
Test on the values of the Statistic H

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 42    |
| ChiSquare statistic          | : | 47.46 |
| p-value of test              | : | 0.26  |

-----  
Test on the values of the Statistic M

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 42    |
| ChiSquare statistic          | : | 35.86 |
| p-value of test              | : | 0.74  |

-----  
Test on the values of the Statistic J

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 64    |
| ChiSquare statistic          | : | 68.39 |
| p-value of test              | : | 0.33  |

-----  
Test on the values of the Statistic R

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 36    |
| ChiSquare statistic          | : | 37.36 |
| p-value of test              | : | 0.41  |

-----  
Test on the values of the Statistic C

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 22    |
| ChiSquare statistic          | : | 20.10 |
| p-value of test              | : | 0.58  |

-----  
CPU time used : 00:00:00.06

Generator state:  
349945024 bits have been read.

\*\*\*\*\*  
HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

swalk\_RandomWalk1 test:

-----  
N = 1, n = 16384, r = 0, s = 32, L0 = 1024, L1 = 1024

-----  
Test on the values of the Statistic H

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 94    |
| ChiSquare statistic          | : | 80.04 |
| p-value of test              | : | 0.85  |

-----  
Test on the values of the Statistic M

|                              |   |        |
|------------------------------|---|--------|
| Number of degrees of freedom | : | 94     |
| ChiSquare statistic          | : | 113.09 |
| p-value of test              | : | 0.09   |

-----  
Test on the values of the Statistic J

|                              |   |        |
|------------------------------|---|--------|
| Number of degrees of freedom | : | 512    |
| ChiSquare statistic          | : | 473.27 |
| p-value of test              | : | 0.89   |

-----  
Test on the values of the Statistic R

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 90    |
| ChiSquare statistic          | : | 85.78 |
| p-value of test              | : | 0.61  |

-----  
Test on the values of the Statistic C

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 50    |
| ChiSquare statistic          | : | 49.32 |
| p-value of test              | : | 0.50  |

-----  
CPU time used : 00:00:00.04

Generator state:

366722240 bits have been read.

\*\*\*\*\*  
HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile\_CreateReadBin: /home/matheus/Área de  
Trabalho/qanalog\_prng-main/qanalog\_prng-main/outputs/out\_config20\_seed0.bin

swalk\_RandomWalk1 test:

-----  
N = 1, n = 1675, r = 0, s = 32, L0 = 10016, L1 = 10016

-----  
Test on the values of the Statistic H

|                              |   |        |
|------------------------------|---|--------|
| Number of degrees of freedom | : | 130    |
| ChiSquare statistic          | : | 136.53 |
| p-value of test              | : | 0.33   |

-----  
Test on the values of the Statistic M

|                              |   |        |
|------------------------------|---|--------|
| Number of degrees of freedom | : | 131    |
| ChiSquare statistic          | : | 138.64 |
| p-value of test              | : | 0.31   |

-----  
Test on the values of the Statistic J

|                              |   |        |
|------------------------------|---|--------|
| Number of degrees of freedom | : | 161    |
| ChiSquare statistic          | : | 165.68 |
| p-value of test              | : | 0.38   |

-----  
Test on the values of the Statistic R

|                              |   |        |
|------------------------------|---|--------|
| Number of degrees of freedom | : | 130    |
| ChiSquare statistic          | : | 117.38 |
| p-value of test              | : | 0.78   |

-----  
Test on the values of the Statistic C

|                              |   |       |
|------------------------------|---|-------|
| Number of degrees of freedom | : | 89    |
| ChiSquare statistic          | : | 70.21 |
| p-value of test              | : | 0.93  |

-----  
CPU time used : 00:00:00.02

Generator state:

383499040 bits have been read.

===== Summary results of Rabbit =====

|                       |                     |
|-----------------------|---------------------|
| Version:              | TestU01 1.2.3       |
| Generator:            | ufile_CreateReadBin |
| Number of bits:       | 16777216            |
| Number of statistics: | 39                  |

Total CPU time: 00:00:06.08  
The following tests gave p-values outside [0.001, 0.9990]:  
(eps means a value < 1.0e-300):  
(eps1 means a value < 1.0e-15):

| Test        | p-value |
|-------------|---------|
| -----       | -----   |
| 6 LempelZiv | 0.9998  |
| -----       | -----   |

All other tests were passed