

Processando config 2, seed 2, teste: Rabbit
 xxx
 Starting Rabbit: nb = 16777216
 Version: TestU01 1.2.3
 xxx

 HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
 Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

smultin_MultinomialBitsOver test:

 N = 2, n = 8388608, r = 0, s = 32, L = 38,
 Sparse = TRUE

 Number of bits = n = 8388608
 Number of cells = 2^L = 274877906944
 Expected number per cell = $1 / 32768$
 EColl = $n^2 / (2k)$ = 128
 Hashing = TRUE

 Collision test
 CollisionOver: density = $n / k = 1 / 32768.00$
 Expected number of collisions = $\mu = 128.00$

 Results of CollisionOver test:

POISSON approximation	:	
Expected number of collisions = $N \cdot \mu$	:	256.00
Observed number of collisions	:	219
p-value of test	:	0.9900

 Total number of cells containing j balls

j = 0	:	549739036891
j = 1	:	16776778
j = 2	:	219
j = 3	:	0
j = 4	:	0
j = 5	:	0

 CPU time used : 00:00:04.54

Generator state:
 16777216 bits have been read.

 HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
 Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

snpair_ClosePairsBitMatch test:

N = 1, n = 262144, r = 0, t = 2

Max of all bit distances : 18.00
p-value of test : 0.12

CPU time used : 00:00:00.06

Generator state:
33554432 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

snpair_ClosePairsBitMatch test:

N = 1, n = 131072, r = 0, t = 4

Max of all bit distances : 13.00
p-value of test : 1.2e-7 *****

CPU time used : 00:00:00.06

Generator state:
50331648 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

svaria_AppearanceSpacings test:

N = 1, Q = 524288, K = 524288, r = 0, s = 30, L = 15

Sequences of $n = (K + Q)L = 15728640$ bits
Q = 524288 initialization blocks
K = 524288 blocks for the test
the blocks have L = 15 bits

Normal statistic : 1.47
p-value of test : 0.07

CPU time used : 00:00:00.00

Generator state:
67108864 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

scomp_LinearComp test:

N = 1, n = 18176, r = 0, s = 32

Number of degrees of freedom : 7
Chi2 statistic for size of jumps : 8.14
p-value of test : 0.32

Normal statistic for number of jumps : -51.43
p-value of test : 1 - eps1 *****

CPU time used : 00:00:00.06

Generator state:
67127040 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

scomp_LempelZiv test:

N = 1, n = 16777216, r = 0, s = 32, k = 24

Normal statistic : -0.44
p-value of test : 0.67

CPU time used : 00:00:00.40

Generator state:

83904256 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sspectral_Fourier1 test:

N = 1, n = 1048576, r = 0, s = 32, k = 20

Normal statistic : -0.21
p-value of test : 0.58

CPU time used : 00:00:00.20

Generator state:

84952832 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sspectral_Fourier3 test:

N = 8065, n = 2048, r = 0, s = 32, k = 11

Kolmogorov-Smirnov+ statistic = D+ : 0.022
p-value of test : 0.61

Kolmogorov-Smirnov- statistic = D- : 0.014
p-value of test : 0.80

Anderson-Darling statistic = A2 : 0.37
p-value of test : 0.88

CPU time used : 00:00:00.12

Generator state:

101728032 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sstring_LongestHeadRun test:

N = 1, n = 60, r = 0, s = 32, L = 279616

Number of degrees of freedom : 3
Chi-square statistic : 6.67
p-value of test : 0.08

Global longest run of 1 : 25.00
p-value of test : 0.22

CPU time used : 00:00:00.06

Generator state:
118504992 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sstring_PeriodsInStrings test:

N = 1, n = 524288, r = 0, s = 31

Number of degrees of freedom : 94
Chi-square statistic : 116.73
p-value of test : 0.06

CPU time used : 00:00:00.03

Generator state:
135282208 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sstring_HammingWeight test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Number of degrees of freedom : 22
Chi-square statistic : 27.40
p-value of test : 0.20

CPU time used : 00:00:00.01

Generator state:
152059424 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : 0.61
p-value of test : 0.27

CPU time used : 00:00:00.01

Generator state:
168836640 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sstring_HammingCorr test:

N = 1, n = 262144, r = 0, s = 32, L = 64

Normal statistic : -0.33
p-value of test : 0.63

CPU time used : 00:00:00.01

Generator state:
185613856 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sstring_HammingCorr test:

N = 1, n = 131072, r = 0, s = 32, L = 128

Normal statistic : 0.54
p-value of test : 0.30

CPU time used : 00:00:00.01

Generator state:
202391072 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 163.57
p-value of test : 0.76

CPU time used : 00:00:00.01

Generator state:
219168288 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 351.35
p-value of test : 0.03

CPU time used : 00:00:00.01

Generator state:

235945504 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sstring_HammingIndep test:

N = 1, n = 131072, r = 0, s = 32, L = 64, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 489
Chi-square statistic : 1672.52
p-value of test : eps *****

CPU time used : 00:00:00.01

Generator state:

252722720 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

sstring_AutoCor test:

N = 1, n = 16777153, r = 0, s = 32, d = 1


```
-----
Normal statistic          : -0.069
p-value of test          : 0.53
-----
```

```
CPU time used            : 00:00:00.01
```

```
Generator state:
269499904 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin
```

```
sstring_AutoCor test:
```

```
-----
N = 1, n = 16777154, r = 0, s = 32, d = 2
-----
```

```
-----
Normal statistic          : -0.48
p-value of test          : 0.68
-----
```

```
CPU time used            : 00:00:00.01
```

```
Generator state:
286277088 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin
```

```
sstring_Run test:
```

```
-----
N = 1, n = 3355443, r = 0, s = 32
-----
```

```
-----
Total number of 1 runs: 3355443
```

```
Number of degrees of freedom : 36
Chi2 statistic for number of runs : 41.75
p-value of test : 0.23
-----
```

```
-----
Total number of bits: 13424096
```

```
Normal statistic for number of bits : 0.45
p-value of test : 0.33
```

CPU time used : 00:00:00.04

Generator state:
299701184 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

smarsa_MatrixRank test:

N = 1, n = 16384, r = 0, s = 32, L = 32, k = 32

Number of degrees of freedom : 3
Chi-square statistic : 0.90
p-value of test : 0.83

CPU time used : 00:00:00.06

Generator state:
316478400 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

smarsa_MatrixRank test:

N = 1, n = 163, r = 0, s = 32, L = 320, k = 320

Number of degrees of freedom : 2
Chi-square statistic : 1056.73
p-value of test : eps *****

CPU time used : 00:00:00.04

Generator state:
333169600 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

swalk_RandomWalk1 test:

N = 1, n = 131072, r = 0, s = 32, L0 = 128, L1 = 128

Test on the values of the Statistic H

Number of degrees of freedom	:	42	
ChiSquare statistic	:	881.42	
p-value of test	:	eps	*****

Test on the values of the Statistic M

Number of degrees of freedom	:	42	
ChiSquare statistic	:	522.34	
p-value of test	:	eps	*****

Test on the values of the Statistic J

Number of degrees of freedom	:	64	
ChiSquare statistic	:	189.42	
p-value of test	:	2.5e-14	*****

Test on the values of the Statistic R

Number of degrees of freedom	:	36	
ChiSquare statistic	:	43.08	
p-value of test	:	0.19	

Test on the values of the Statistic C

Number of degrees of freedom	:	22	
ChiSquare statistic	:	22.14	
p-value of test	:	0.45	

CPU time used : 00:00:00.06

Generator state:
349946816 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

swalk_RandomWalk1 test:

N = 1, n = 16384, r = 0, s = 32, L0 = 1024, L1 = 1024

Test on the values of the Statistic H

Number of degrees of freedom	:	94	
ChiSquare statistic	:	274.92	
p-value of test	:	eps	*****

Test on the values of the Statistic M

Number of degrees of freedom	:	94	
ChiSquare statistic	:	345.42	
p-value of test	:	eps	*****

Test on the values of the Statistic J

Number of degrees of freedom	:	512	
ChiSquare statistic	:	604.99	
p-value of test	:	2.8e-3	

Test on the values of the Statistic R

Number of degrees of freedom	:	90	
ChiSquare statistic	:	102.45	
p-value of test	:	0.17	

Test on the values of the Statistic C

Number of degrees of freedom	:	50	
ChiSquare statistic	:	68.94	
p-value of test	:	0.04	

CPU time used : 00:00:00.04

Generator state:

366724032 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config2_seed2.bin

swalk_RandomWalk1 test:

N = 1, n = 1675, r = 0, s = 32, L0 = 10016, L1 = 10016

Test on the values of the Statistic H

Number of degrees of freedom	:	130
ChiSquare statistic	:	156.35
p-value of test	:	0.06

Test on the values of the Statistic M

Number of degrees of freedom	:	131
ChiSquare statistic	:	127.82
p-value of test	:	0.56

Test on the values of the Statistic J

Number of degrees of freedom	:	161
ChiSquare statistic	:	131.89
p-value of test	:	0.95

Test on the values of the Statistic R

Number of degrees of freedom	:	130
ChiSquare statistic	:	130.08
p-value of test	:	0.48

Test on the values of the Statistic C

Number of degrees of freedom	:	89
ChiSquare statistic	:	77.15
p-value of test	:	0.81

CPU time used : 00:00:00.03

Generator state:

383500832 bits have been read.

===== Summary results of Rabbit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin
Number of bits:	16777216
Number of statistics:	39

Total CPU time: 00:00:06.03
 The following tests gave p-values outside [0.001, 0.9990]:
 (eps means a value < 1.0e-300):
 (eps1 means a value < 1.0e-15):

	Test	p-value
3	ClosePairsBitMatch, t = 4	1.2e-7
5	LinearComp	1 - eps1
17	HammingIndep, L = 64	eps
22	MatrixRank, 320 x 320	eps
24	RandomWalk1 H	eps
24	RandomWalk1 M	eps
24	RandomWalk1 J	2.5e-14
25	RandomWalk1 H (L = 1024)	eps
25	RandomWalk1 M (L = 1024)	eps

 All other tests were passed