

Processando config 6, seed 0, teste: Rabbit
 xx
 Starting Rabbit: nb = 16777216
 Version: TestU01 1.2.3
 xx

 HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
 Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

smultin_MultinomialBitsOver test:

 N = 2, n = 8388608, r = 0, s = 32, L = 38,
 Sparse = TRUE

 Number of bits = n = 8388608
 Number of cells = 2^L = 274877906944
 Expected number per cell = $1 / 32768$
 EColl = $n^2 / (2k)$ = 128
 Hashing = TRUE

 Collision test
 CollisionOver: density = $n / k = 1 / 32768.00$
 Expected number of collisions = $\mu = 128.00$

 Results of CollisionOver test:

POISSON approximation	:	
Expected number of collisions = $N \cdot \mu$	:	256.00
Observed number of collisions	:	230
p-value of test	:	0.95

 Total number of cells containing j balls

j = 0	:	549739036902
j = 1	:	16776756
j = 2	:	230
j = 3	:	0
j = 4	:	0
j = 5	:	0

 CPU time used : 00:00:04.43

Generator state:
 16777216 bits have been read.

 HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
 Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

snpair_ClosePairsBitMatch test:

N = 1, n = 262144, r = 0, t = 2

Max of all bit distances : 18.00
p-value of test : 0.12

CPU time used : 00:00:00.06

Generator state:
33554432 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

snpair_ClosePairsBitMatch test:

N = 1, n = 131072, r = 0, t = 4

Max of all bit distances : 8.00
p-value of test : 0.12

CPU time used : 00:00:00.06

Generator state:
50331648 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

svaria_AppearanceSpacings test:

N = 1, Q = 524288, K = 524288, r = 0, s = 30, L = 15

Sequences of $n = (K + Q)L = 15728640$ bits
Q = 524288 initialization blocks
K = 524288 blocks for the test
the blocks have L = 15 bits

Normal statistic : -1.03
p-value of test : 0.85

CPU time used : 00:00:00.00

Generator state:
67108864 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

scomp_LinearComp test:

N = 1, n = 18176, r = 0, s = 32

Number of degrees of freedom : 7
Chi2 statistic for size of jumps : 8.27
p-value of test : 0.31

Normal statistic for number of jumps : 0.27
p-value of test : 0.40

CPU time used : 00:00:00.18

Generator state:
67127040 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

scomp_LempelZiv test:

N = 1, n = 16777216, r = 0, s = 32, k = 24

Normal statistic : -0.24
p-value of test : 0.59

CPU time used : 00:00:00.40

Generator state:

83904256 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sspectral_Fourier1 test:

N = 1, n = 1048576, r = 0, s = 32, k = 20

Normal statistic : 0.79
p-value of test : 0.21

CPU time used : 00:00:00.21

Generator state:

84952832 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sspectral_Fourier3 test:

N = 8065, n = 2048, r = 0, s = 32, k = 11

Kolmogorov-Smirnov+ statistic = D+ : 0.018
p-value of test : 0.72

Kolmogorov-Smirnov- statistic = D- : 0.030
p-value of test : 0.39

Anderson-Darling statistic = A2 : 0.36
p-value of test : 0.89

CPU time used : 00:00:00.12

Generator state:

101728032 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sstring_LongestHeadRun test:

N = 1, n = 60, r = 0, s = 32, L = 279616

Number of degrees of freedom : 3
Chi-square statistic : 7.97
p-value of test : 0.05

Global longest run of 1 : 22.00
p-value of test : 0.63

CPU time used : 00:00:00.06

Generator state:
118504992 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sstring_PeriodsInStrings test:

N = 1, n = 524288, r = 0, s = 31

Number of degrees of freedom : 94
Chi-square statistic : 95.51
p-value of test : 0.44

CPU time used : 00:00:00.02

Generator state:
135282208 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sstring_HammingWeight test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Number of degrees of freedom : 22
Chi-square statistic : 21.25
p-value of test : 0.51

CPU time used : 00:00:00.00

Generator state:
152059424 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sstring_HammingCorr test:

N = 1, n = 524288, r = 0, s = 32, L = 32

Normal statistic : -1.62
p-value of test : 0.95

CPU time used : 00:00:00.02

Generator state:
168836640 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sstring_HammingCorr test:

N = 1, n = 262144, r = 0, s = 32, L = 64

Normal statistic : -0.48
p-value of test : 0.69

CPU time used : 00:00:00.00

Generator state:
185613856 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sstring_HammingCorr test:

N = 1, n = 131072, r = 0, s = 32, L = 128

Normal statistic : -1.51
p-value of test : 0.93

CPU time used : 00:00:00.00

Generator state:
202391072 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sstring_HammingIndep test:

N = 1, n = 524288, r = 0, s = 32, L = 16, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 177
Chi-square statistic : 176.78
p-value of test : 0.49

CPU time used : 00:00:00.00

Generator state:
219168288 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sstring_HammingIndep test:

N = 1, n = 262144, r = 0, s = 32, L = 32, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 305
Chi-square statistic : 325.35
p-value of test : 0.20

CPU time used : 00:00:00.00

Generator state:

235945504 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sstring_HammingIndep test:

N = 1, n = 131072, r = 0, s = 32, L = 64, d = 0

Counters with expected numbers >= 10

Number of degrees of freedom : 489
Chi-square statistic : 443.32
p-value of test : 0.93

CPU time used : 00:00:00.02

Generator state:

252722720 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de

Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

sstring_AutoCor test:

N = 1, n = 16777153, r = 0, s = 32, d = 1

```
-----
Normal statistic          :   -0.17
p-value of test          :    0.57
-----
```

```
CPU time used            :   00:00:00.02
```

```
Generator state:
 269499904 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin
```

```
sstring_AutoCor test:
```

```
-----
      N =  1,   n = 16777154,   r =  0,   s = 32,   d = 2
-----
```

```
-----
Normal statistic          :    0.77
p-value of test          :    0.22
-----
```

```
CPU time used            :   00:00:00.00
```

```
Generator state:
 286277088 bits have been read.
```

```
*****
```

```
HOST = matheus-IdeaPad-3-15ALC6, Linux
```

```
ufile_CreateReadBin:   /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin
```

```
sstring_Run test:
```

```
-----
      N =  1,   n = 3355443,   r =  0,   s =  32
-----
```

```
-----
Total number of 1 runs:  3355443
```

```
Number of degrees of freedom      :   36
Chi2 statistic for number of runs :  32.74
p-value of test                   :    0.62
-----
```

```
-----
Total number of bits:  13423360
```

```
Normal statistic for number of bits :    0.31
p-value of test                   :    0.38
```

CPU time used : 00:00:00.05

Generator state:
299700448 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

smarsa_MatrixRank test:

N = 1, n = 16384, r = 0, s = 32, L = 32, k = 32

Number of degrees of freedom : 3
Chi-square statistic : 1.60
p-value of test : 0.66

CPU time used : 00:00:00.06

Generator state:
316477664 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

smarsa_MatrixRank test:

N = 1, n = 163, r = 0, s = 32, L = 320, k = 320

Number of degrees of freedom : 2
Chi-square statistic : 1056.73
p-value of test : eps *****

CPU time used : 00:00:00.06

Generator state:
333168864 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

swalk_RandomWalk1 test:

N = 1, n = 131072, r = 0, s = 32, L0 = 128, L1 = 128

Test on the values of the Statistic H

Number of degrees of freedom	:	42
ChiSquare statistic	:	59.19
p-value of test	:	0.04

Test on the values of the Statistic M

Number of degrees of freedom	:	42
ChiSquare statistic	:	43.35
p-value of test	:	0.41

Test on the values of the Statistic J

Number of degrees of freedom	:	64
ChiSquare statistic	:	63.70
p-value of test	:	0.49

Test on the values of the Statistic R

Number of degrees of freedom	:	36
ChiSquare statistic	:	38.35
p-value of test	:	0.36

Test on the values of the Statistic C

Number of degrees of freedom	:	22
ChiSquare statistic	:	21.80
p-value of test	:	0.47

CPU time used : 00:00:00.06

Generator state:
349946080 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

swalk_RandomWalk1 test:

N = 1, n = 16384, r = 0, s = 32, L0 = 1024, L1 = 1024

Test on the values of the Statistic H

Number of degrees of freedom	:	94
ChiSquare statistic	:	98.20
p-value of test	:	0.36

Test on the values of the Statistic M

Number of degrees of freedom	:	94
ChiSquare statistic	:	100.62
p-value of test	:	0.30

Test on the values of the Statistic J

Number of degrees of freedom	:	512
ChiSquare statistic	:	495.74
p-value of test	:	0.69

Test on the values of the Statistic R

Number of degrees of freedom	:	90
ChiSquare statistic	:	140.90
p-value of test	:	4.9e-4 *****

Test on the values of the Statistic C

Number of degrees of freedom	:	50
ChiSquare statistic	:	52.82
p-value of test	:	0.37

CPU time used : 00:00:00.03

Generator state:

366723296 bits have been read.

HOST = matheus-IdeaPad-3-15ALC6, Linux

ufile_CreateReadBin: /home/matheus/Área de
Trabalho/qanalog_prng-main/qanalog_prng-main/outputs/out_config6_seed0.bin

swalk_RandomWalk1 test:

N = 1, n = 1675, r = 0, s = 32, L0 = 10016, L1 = 10016

Test on the values of the Statistic H

Number of degrees of freedom	:	130
ChiSquare statistic	:	116.08
p-value of test	:	0.80

Test on the values of the Statistic M

Number of degrees of freedom	:	131
ChiSquare statistic	:	142.41
p-value of test	:	0.23

Test on the values of the Statistic J

Number of degrees of freedom	:	161
ChiSquare statistic	:	160.05
p-value of test	:	0.51

Test on the values of the Statistic R

Number of degrees of freedom	:	130
ChiSquare statistic	:	160.30
p-value of test	:	0.04

Test on the values of the Statistic C

Number of degrees of freedom	:	89
ChiSquare statistic	:	72.76
p-value of test	:	0.89

CPU time used : 00:00:00.03

Generator state:

383500096 bits have been read.

===== Summary results of Rabbit =====

Version:	TestU01 1.2.3
Generator:	ufile_CreateReadBin
Number of bits:	16777216
Number of statistics:	39

Total CPU time: 00:00:06.08
The following tests gave p-values outside [0.001, 0.9990]:
(eps means a value < 1.0e-300):
(eps1 means a value < 1.0e-15):

	Test	p-value
22	MatrixRank, 320 x 320	eps
25	RandomWalk1 R (L = 1024)	4.9e-4

All other tests were passed