

ADVANCED DATABASE MANAGEMENT SYSTEM LAB

Name: MATHEW SEBASTIAN

Roll No:18

Batch: B

Date:19/04/2022

Experiment No.: 4

Aim


To familiarize with aggregate functions

Procedure

- 1.List total loan
- 2.List total deposit
- 3.List total loan taken from KAROLBAGH branch
- 4.List total deposit of customers having account date later than 1-Jan-96
- 5.List total deposit of customers living in city NAGPUR
- 6.List maximum deposit of customer living in Bombay
- 7.List total deposit of customer having branch in BOMBAY
- 8.Count total number of branch cities
- 9.Count total number of customers cities
- 10.Give branch names and branch wise deposit
- 11.Give city wise name and branch wise deposit
- 12.Give the branch wise loan of customer living in NAGPUR
- 13.Count total number of customers
- 14.Count total number of depositors branch wise
- 15.Give maximum loan from branch VRCE
- 16.Give the number of customers who are depositors as well as borrowers


Output Screenshot

1. SELECT SUM(AMOUNT) FROM BORROW;




SUM(AMOUNT)
22000

2.SELECT SUM(AMOUNT) FROM DEPOSIT;




SUM(AMOUNT)
24200

3.SELECT MAX(AMOUNT) FROM BORROW WHERE BNAME ='KAROLBAGH';




MAX(AMOUNT)
NULL

4.SELECT SUM(AMOUNT) from deposit where adate>'1995-03-01';




SUM(AMOUNT)
24200

5.SELECT SUM(D1.AMOUNT) FROM DEPOSIT D1 , CUSTOMER C1 WHERE C1.CITY = 'NAGPUR'
AND C1.CNAME = D1.CNAME;




SUM(D1.AMOUNT)
4200

6.SELECT MAX(D1.AMOUNT) FROM DEPOSIT D1 , CUSTOMER C1 WHERE C1.CITY = 'Bombay' AND
C1.CNAME = D1.CNAME;



MAX(D1.AMOUNT)
5000

7.SELECT SUM(AMOUNT) from deposit,BRANCH where city='BOMBAY';



SUM(AMOUNT)
48400

8. SELECT COUNT(DISTINCT(CITY)) FROM BRANCH ;

COUNT(DISTINCT(CITY))
4

9. SELECT count(city) from CUSTOMER;

count(city)
10

10. SELECT BNAME , SUM(AMOUNT) FROM DEPOSIT GROUP BY BNAME;

BNAME	SUM(AMOUNT)
VRCE	1000
ANJNI	500
KAROLBAGH	3500
CHANDNI	1200
MG ROAD	3000
ANDHERI	2000
VIRAR	1000
NEHRU PLACE	5000
POWAI	7000

11. SELECT C1.CITY , SUM(D1.AMOUNT) FROM CUSTOMER C1 , DEPOSIT D1 WHERE D1.CNAME = C1.CNAME GROUP BY C1.CITY;

CITY	SUM(D1.AMOUNT)
CALCUTTA	1000
DELHI	500
BARODA	3500
NAGPUR	4200
SURAT	2000
BOMBAY	6000

12. SELECT BNAME , SUM(AMOUNT) FROM BORROW,CUSTOMER WHERE city ='NAGPUR' GROUP BY BNAME;

BNAME	SUM(AMOUNT)
VRCE	2000
AJNI	10000
DHARAMPETH	6000
ANDHERI	4000
VIRAR	16000
NEHRU PLACE	6000

13 SELECT count(cname) from CUSTOMER;.

count(cname)
10

14. SELECT BName, count(*) from DEPOSIT, CUSTOMER where deposit.CNAME = CUSTOMER.CNAME
group by BNAME;

BName	count(*)
VRCE	1
ANJNI	1
KAROLBAGH	1
CHANDNI	1
MG ROAD	1
ANDHERI	1
VIRAR	1
NEHRU PLACE	1

15. SELECT MAX(AMOUNT) FROM BORROW WHERE BNAME ='VRCE';

MAX(AMOUNT)
1000

16. SELECT COUNT(DISTINCT (CNAME)) FROM CUSTOMER WHERE CNAME IN ((SELECT CNAME
DEPOSIT) IN (SELECT CNAME FROM BORROW));

COUNT(DISTINCT (CNAME))
4