



Depth 6; features sqrt; 57 datasets, five paired repeats

● T=20 ■ T=40 ▲ T=60 ◆ T=100 ▼ T=200

(a) Accuracy versus tree count

(b) Accuracy versus fitting work

0.7 s MEAN-COST reference



Composition: % k1/k2/k3 (mean sight $\bar{k}$)

- 100/0/0% ($\bar{k} = 1.00$) — 90/10/0% ($\bar{k} = 1.10$) ... 90/0/10% ($\bar{k} = 1.20$) ··· 0/90/10% ($\bar{k} = 2.10$)
- 0/100/0% ($\bar{k} = 2.00$) — 75/25/0% ($\bar{k} = 1.25$) ... 75/0/25% ($\bar{k} = 1.50$) ··· 0/75/25% ($\bar{k} = 2.25$)
- 0/0/100% ($\bar{k} = 3.00$) — 50/50/0% ($\bar{k} = 1.50$) ... 50/0/50% ($\bar{k} = 2.00$) ··· 0/50/50% ($\bar{k} = 2.50$)
- 95/5/0% ($\bar{k} = 1.05$) ... 95/0/5% ($\bar{k} = 1.10$) ··· 0/95/5% ($\bar{k} = 2.05$) — 85/10/5% ($\bar{k} = 1.20$)