


# ADV-DB

MACSIN4A0325: Advanced DB Management





# Table des matières

1

## Introduction

Présentation du dataset

2

## Modélisation

Schéma, clés primaires

3

## Contexte

Environnement

4

## Sécurité

Priviléges, profiles

5

## Optimisation

Requêtes SQL

6

## Conclusion

Conclusion et bonus



# 01 - Introduction

Présentation du dataset

OpenAI	LLMs & Chat Assistants	multimodal
Anthropic	LLMs & Chat Assistants	multimodal
Google	LLMs & Chat Assistants	multimodal
MidJourney	Image Gen & Editing	image
Stable Diffusion	Stability AI	Image Gen & Editing
DALL-E 3	OpenAI	Image Gen & Editing
Runway Gen-3	Runway	Video Gen & Editing
Pika	Pika	Video Gen & Editing
Suno	Suno	Video Gen & Editing
Udio	Udio	Video Gen & Editing
ElevenLabs	ElevenLabs	Audio/Music/TTS
GitHub Copilot	GitHub	LLMs & Chat Assistants
Cursor	Anysphere	Code Assistants
Sourcegraph Co	Sourcegraph	LLMs & Chat Assistants
Amazon Q Dev	Amazon Web Se	LLMs & Chat Assistants
JetBrains AI Ass	JetBrains	LLMs & Chat Assistants
Perplexity	Perplexity AI	Other
Meta AI	Meta	LLMs & Chat Assistants
Mistral Le Chat	Mistral AI	LLMs & Chat Assistants
Pinecone	Pinecone	Search & RAG
Weaviate	Weaviate	Search & RAG
Milvus	Zilliz	Search & RAG
Qdrant	Qdrant	Search & RAG
Vector	Community	Search & RAG
LangChain	LangChain	Other
LlamaIndex	LlamaIndex	Other
deepset	deepset	Other
OpenAI	OpenAI	Other

**45%**

des modèles sont sortis en **2023**

**67%**

des IA gen ne sont **PAS** open-source

**27%**

sont des **LLMS**




# A propos du dataset

115 lignes au **total**

0% de **mismatched** ou **missing**

22 colonnes





## 02 - Modélisation



## 03 - Contexte

Environnement

# 04 - Sécurité

Gestion des users, priviléges



# Création des users

```
SQL> CREATE USER admin_orclpdb1 IDENTIFIED BY "2F:@?RipG7E)49vp";  
User created.
```

```
SQL> [REDACTED]
```

```
SQL> CREATE USER u_rw_orclpdb1 IDENTIFIED BY "n4g$~8xnLF86C~G:";  
User created.
```

```
SQL> CREATE USER u_r_orclpdb1 IDENTIFIED BY ",-pe,z2P!D9R4m6Z";  
User created.
```

NOMBRE DE CARACTÈRES	UNIQUEMENT DES CHIFFRES	LETTRRES MINUSCULES	LETTRRES MINUSCULES ET MAJUSCULES	LETTRRES MINUSCULES ET MAJUSCULES + CHIFFRES	LETTRRES MINUSCULES ET MAJUSCULES + CHIFFRES + CARACTÈRES SPÉCIAUX
4	IMMÉDIATEMENT	IMMÉDIATEMENT	IMMÉDIATEMENT	IMMÉDIATEMENT	IMMÉDIATEMENT
6	IMMÉDIATEMENT	IMMÉDIATEMENT	IMMÉDIATEMENT	1 sec	5 sec
8	IMMÉDIATEMENT	5 sec	22 min	1 heure	9 heures
10	IMMÉDIATEMENT	58 min	1 mois	7 mois	5 ans
12	45 sec	3 semaines	300 ans	2000 ans	34 000 ans
14	41 min	51 ans	800 000 ans	9 millions d'années	200 millions d'années

\*source : SCSP Community (Seasoned Cyber Security Professionals)

```
export ADM_ORCLPDB1='admin_orclpdb1'  
export ADM_PASSWD='2F:@?RipG7E)49vp'  
export URW_ORCLPDB1='u_rw_orclpdb1'  
export URW_PASSWD='n4g$~8xnLF86C~G:'  
export UR_ORCLPDB1='u_r_orclpdb1'  
export UR_PASSWD=',-pe,z2P!D9R4m6Z'
```

# Profiles, rôles & privilèges

```
SQL> CREATE PROFILE urw_profile LIMIT connect_time 5 failed_login_attempts 5 password_life_time 31;
```

Profile created.

```
SQL> █
```

```
SQL> CREATE PROFILE ur_profile LIMIT connect_time 5 failed_login_attempts 3;
```

Profile created.

```
SQL> █
```



# Profiles, rôles & privilèges

```
SQL> GRANT ALL PRIVILEGES TO admin_orclpdb1;
```

Grant succeeded.

```
SQL> CREATE ROLE rw;
```

Role created.

```
SQL> CREATE ROLE r;
```

Role created.

```
SQL> |
```

```
SQL> GRANT SELECT, INSERT, UPDATE, DELETE ON Company TO rw;  
GRANT SELECT, INSERT, UPDATE, DELETE ON logs_ia TO rw;  
GRANT SELECT, INSERT, UPDATE, DELETE ON IA_Type TO rw;  
GRANT SELECT, INSERT, UPDATE, DELETE ON Specs TO rw;  
GRANT SELECT, INSERT, UPDATE, DELETE ON Config TO rw;  
GRANT SELECT, INSERT, UPDATE, DELETE ON IA_Gen TO rw;
```

```
SQL> GRANT rw TO u_rw_orclpdb1;
```

Grant succeeded.

```
SQL> GRANT r TO u_r_orclpdb1;
```

Grant succeeded.

```
SQL> |
```

```
SQL>  
Grant succeeded.
```

```
SQL> SQL> SQL> |
```

# 05 - Optimisation

Requêtes, index, vues



# Optimisation par cache

```
CREATE SEQUENCE logs_seq START WITH 1 INCREMENT BY 1 CACHE 20;  
CREATE SEQUENCE company_seq START WITH 1 INCREMENT BY 1 CACHE 20;  
CREATE SEQUENCE iatype_seq START WITH 1 INCREMENT BY 1 CACHE 20;  
CREATE SEQUENCE cfg_seq START WITH 1 INCREMENT BY 1 CACHE 20;  
CREATE SEQUENCE specs_seq START WITH 1 INCREMENT BY 1 CACHE 20;  
CREATE SEQUENCE iagen_seq START WITH 1 INCREMENT BY 1 CACHE 20;
```

Optimisation des séquence avec pré-allocation des valeurs



# Optimisation par Index

1ère requête - Les IA qui sont à la fois disponibles via API & Open-source :

```
SELECT g.name, g.release_year  
FROM IA_Gen g  
JOIN Config cfg ON g.fk_cfg = cfg.id  
WHERE cfg.api_available=1 AND cfg.open_source=1;
```

```
CREATE INDEX idx_cfg_api_open  
ON Config (api_available, open_source, id);
```

Résultat :

Coût : 4

Coût après l'optimisation : 2

rdrails	
Guardrails AI ( 01-DEC-23 framework)	
LMQL	01-DEC-23
DeepSeek RL	01-DEC-25
Mistral Large	01-DEC-23
NAME RELEASE_Y	
Llama 3.1	01-DEC-23
Qwen 2.5	01-DEC-25
Gemma 2	01-DEC-24
DBRX	01-DEC-24
Phi-3	01-DEC-24
MPT-7B	01-DEC-23
Mistral 8x7B	01-DEC-23
Mistral Codestr al	01-DEC-23
Code Llama	01-DEC-23
NAME RELEASE_Y	
Llama Guard	01-DEC-23
Transformers	01-DEC-18
Diffusers	01-DEC-22
Gradio	01-DEC-19
Hugging Face Sp aces	01-DEC-21
ComfyUI	01-DEC-23
Black Forest La bs FLUX	01-DEC-24
NAME RELEASE_Y	
Coqui TTS	01-DEC-21
TruLens	01-DEC-23
Ollama	01-DEC-23
WhisperX	01-DEC-22
Silero VAD	01-DEC-20
Papers with Code SOTA	01-DEC-18
Kaggle Models	01-DEC-23
OpenHands	01-DEC-24
LlamaGuard 2	01-DEC-23

41 rows selected.

SQL> █



# Optimisation par Index

2 ème requête - Nombre d'IA par entreprise :

```
SELECT c.name AS company,
       COUNT(g.id) AS ia_count
  FROM Company c
 LEFT JOIN IA_Gen g ON g.fk_company = c.id
 GROUP BY c.name
 ORDER BY ia_count DESC;
```

```
CREATE INDEX idx_cfg_api_open
ON Config (api_available, open_source, id);
```

Résultat :

Coût : 5

Coût après l'optimisation : 2

COMPANY	
IA_COUNT	
OpenAI	9
Meta	5
Mistral AI	4

COMPANY	
IA_COUNT	
Hugging Face	4
Community	3
Anthropic	3

COMPANY	
IA_COUNT	
Adobe	3
Google	2
xAI	2



# Optimisation par Index

3ème requête - IA sorties après la moyenne des années de sorties :

```
SELECT name,  
       EXTRACT(YEAR FROM release_year) AS release_year  
FROM IA_Gen  
WHERE EXTRACT(YEAR FROM release_year) >  
      (SELECT AVG(EXTRACT(YEAR FROM release_year)) FROM IA_Gen);
```

```
CREATE INDEX idx_iagen_release_year  
ON IA_Gen (EXTRACT(YEAR FROM release_year));
```

Résultat :

Coût : 4

Coût après l'optimisation : 2

NAME	RELEASE_YEAR
Claude	2023
Gemini	2023
DALL?E 3	2023
Pika	2023
Suno	2023
Cursor	2023
Sourcegraph Cod y	2023
Amazon Q Develo per	2023
NAME	RELEASE_YEAR
JetBrains AI As sistant	2023
pgvector	2023
Deepgram	2023
NVIDIA NeMo Gua rdrails	2023
Lakera Guard Guardrails AI (	2023
NAME	RELEASE_YEAR
framework)	
LMQL	2023
OpenRouter	2023
Vercel v0	2023
Framer AI	2023
Notion AI	2023
xAI Grok	2023
Mistral Large	2023
Llama 3.1	2023
MPT-7B	2023
NAME	RELEASE_YEAR
Mixtral 8x7B	2023
GPT-4o	2023
Claude 3.7 Sonn et	2023
Mistral Codestr al	2023
Code Llama	2023




# Optimisation par Index

4ème requête - Nombre d'IA par catégorie fonctionnelle :

```
SELECT t.category,
       COUNT(g.id) AS total_ia
  FROM IA_Type t
 JOIN IA_Gen g ON g.fk_iatype = t.id
 GROUP BY t.category
 ORDER BY total_ia DESC;


CREATE INDEX idx_iagen_iatype ON IA_Gen(fk_iatype);
```

Résultat :



Coût : 5

Coût après l'optimisation : 3



# Optimisation par Index

5ème requête - IA multimodales avec leur entreprise et leur types :

```
SELECT g.name AS ia_name,
       c.name AS company,
       t.category,
       t.modality
  FROM IA_Gen g
 JOIN Company c    ON g.fk_company = c.id
 JOIN IA_Type t   ON g.fk_iatype = t.id
 JOIN Specs s     ON g.fk_specs = s.id
 WHERE s.mod_multimodal = 1;

CREATE INDEX idx_specs_multimodal ON Specs(mod_multimodal);
```

Résultat :

Coût : 8

Coût après l'optimisation : 7

IA_NAME
COMPANY
CATEGORY
MODALITY
ChatGPT OpenAI LLMs & Chat Assistants multimodal
IA_NAME
COMPANY
CATEGORY
MODALITY
OpenAI o3-mini OpenAI LLMs & Chat Assistants multimodal
IA_NAME
COMPANY
CATEGORY
MODALITY
GPT-4o OpenAI LLMs & Chat Assistants multimodal



# Optimisation par vues

6ème requête - Classement des entreprises selon le nombre d'IA

```
SELECT company,ia_count, RANK() OVER (ORDER BY ia_count DESC) AS rank_company
FROM (
    SELECT c.name AS company, COUNT(g.id) AS ia_count
    FROM Company c
    LEFT JOIN IA_Gen g ON g.fk_company = c.id GROUP BY c.name);

CREATE MATERIALIZED VIEW mv_company_rank AS
SELECT c.name AS company, COUNT(g.id) AS ia_count FROM Company c
LEFT JOIN IA_Gen g ON g.fk_company = c.id GROUP BY c.name;

SELECT company, ia_count, RANK() OVER (ORDER BY ia_count DESC) AS rank_company
FROM mv_company_rank;
```

Résultat sur la slide suivante

Coût : 6

Coût après l'optimisation : 3



# Optimisation par vues

COMPANY		
	IA_COUNT	RANK_COMPANY
OpenAI	9	1
Meta	5	2
Mistral AI	4	3
COMPANY		
	IA_COUNT	RANK_COMPANY
Hugging Face	4	3
Community	3	5
Anthropic	3	5
COMPANY		
	IA_COUNT	RANK_COMPANY
Adobe	3	5
Google	2	8
xAI	2	8
COMPANY		
	IA_COUNT	RANK_COMPANY
Canva	2	8
Amazon Web Services	2	8
Google Cloud		






# 06 - Conclusion

Remerciements & Bonus

# Bonus

```
18 @Configuration
19 @ConditionalOnProperty(name = "ssh.tunnel.enabled", havingValue = "true")
20 public class SshTunnelConfig {
21
22     private static final Logger logger = LoggerFactory.getLogger(clazz: SshTunnelConfig.class)
23
24     @Value("${ssh.tunnel.host}")
25     private String sshHost;
26
27     @Value("${ssh.tunnel.port}")
28     private int sshPort;
29
30     @Value("${ssh.tunnel.username}")
31     private String sshUsername;
32
33     @Value("${ssh.tunnel.password}")
34     private String sshPassword;
35
36     @Value("${ssh.tunnel.local-port}")
37     private int localPort;
38
39     @Value("${ssh.tunnel.remote-host}")
40     private String remoteHost;
41
42     @Value("${ssh.tunnel.remote-port}")
43     private int remotePort;
```

PROBLEMS 10 OUTPUT DEBUG CONSOLE TERMINAL PORTS SONARQUBE 6



```
11 @Configuration
12 public class DbConnection {
13     @Value("${oracle.db.url}")
14     private String dbUrl;
15
16     @Value("${oracle.db.username}")
17     private String username;
18
19     @Value("${oracle.db.password}")
20     private String passwd;
21
22     @Value("${oracle.db.driver}")
23     private String driver;
24
25     @Bean
26     @Primary
27     public DataSource dataSource(){
28         return DataSourceBuilder.create()
29             .url(dbUrl)
30             .username(username)
31             .password(passwd)
32             .driverClassName(driver)
33             .build();
34 }
```



# Demo



# Merci de nous avoir écoutés !

Liens :

<https://www.kaggle.com/datasets/wardabilal/global-generative-ai-tools-landscape-2025>

<https://github.com/MathieuAudibert/advdb>

[https://docs.google.com/document/d/14W2J3o2\\_DF9VccvgDo429PwX9op7GCDTn-Hi6Aufq  
h0/edit?tab=t.0](https://docs.google.com/document/d/14W2J3o2_DF9VccvgDo429PwX9op7GCDTn-Hi6Aufqh0/edit?tab=t.0)

BIGAND Théo, AGOSTINO Roméo & AUDIBERT Mathieu

