Global

Home

Global

changeBtn
checkBirth
checkMail
checkName
displayAlert
displayAnchor
displayMenu
getStyleCookie
highlight
readStyleCookie
reduceMargin
setStyleCookies

Methods

changeBtn(style)

Changes the attribute onClick of the drop button when the style has changed

Parameters:

Name	Type	Description
style	string	name of the current style

Source: main.js, line 56

checkBirth(field) → {boolean}

checks if the date is corrected

Parameters:

Name	Type	Description
field	string	id or class of the HTML element

Source: main.js, line 160

Returns:

Type

boolean

checkMail(field) → {boolean}

checks if the mail seems "right"

Parameters:

Name	Type	Description
field	string	id or class of the HTML element

> Source: [main.js](), [line 140]()

Returns:

Type

boolean

checkName(field) → {boolean}

checks if the name is composed only of letters

Parameters:

Name	Type	Description
field	string	id or class of the HTML element

> Source: [main.js](), [line 121]()

Returns:

Type

boolean

displayAlert(str)

displays, with the function alert, param str

Parameters:

Name	Type	Description
str	string	a sentence to display

Source: [main.js](), [line 194]()

displayAnchor(id)

displays a button when the screen has scrolled more than 120px

Parameters:

Name	Type	Description
id	string	the id of the HTML element

Source: [main.js](), [line 108]()

displayMenu(num)

displays the menu, used when someone has just clicked on the drop button

Parameters:

Name	Type	Description

Name	Type	Description
num	number	to know which style is used (1 or 2)

Source: main.js, line 69

getStyleCookie(name) → {*}

read the cookie and return its value

Parameters:

Name	Type	Description
name	string	name of the cookie we have to find

Source: main.js, line 24

Returns:

Type
        *

highlight(field, error)

Highlights the field when error or success

Parameters:

Name	Type	Description
field	string	id or class of the HTML element
error	boolean	

readStyleCookie()

looks if there is already a cookie and changes the style

reduceMargin()

Only in the second style, moves the container to reduce the page size

setStyleCookies(value, name)

changes the style and creates a cookie

Parameters:

Name	Type	Description
value	string	value of the cookie
name	string	name of the cookie

Documentation generated by JSDoc 3.4.2 on Sun Oct 23 2016 20:44:05 GMT+0200 (CEST)