

Notes on the Plastic Ratio

Aresh Pourkavoos

February 7, 2022

The plastic ratio ρ is the real solution to $\rho^3 = \rho + 1$, with an approximate value of 1.3247. Its definition puts it into the set of numbers that gives the golden ratio many of its interesting (and, to some, mystical) properties: the algebraic integers. A few quick facts:

- Contrary to first impressions, the word “plastic” in this constant’s name refers not to the material but to the idea of plasticity, or flexibility.
- It is the smallest of the PV numbers, which are the reals greater than 1 whose powers approach integers. The powers of ρ approach a sequence known as the Perrin numbers. (The golden ratio is also a PV number, and its powers approach the Lucas numbers, which are closely related to the Fibonacci numbers.)

Being an algebraic number, the plastic ratio can be used to “extend” the rational numbers to create a new field, a set of numbers that can be added, subtracted, multiplied, and divided in the same way as the rational, real, or complex numbers. Since ρ itself is included in this field, so must $b\rho$ for all rational numbers b , since the field is closed under multiplication. Likewise, it must be possible to add any rational number a to get a new element, so all numbers of the form $a + b\rho$ are also elements of this field. They are also all unique, since if there were two different choices of a and b that led to the same number, it would imply that ρ is rational. However, the field is still not complete because ρ^2 needs to be in it (multiplying ρ by itself), but it cannot be expressed as $a + b\rho$ for any rational a and b , since that would imply that ρ is the solution to a quadratic equation rather than a cubic one. Thus all numbers of the form $a + b\rho + c\rho^2$ for rational a , b , and c should be part of this field. However, the pattern stops at ρ^3 , since $\rho^3 = \rho + 1$, so it is already in the field thus far. In fact, it is always possible to add, subtract, multiply, and divide within $a + b\rho + c\rho^2$ and remain within the set.


A number of the form $a + b\rho + c\rho^2$ may be considered as an element of a 3D vector space over the rationals. Addition is performed elementwise, as is multiplication by a rational number. Multiplying two of these numbers together, though, does not correspond to any of the normal vector space operations, as it would be a product of two vectors that yields another vector. However, multiplying by an element of the plastic field is a linear transformation of the 3D vector space, so it may be represented by a transformation matrix.

$$a + b\rho + c\rho^2 \cong \begin{bmatrix} a & c & b \\ b & a+c & b+c \\ c & b & a+c \end{bmatrix} = M$$

The columns of the matrix correspond to the components of $a + b\rho + c\rho^2$ after multiplication by 1, ρ , and ρ^2 , respectively.

$$\begin{aligned}
M^{-1} &= \frac{\text{adj}(M)}{|M|} \\
\text{adj}(M) &= \begin{bmatrix} d & & \\ e & \dots & \\ f & & \end{bmatrix} \cong d + e\rho + f\rho^2 \\
d &= (a+c)^2 - b(b+c) \\
e &= c^2 - ab \\
f &= b^2 - (a+c)c \\
|M| &= ad + ce + bf \\
\frac{|M|}{a+b\rho+c\rho^2} &= d + e\rho + f\rho^2 \\
&= (a+b\rho_2+c\rho_2^2)(a+b\rho_3+c\rho_3^2) \\
&= \frac{1}{4}((2a-b\rho+c(2-\rho^2))^2 + (b-c\rho)^2(3\rho^2-4)) \\
&= K \\
a, b, c \in \mathbb{R} : K &\geq 0, \\
K = 0 &\iff a\rho^2 = b = c\rho \\
a, b, c \in \mathbb{Q} : K = 0 &\iff a = b = c = 0, \\
\text{sgn}(|M|) &= \text{sgn}(a+b\rho+c\rho^2)
\end{aligned}$$

My most recent encounter with this number came from the uniform polyhedron known as the snub icosidodecadodecahedron, or “sided” for short.



Created using [Stella](#)

Like many polyhedra related to the icosahedron, the coordinates of its vertices involve the golden ratio. What surprised to me, however, was the inclusion of the plastic ratio as well, which does not appear in any other uniform polyhedra. At a certain scale, its vertices may be written as follows, where φ is the golden ratio:

$$\begin{aligned}
&(2\alpha, 2\beta, 2\gamma), \\
&(\alpha + \beta/\varphi + \gamma\varphi, -\alpha\varphi + \beta + \gamma/\varphi, \alpha/\varphi + \beta\varphi - \gamma), \\
&(-\alpha/\varphi + \beta\varphi + \gamma, -\alpha + \beta/\varphi - \gamma\varphi, \alpha\varphi + \beta - \gamma/\varphi), \\
&(-\alpha/\varphi + \beta\varphi - \gamma, \alpha - \beta/\varphi - \gamma\varphi, \alpha\varphi + \beta + \gamma/\varphi), \\
&(\alpha + \beta/\varphi - \gamma\varphi, \alpha\varphi - \beta + \gamma/\varphi, \alpha/\varphi + \beta\varphi + \gamma),
\end{aligned}$$

where

$$\begin{aligned}\alpha &= \rho + 1, \\ \beta &= \varphi^2(\rho^2 + \rho) + \varphi, \\ \gamma &= \rho(\varphi + \rho).\end{aligned}$$

These 5 sets of coordinates form a single pentagrammic face of sided. The 3 coordinates of each vertex are rotated to create 10 new triplets, e.g. $(2\alpha, 2\beta, 2\gamma)$ yields $(2\beta, 2\gamma, 2\alpha)$ and $(2\gamma, 2\alpha, 2\beta)$. This represents a 120-degree rotation about the axis $x = y = z$, and the image above is almost looking down on such a threefold symmetry axis, running through the center of 3 pentagrams. Next, even sign changes are applied, meaning that the 4 possible ways of negating none or two of the coordinates represent vertices of sided, bringing the total from 15 to 60, the actual number of vertices. The even sign changes represent 180-degree rotations, and the twofold symmetry axes around which these rotations are performed may also be seen above, running between adjacent pentagrams.

In the plastic ratio base, the only digits are zero and one since $\rho < 2$, and all ones must have at least 4 zeros between them. This is because a pair of ones with 3 zeroes between them would be $1 + \rho^4 = \rho^5$ (times some power of ρ overall), and any closer ones would also carry over into the next power of ρ (or even the one after that). The carryover rules are as follows:

010001	0100100000	0101000	0011	00200000
100000	1000000001	1000001	1000	10000001

The integer place values are 1, 2, 3, 4, 5, 6, 8, 11, 15, 20, 25, 31, ..., where $P_n = n + 1$ for $n = 0, \dots, 4$ and $P_{n+5} = P_n + P_{n+4}$. It follows the same constraints as the real base, and in fact produces all terminating sequences that follow these constraints (with a finite number of 1s) in lexicographical order.