eVehicleSafe

Logo/Brand Guidelines

Version 1.0 - April 2025

58/18

01.

our logo

The eVehicleSafe logo has been designed to give a clean and symmetrical look, with a geometric yet soft and rounded style.

The logo comes in a range of colour options, with the primary (default) being black text, with a blue/teal gradient applied to the e and Safe, respectively.


We also supply an inverted (white) option (still using the blue/teal gradient) as well as single colour (mono) versions in both black and white.

The logo can be had in the wordmark format, or for smaller applications where the wordmark is not suitable, such as in social profile images and website icons, there is an alternate short version, where it is just the first “e”, as presented here.

The multiple colourway and logotype options offer a variety of choice to suit a range of applications, however when in doubt it is best to use the primary or secondary colour options in the full wordmark format.



Primary (Long) Logo



Secondary (Short) Logo

02.

logo usage

To ensure the logo is instantly recognisiable, it is important to ensure that it is only used appropriately.

The logo files are not supplied with the minimum space requirements pre-set, it is up to the designer or user to ensure these requirements are met themselves.

It is preferred to always use the logo on a white or light background, with black text and the teal gradient. However, you may use the other approved colourway options at anytime that suits.

Ensure you always follow the guidelines in this document for what you can and cannot do with the logo, and if in any doubt, contact the original designer as noted on the last page of this document.



Do ensure you meet the minimum size and clear space requirements (see next page)



You may use the shortform (e) logo whenever the full wordmark does not fit or is otherwise unsuitable for the application



You may change the colour of the shortform logo on rare, special occasions



You may use a mono colour logo in the event that multiple colours cannot be produced



You may use the logo on backgrounds with sufficient contrast



Don't alter the logo colours, elements or the positioning of the elements



Don't italicise or skew the logo



Don't rotate or distort the logo in anyway, ensure it remains proportionally correct at all times



Don't apply any effects like drop shadows or glows to the logo



Don't use the logo on overly busy backgrounds where it cannot be clearly identified

02.

logo usage

To ensure the logo remains legible at all times, it is important to adhere to the clear space and minimum size requirements as noted here.

Clear Space:
Always leave space around the logo to protect legibility. This is called the ‘safe area’ and it must be free of copy, graphic elements and high-contrast imagery.

The mimimum clearance space around the logo should be 50% of the height of eVehicleSafe logo.

Minimum Size:
These conditions will ensure clear reproduction and appropriate scale of the primary logo.

Please ensure the minimum height of the logo is 3mm (approx 9 pixels), as shown here. Where constrained by width requirements, it is recommend to use the shortform logo.



Min Height: 3mm/9px

03. file types

There are a number of different file types and colour outputs provided in your logo pack. On the right is a helpful summary to understand each file type and colour space.

File types for digital purposes

File types for print purposes

Vector Files

.ai

Adobe Illustrator

AI is a proprietary vector-based file format by Adobe Systems.

It is the standard source file for your logo. Some print shops will request this file when prepping a project for print.

.eps

Encapsulated Post Script

Like a PDF, an EPS can be edited with any vector graphics program. Although it's becoming outdated, some print shops with older software will still request these files so they're good to have on hand.

.pdf

Portable Document Format

Another editable vector-based file format. Its universal file format makes it extremely versatile. It's typically used for printing and easily sharing documents online.

.svg

Scalable Vector Graphic

SVGs are great for websites or apps to keep logos and icons sharp and are infinitely scalable without pixelation.

Raster (Image) Files

.jpeg

Joint Photographic Experts Group

A popular image format that is commonly used for photographs and web graphics. Its lossy compression allows for smaller file sizes than PNG, but does not support transparent backgrounds.

.png

Portable Graphics Network

Another image file format that is great for web graphics and digital displays. Supporting transparent backgrounds is a key advantage over JPEG, but file sizes are typically larger.

Colour Spaces

RGB

Red/Green/Blue

The colour space for digital displays. These files are used for the digital purposes such as web graphics or photographs. Printing RGB files can result in blurry images with inaccurate colours. Use CMYK or Pantone files for printing purposes.

CMYK

Cyan/Magenta/Yellow/Black

CMYK stands for Cyan, Magenta, Yellow, and Black. These are the four basic colours used for printing. CMYK files are for any project that will be physically printed such as business cards or brochures. They are not for screen use.

PANTONE

Spot Colours

Pantone is a standardize system for colour. Unlike CMYK, A Pantone or spot colour is a single colour created from a precise mixture of inks. Their colour accuracy is superior to CMYK, but can become costly when using more than three colours.

04.

our colours

Colour is a key factor in ensuring rapid recongition of any brand. Therefore it is important that our colour options are produced accurately and consistently. There is some flexibility, in place of a solid colour background, you may use imagery that is of a similar tone or colour, but it is important to ensure that we do not stray away from the key blue and teal colours and greyscale options as noted here.

The primary colourway is the eVS Gradient, formed from eVS Blue to eVS Teal on a 45° angle.

Supporting the gradient is eVS Black, used in the logo, eVS Grey, used in text, and eVS Light Grey, used for backgrounds.

Finally, we plain white can be used in the logo or presentation backgrounds as a supporting colour.



eVS Blue

CMYK: 67 / 36 / 0 / 0
RGB: 85 / 140 / 200
HEX: #558CC8

eVS Teal

CMYK: 67 / 0 / 36 / 0
RGB: 85 / 190 / 180
HEX: #41BEB4

eVS Black

CMYK: 0 / 0 / 0 / 100
RGB: 0 / 0 / 0
HEX: #000000

eVS Grey

CMYK: 0 / 0 / 0 / 50
RGB: 127 / 127 / 127
HEX: #7F7F7F

eVS Light Grey

CMYK: 0 / 0 / 0 / 10
RGB: 230 / 230 / 230
HEX: #E6E6E6

05.

our fonts

Our primary typeface is Nunito.

It is a clean, modern font and is available in a variety of weights, meeting the needs for creating heirachies in text.

It offers excellent readability in both digital and printed materials.

Nunito is available free for commercial use from Google Fonts and can be installed on Mac and Windows devices.

Hi, I'm Nunito

I come in ExtraLight, Light, Regular, Medium, SemiBold, **Bold, ExtraBold and Black** font weights is well as *Italic* variations of all the above.

I have rounded edges for a softer feel. I'm easy to read in print and digital formats.

Ebis exped modis ereici comnisto bla nistiore quaturiores ra nonet ipsunt quuntis viducid ucidus molut molupta volorero to cus dellati aestiun tistian duntur? Agnimporias debite ressimusdam dolorpor sitaten itibus alitatur? Istrumq uundici duciumenis ped quostrum sus quae la si omniscim alitem eri bere, int exceria tesciis conem qui aut is est enihiti umeture errore non enis doluptatia sunt.

Download Nunito >

Can't use Nunito? Our fallback font is Arial Rounded, a default typeface pre-installed on most computers and devices

thank you

58/18

For any questions, please contact:

5818 Digital
design@5818.digital