
Main Layout 11-07-2023 Ly DbSchema.com - Wise Coders





Main Layout

FD 1.1				4
Table	an	n ei	emi	nl∩
1 autc	ap		CIII	DIO

* Pk	id	INTEGER
*	nombre	VARCHAR(100)
*	email	VARCHAR(254)
Indexes		
Pk	pk app eiemplo	id

Table app_post

* Pk	id	INTEGER
*	fecha_Post	DATETIME
*	foto	VARCHAR(100)
*	titulo	TEXT
*	comentario	TEXT
* Idx	autor_id	INTEGER
Indexes		
Pk	pk_app_post	id
	app_post_autor_id_880141f0	autor_id
ъ .	17	

Fk (autor_id) ref auth_user (id)

Table auth_group

* Pk	id	INTEGER
* Unq	name	VARCHAR(150)
Indexes		
Pk	pk_auth_group	id
Unq	unq_auth_group_name	name

Table auth_group_permissions

id

* Unq	group_id	INTEGER
* Unq	permission_id	INTEGER
Indexes		
Pk	pk_auth_group_permissions	id
Unq	auth_group_permissions_group_id_permission_id_0cd325b0_uniq	group_id, permission_id
	auth_group_permissions_group_id_b120cbf9	group_id
	auth_group_permissions_permission_id_84c5c92e	permission_id
Foreign I	Zevs .	

INTEGER

* Pk

Fk ($group_id$) ref $auth_group$ (id)

Fk (permission_id) ref auth_permission (id)

Table auth_permission

* Pk	id	INTEGER
* Unq	content_type_id	INTEGER
* Unq	codename	VARCHAR(100)
*	name	VARCHAR(255)
Indexes		
Pk	pk_auth_permission	id

Unq	auth_permission_content_type_id_codename_01ab375a_uniq	content_type_id, codename
	auth_permission_content_type_id_2f476e4b	content_type_id
Foreign	Keys	
	Fk (content_type_id) ref django_content_type (id)	
Table a	auth_user	
* Pk	id	INTEGER
*	password	VARCHAR(128)
	last_login	DATETIME
*	is_superuser	BOOLEAN
* Unq	username	VARCHAR(150)
*	last_name	VARCHAR(150)
*	email	VARCHAR(254)
*	is_staff	BOOLEAN
*	is_active	BOOLEAN
*	date_joined	DATETIME
*	first_name	VARCHAR(150)
Indexes		
Pk	pk_auth_user	id
Unq	unq_auth_user_username	username
Table a	auth_user_groups	
* Pk	id	INTEGER
* Unq	user_id	INTEGER
* Unq	group_id	INTEGER
Indexes		
Pk	pk_auth_user_groups	id
Unq	auth_user_groups_user_id_group_id_94350c0c_uniq	user_id, group_id
	auth_user_groups_user_id_6a12ed8b	user_id
	auth_user_groups_group_id_97559544	group_id
Foreign	Keys	
	Fk (user_id) ref auth_user (id)	
	Fk (group_id) ref auth_group (id)	
Table a	auth_user_user_permissions	
* Pk	id	INTEGER
* Unq	user_id	INTEGER
* Unq	permission_id	INTEGER
Indexes		

· FK	iu	INTEGER
* Unq	user_id	INTEGER
* Unq	permission_id	INTEGER
Indexes		
Pk	pk_auth_user_user_permissions	id
Unq	auth_user_user_permissions_user_id_permission_id_14a6b632_uni q	user_id, permission_id
	auth_user_user_permissions_user_id_a95ead1b	user_id
	auth_user_user_permissions_permission_id_1fbb5f2c	permission_id
Foreign K	Kevs	

Fk (user_id) ref auth_user (id)

Fk (permission_id) ref auth_permission (id)

	django_admin_log	
* Pk	id	INTEGER
	object_id	TEXT
*	object_repr	VARCHAR(200)
*	action_flag	SMALLINT
*	change_message	TEXT
Idx	content_type_id	INTEGER
* Idx	user_id	INTEGER
*	action_time	DATETIME
Indexes		
Pk	pk_django_admin_log	id
	django_admin_log_content_type_id_c4bce8eb	content_type_id
	django_admin_log_user_id_c564eba6	user_id
Foreign	Keys	
	Fk (content_type_id) ref django_content_type (id)	
	Fk (user_id) ref auth_user (id)	
Constrai	nts	
	Cns_django_admin_log_action_flag	"action_flag" >= 0
Table of	django_content_type	
* Pk	id	INTEGER
* Unq	app_label	VARCHAR(100)
* Unq	model	VARCHAR(100)
Indexes		
Pk	pk_django_content_type	id
Unq	django_content_type_app_label_model_76bd3d3b_uniq	app_label, model
Table of	django_migrations	
* Pk	id	INTEGER
*	арр	VARCHAR(255)
*	name	VARCHAR(255)
*	applied	DATETIME
Indexes		
Pk	pk_django_migrations	id
Table (django_session	
* Pk	session_key	VARCHAR(40)
*	session_data	TEXT
	<u>-</u>	
	expire date	DATETIME
* Idx	expire_date	DATETIME
* Idx Indexes Pk	expire_date pk_django_session	DATETIME session_key

expire_date

django_session_expire_date_a5c62663