1

Assignment 2

Matish Singh Tanwar AI20MTECH11005

Abstract—This document finds the equation of a plane which is at a distance of 7 units from origin and normal to $\begin{pmatrix} 3 \\ 5 \\ 6 \end{pmatrix}$

Substituting equation (1),(6) in (2) we get,

$$(7)$$

Equation 7 gives us the equation of plane which is at a distance of 7 units from origin and normal to $\begin{pmatrix} 3 \\ 5 \\ -6 \end{pmatrix}$

Download all python codes from

https://github.com/Matish007/Matrix-Theory-EE5609-/tree/master/Assignment_2/codes

and latex-tikz codes from

https://github.com/Matish007/Matrix-Theory-EE5609-/tree/master/Assignment 2

1 Problem

Find the equation of a plane which is at a distance of 7 units from origin and normal to $\begin{pmatrix} 3 \\ 5 \\ -6 \end{pmatrix}$

$$\mathbf{n} = \begin{pmatrix} 3 \\ 5 \\ -6 \end{pmatrix} \tag{1}$$

2 EXPLANATION

Let the equation of plane be:-

$$\mathbf{n}^T \mathbf{x} = c \tag{2}$$

where **n**=normal vector to the plane The distance from the origin is given by:-

$$\frac{c}{\|\mathbf{n}\|} = 7 \tag{3}$$

$$||\mathbf{n}|| = \sqrt{3^2 + 5^2 + (-6)^2} = \sqrt{70}$$
 (4)

Substituting equation (4) in (3) we get,

$$\frac{c}{\sqrt{70}} = 7\tag{5}$$

$$c = 7\sqrt{70} \tag{6}$$




Fig. 1: Plane with Normal vector