Assignment 13

Matish Singh Tanwar

***Abstract*—This document solves a problem of Linear Algebra.**

Download all latex-tikz codes from

https://github.com/Matish007/Matrix−Theory−EE5609−/tree/master/Assignment_13

1 Problem

Let $\mathbf{A}$ be a $m \times n$ matrix and $\mathbf{B}$ be a $n \times m$ matrix over real numbers,with

$$m < n \tag{1.0.1}$$

Then,

1) $\mathbf{AB}$ is always nonsingular
2) $\mathbf{AB}$ is always singular
3) $\mathbf{BA}$ is always nonsingular
4) $\mathbf{BA}$ is always singular

2 SOLUTION

$$rank(\mathbf{A}) \leq \min(m, n) \tag{2.0.1}$$
$$\implies \leq m, \because m < n \tag{2.0.2}$$
$$rank(\mathbf{B}) \leq \min(n, m) \tag{2.0.3}$$
$$\implies \leq m, \because m < n \tag{2.0.4}$$

We also know that $\mathbf{AB}$ will be a $m \times m$ matrix and $\mathbf{BA}$ will be a $n \times n$ matrix.

$$rank(\mathbf{AB}) \leq \min(rank(\mathbf{A}), rank(\mathbf{B})) \tag{2.0.5}$$
$$\implies \leq m \tag{2.0.6}$$
$$rank(\mathbf{BA}) \leq \min(rank(\mathbf{B}), rank(\mathbf{A})) \tag{2.0.7}$$
$$\implies \leq m \tag{2.0.8}$$

Options	Explanation
AB is always nonsingular	$rank(\mathbf{AB}) \leq m$ Let,$rank(\mathbf{AB}) = k$,$k < m$. So,there are $m - k$ linearly dependent columns. So,det $(\mathbf{AB})$=0.**AB** will be singular Hence,incorrect
AB is always singular	$rank(\mathbf{AB}) \leq m$ Let,$rank(\mathbf{AB}) = m$ So,there are 0 linearly dependent columns. So,det $(\mathbf{AB}) \neq 0$.**AB** will be nonsingular Hence,incorrect
BA is always nonsingular	$rank(\mathbf{BA}) \leq m$.$rank(\mathbf{BA})$ can be atmost m **BA** is $n \times n$ matrix.$n > m$. So,there are atleast $n - m$ linearly dependent columns. So,det $(\mathbf{BA})$=0.**BA** will be singular always. Hence,incorrect
BA is always singular	$rank(\mathbf{BA}) \leq m$.$rank(\mathbf{BA})$ can be atmost m **BA** is $n \times n$ matrix.$n > m$. So,there are atleast $n - m$ linearly dependent columns. So,det $(\mathbf{BA})$=0.**BA** will be singular always. Hence,correct

TABLE 1: Finding Correct Option