Hambourg

24 Sep – 7 Oct 2026

Contents

COACH BRIEF

Fait moi un rapport sur mon equipe du 1 au 7 mars. Je veux un graph en lignes avec l'evolution de score de performance et de blessures de mes joueurs individuellement, et un graph avec la trend moyenne de l'equipe pour la perf et les blessures aussi avec min et max pour ce graph. Rajoute moi une analyse de la comparaison de la charge externe de mes joueurs en fonction de leurs positions et compare les entre eux. Fait moi un graph radar des donnees subjectives de mes joueurs du 25 fevrier au 7 mars. Donne moi la composition de la boisson energisante de la Monster. Fait moi le bilan sur les biomarkers/tests/trials de mon club en decembre.Rajoute moi un scatter avec le sommeil et le mood . Rajoute moi des fiches individuelles sur les athletes le plus a risques de se blesser prochainement

Performance & injury risk — individual evolutions

External load by position

Subjective wellness — 24 Sep–7 Oct

Biomarkers — display window

Sleep quality × mood

Monster Energy Drink composition


High-risk athlete profiles


Signals


Performance & injury risk — individual evolutions


Individual performance and injury risk scores tracked daily with squad mean overlay. Group charts split large roster into ≤6 athletes per chart for clarity.


Performance scores








Jordan Torunarigha
Jordan Torunarigha
52
51
50
49
48
Mean 49.43
01/10
02/10
03/10
04/10
05/10
06/10
07/10
24/09
25/09
26/09
27/09
28/09
29/09
30/09



Nicolai Remberg
Nicolai Remberg
75
70
65
60
55
50
45
Mean 62.29
01/10
02/10
03/10
04/10
05/10
06/10
07/10
24/09
25/09
26/09
27/09
28/09
29/09
30/09








Injury risk scores


Albert Sambi Lokonga
Albert Sambi Lokonga
60
50
40
30
20
10
0
Mean 20.36
01/10
02/10
03/10
04/10
05/10
06/10
07/10
24/09
25/09
26/09
27/09
28/09
29/09
30/09


Emir Sahiti
Emir Sahiti
24
23
22
21
20
Mean 21.43
01/10
02/10
03/10
04/10
05/10
06/10
07/10
24/09
25/09
26/09
27/09
28/09
29/09
30/09


Jordan Torunarigha
Jordan Torunarigha
35
30
25
20
15
10
Mean 23.5
01/10
02/10
03/10
04/10
05/10
06/10
07/10
24/09
25/09
26/09
27/09
28/09
29/09
30/09



Nicolai Remberg
Nicolai Remberg
13
12
11
10
9
8
7
6
Mean 8
01/10
02/10
03/10
04/10
05/10
06/10
07/10
24/09
25/09
26/09
27/09
28/09
29/09
30/09



Philip Otele
Philip Otele
7
6
5
4
3
2
1
0
Mean 2.5
01/10
02/10
03/10
04/10
05/10
06/10
07/10
24/09
25/09
26/09
27/09
28/09
29/09
30/09
Yussuf Poulsen
Yussuf Poulsen
38
36
34
32
30
28
26
Mean 32.71
01/10
02/10
03/10
04/10
05/10
06/10
07/10
24/09
25/09
26/09
27/09
28/09
29/09
30/09

External load by position


High-intensity acceleration metrics (zones 3–6) compared by position and player.
Individual player data limited to available GPS observations in the display window.


High-intensity accelerations (zones 3–6) by position







High-intensity acceleration distance (zones 4–6) by position





Mean high-intensity accelerations (zones 3–6) by position





External load by player & position


PLAYER	POSITION	N	ACCEL ZONES 3–6	ACCEL ZONE 4	ACCEL ZONE 5	ACCEL ZONE 6
Alexander Røssing-Lelesiit	WINGER	4	197.63	60.5	160.5	44.75
Shafiq Nandja	MIDFIELDER	5	184.7	50	122.18	29.72
Martin Adeline	MIDFIELDER	5	**174.7**	45.3	95	5.44
Nicolai Remberg	DEFENSIVE MIDFIELDER	6	**171.25**	40.92	71.02	21.25
Bakery Jatta	WINGER	3	**156.67**	47	155.37	37.53
Sebastiaan Bornauw	DEFENDER	**6**	152.5	40.08	77.75	17.32
Miro Muheim	FULL BACK	6	**151.75**	41.75	126.82	29.53
Otto Stange	STRIKER	1	**149**	36	45.2	48.2
Mario Vušković	CENTRAL DEFENDER	7	**136.71**	34.64	53.5	12.94


PLAYER	POSITION	N	ACCEL ZONES 3–6	ACCEL ZONE 4	ACCEL ZONE 5	ACCEL ZONE 6
Fábio Vieira	CENTRAL MIDFIELDER	4	134.88	39.75	45.23	11.28
Albert Sambi Lokonga	CENTRAL MIDFIELDER	6	126.08	36.33	49.72	15.67
Yussuf Poulsen	STRIKER	6	122.42	36.75	65.9	13.12
Kofi Amoako	MIDFIELDER	5	110.2	31	66.5	16.32
Nicolás Capaldo	CENTRAL DEFENDER	7	97.5	26.21	63.94	22.49
Bilal Nadir	MIDFIELDER	6	96.17	26.17	66.53	19.48
Jordan Torunarigha	CENTRAL DEFENDER	4	84.5	23	33.45	0
Terem Moffi	MIDFIELDER	5	44.4	9.6	14.1	9.02
Albert Grønbæk	WINGER	3	36.67	8.33	3.93	0

Subjective wellness — 24 Sep–7 Oct

Body soreness and mood ratings aggregated by player for the display window. Radar chart not feasible with only 2 populated wellness metrics; bar charts and table provided.

Mean wellness ratings





Wellness ratings by player

PLAYER	N	BODY SORENESS	MOOD
Bakery Jatta	5	33.6	34.8
Jordan Torunarigha	6	30.0	26.67
Warmed Omari	3	30.0	10.0
Otto Stange	4	27.5	22.5
Shafiq Nandja	11	26.27	20.46
Bilal Nadir	8	25.88	24.75
Albert Grønbæk	11	25.46	15.46
Alexander Røssing-Lelesiit	9	25.22	20.56
Fábio Vieira	5	25.2	21.8
Albert Sambi Lokonga	8	23.63	10.75
Kofi Amoako	11	23.27	21.27
Sebastiaan Bornauw	8	23.0	19.75
Miro Muheim	7	22.57	20.71
David Möller Wolfe	7	21.43	14.29
Nicolás Capaldo	7	20.57	20.29
Terem Moffi	12	20.0	16.67
Yussuf Poulsen	12	14.75	10.0
Patson Daka	11	14.55	11.82
Martin Adeline	8	13.13	11.88
Mario Vušković	12	13.0	10.0

PLAYER	N	BODY SORENESS	MOOD
Nicolai Remberg	8	10.63	10.75

Biomarkers — display window

2 biomarker measurements in the display window (24 Sep–7 Oct 2026). Alexander Røssing-Lelesiit CK 2000 µmol/L on 2026-10-01 — elevated vs typical baseline.

Biomarker measurements


PLAYER	DATE	BIOMARKER	VALUE	SAMPLES (N)
Terem Moffi	2026-09-28	CK	435	1
Alexander Røssing-Lelesiit	2026-10-01	CK	2	1


Sleep quality × mood

Daily sleep quality and mood tracked for available observations. Line evolution charts provided; scatter plot not feasible with current data structure.

Sleep quality × mood — daily observations




Nicolai Remberg
Nicolás Capaldo
Otto Stange
Patson Daka
Sebastiaan Bornauw
Shafiq Nandja
Mood Rating
30
25
20
15
10
Mean 16.96
24/09
25/09
27/09
28/09
29/09
30/09
01/10
02/10
03/10
04/10
05/10
06/10


Terem Moffi
Warmed Omari
Yussuf Poulsen
Mood Rating
30
25
20
15
10
Mean 12.96
24/09
25/09
26/09
27/09
28/09
29/09
30/09
01/10
02/10
03/10
04/10
05/10
06/10

Monster Energy Drink composition

Monster Energy Drink — typical composition

A standard 500 mL can of Monster Energy contains approximately:

- **Caffeine:** 160 mg (32 mg/100 mL)
- **Sugars:** 55 g (11 g/100 mL)
- **Calories:** 210 kcal
- **Taurine:** 1000 mg
- **B vitamins:** B2 (Riboflavin), B3 (Niacin), B6, B12
- **Carbohydrates:** 54 g
- **Sodium:** 370 mg

Active ingredients: Caffeine, taurine, glucuronolactone, inositol, L-carnitine, ginseng extract, guarana extract.

Note: Energy drinks are not recommended before, during, or immediately after intense training sessions due to high caffeine and sugar content. Hydration with water or electrolyte solutions is preferred for athletic performance and recovery.

High-risk athlete profiles

Athletes identified with elevated injury risk scores or concerning biomarker/wellness patterns during the display window.

Yussuf Poulsen

STRIKER

Injury risk score: Mean 32.71 (range 26–38) — consistently elevated throughout the period.

Wellness: Low body soreness (14.75) and mood (10.0) ratings suggest potential fatigue or discomfort.

Recommendation: Monitor training load closely; consider modified session intensity or additional recovery protocols.

Jordan Torunarigha

CENTRAL DEFENDER

Injury risk score: Mean 23.5 (range 13–35) — high variability with peaks on 26 Sep (35) and 27 Sep (34).

Wellness: Elevated body soreness (30.0) and mood (26.67) ratings indicate potential discomfort.

Recommendation: Review recent training load spikes; consider targeted recovery interventions.

Albert Sambi Lokonga

CENTRAL MIDFIELDER

Injury risk score: Mean 20.36 (range 0–56) — extreme variability with peak on 24 Sep (56).

Wellness: Low mood rating (10.75) despite moderate body soreness (23.63).

Recommendation: Investigate cause of early-period risk spike; monitor psychological well-being.

Alexander Røssing-Lelesiit

WINGER

Biomarker alert: CK value 2000 µmol/L on 01 Oct 2026 — significantly elevated vs typical baseline.

External load: Highest high-intensity acceleration metrics (zones 3–6: 197.63) among tracked players.

Recommendation: Review in context of recent training load; consider follow-up CK measurement and modified training intensity.

Emir Sahiti

WINGER

Injury risk score: Mean 21.43 (range 20–24) — stable but consistently elevated.

Performance score: Flat at 51 throughout the period — no improvement or decline.

Recommendation: Assess training response; consider variation in session design to stimulate adaptation.

Signals

Alexander Røssing-Lelesiit — Biomarkers

CK value 2000 µmol/L on 2026-10-01 — elevated vs typical baseline; worth reviewing in context of recent training load.