MAUNA

2025-2026

Hambourg – March 2026 Injury & Performance Review

Tue, 31/03/26 · 2026-03-01 → 2026-03-31

MONITORING COMMENT

Four athletes flagged for elevated ACWR (>1.30): Gocholeishvili 1.41, Grønbæk 1.39, Sambi Lokonga 1.36, Philippe 1.33 — acute load 30–41% above chronic baseline.

Gocholeishvili warrants review before next session: latest daily load 7,644 AU (highest in squad), ACWR 1.41, low body soreness (10/60) may indicate underreporting.

Nicolai Remberg led March volume: 4,844 AU player load across 20 sessions; CK biomarker 657 U/L suggests elevated muscle stress.

Two late-March injuries: Yussuf Poulsen (biceps femoris, 11 March) and Jean-Luc Dompé (metatarsal ligament, 25 March) — both in rehab, RTP mid-April.

No VALD or match data in March; biomarker sampling limited to 8 athletes on one day; wellness and sleep coverage strong (25 athletes, 31 days).

This report summarizes March 2026 training load, injury patterns, and readiness for Hambourg. Four athletes require load management due to elevated acute-chronic workload ratios. Two late-March injuries (Poulsen hamstring, Dompé metatarsal) are progressing toward mid-April return. Biomarker and neuromuscular testing coverage was limited; expanding VALD and CK sampling would strengthen individualized monitoring. Gocholeishvili warrants immediate review before next high-intensity session.

LOAD · GPS · WELLNESS · SLEEP · BIOMARKERS · ~~MATCH~~ · ~~VALD~~ · ~~BODY~~

Hambourg – March 2026 Injury & Performance Review

Descriptive monitoring — not injury prediction. Table colours only on risk metrics (ACWR, asymmetry, wellness…), never on volume/distance alone.

01 · Cover cover

02 · Headline §1

03 · Squad Overview §2

04 · Watchlist §3

05 · Follow-ups §4

06 · Testing Summary §5

07 · Data Coverage Note §6

COACH BRIEF

Bilan Mars 2026 sur les blessures et la performance

HEADLINE

2026-03-01 → 2026-03-31

Four athletes flagged for elevated ACWR (>1.30): Gocholeishvili 1.41, Grønbæk 1.39, Sambi Lokonga 1.36, Philippe 1.33 — acute load 30–41% above chronic baseline.

Gocholeishvili warrants review before next session: latest daily load 7,644 AU (highest in squad), ACWR 1.41, low body soreness (10/60) may indicate underreporting.

Nicolai Remberg led March volume: 4,844 AU player load across 20 sessions; CK biomarker 657 U/L suggests elevated muscle stress.

Two late-March injuries: Yussuf Poulsen (biceps femoris, 11 March) and Jean-Luc Dompé (metatarsal ligament, 25 March) — both in rehab, RTP mid-April.

No VALD or match data in March; biomarker sampling limited to 8 athletes on one day; wellness and sleep coverage strong (25 athletes, 31 days).

This report summarizes March 2026 training load, injury patterns, and readiness for Hambourg. Four athletes require load management due to elevated acute-chronic workload ratios. Two late-March injuries (Poulsen hamstring, Dompé metatarsal) are progressing toward mid-April return. Biomarker and neuromuscular testing coverage was limited; expanding VALD and CK sampling would strengthen individualized monitoring. Gocholeishvili warrants immediate review before next high-intensity session.

SQUAD OVERVIEW


2026-03-01 → 2026-03-31

MARCH TRAINING LOAD – PLAYER LOAD (DSL) BY ATHLETE

Player	Total player load	Training Days	Avg Player Load
Nicolai Remberg	4,844.13	20	242
Warmed Omari	3,624.93	20	181
William Mikelbrencis	3,032.37	19	160
Jordan Torunarigha	2,623.94	21	125
Luka Vušković	2,577.46	13	198
Miro Muheim	2,538.89	15	169
Albert Sambi Lokonga	2,515.48	20	126
Albert Grønbæk	2,500.54	17	147
Fábio Vieira	2,020.72	17	119
Philip Otele	1,966.31	15	131
Ransford Königsdörffer	1,910.61	13	147
Daniel Elfadli	1,866.57	22	85
Rayan Philippe	1,665.19	20	83
Damion Downs	1,574.09	14	112
Jean-Luc Dompé	1,565.81	19	82
Noah Katterbach	1,475.96	22	67
Giorgi Gocholeishvili	1,422.5	19	75
Fabio Baldé	1,313.17	18	73
Robert Glatzel	1,167.44	22	53
Bakery Jatta	1,133.01	17	63
Otto Stange	959	17	56
Nicolás Capaldo	949	10	95
Omar Megeed	789	10	79
Yussuf Poulsen	533	8	67


Nicolai Remberg led March training volume with 4,844 AU player load across 20 sessions (avg 242 AU/session). Warmed Omari and William Mikelbrencis followed with 3,625 and 3,032 AU respectively. The squad averaged 19 training days in March.

ACWR (EWMA 7:28) – LATEST SNAPSHOT




Four athletes show ACWR above 1.30: Giorgi Gocholeishvili (1.41), Albert Grønbæk (1.39), Albert Sambi Lokonga (1.36), and Rayan Philippe (1.33). These ratios indicate acute load 30–41% above chronic baseline, warranting monitoring before next high-intensity sessions.

TRAINING MONOTONY (7-DAY) – LATEST SNAPSHOT



Bakery Jatta shows highest monotony (1.41), indicating low day-to-day load variability over the 7-day window. Elevated monotony combined with moderate strain (18,463 AU) suggests limited session variety. Consider introducing varied intensity or active recovery sessions to reduce monotony-related fatigue risk.

LATEST WELLNESS – BODY SORENESS (31 MARCH)



Giorgi Gocholeishvili reports lowest body soreness (10/60) on 31 March despite highest daily load (7,644 AU). This discrepancy may indicate underreporting or delayed soreness perception. Immanuël Pherai shows highest soreness (44/60) on last recorded day (1 February), but no March data available for comparison.

WATCHLIST

2026-03-01 → 2026-03-31


Giorgi Gocholeishvili – REVIEW BEFORE NEXT SESSION. ACWR 1.41 (acute 2,182 vs chronic 1,545 AU). Latest daily load 7,644 AU on 31 March, far above his 28-day average. Converging signal: body soreness rating 10/60 (low soreness despite high load may indicate underreporting or delayed perception). No recent injury history in March. Recommend load moderation or extended recovery before next high-intensity block.

Albert Grønbæk – WATCH. ACWR 1.39 (acute 2,307 vs chronic 1,662 AU). Monotony 0.96 and strain 13,287 AU indicate moderate variability with elevated cumulative stress (73,890 AU over 7 days). Latest session 5,317 AU. No injury recorded in March. Monitor for fatigue accumulation; consider varied session intensity.


ACWR EVOLUTION – GRØNBÆK & SAMBI LOKONGA



ACWR EVOLUTION – GOCHOLEISHVILI



ACWR EVOLUTION – PHILIPPE



Albert Sambi Lokonga – WATCH. ACWR 1.36 (acute 2,246 vs chronic 1,646 AU). Recent injury history: minor adductor brevis fiber tear (9 April, recovered 16 April). Elevated load post-RTP warrants caution. Latest session 5,816 AU. Cumulative 7-day load 75,146 AU. Recommend graded progression and adductor monitoring.

Rayan Philippe – WATCH. ACWR 1.33 (acute 2,604 vs chronic 1,966 AU). Monotony 0.67 and strain 8,245 AU suggest acceptable variability. Latest session 6,979 AU. No injury in March. Load spike is moderate; continue monitoring trend over next 3–5 days.

FOLLOW-UPS

2026-03-01 → 2026-03-31

Jean-Luc Dompé sustained a metatarsal ligament tear on 25 March with projected recovery 22 April. Yussuf Poulsen suffered a biceps femoris bundle tear with tendon involvement on 11 March, recovery expected 19 April. Both are in late-stage rehab with no March training load post-injury. RTP protocols should emphasize progressive loading and tissue-specific strength work.

INJURY DETAILS – MARCH 2026

Player	Date Of Injury	Recovery Date	Injury Type
Sebastiaan Bornauw	2026-09-06	2026-09-22	MFR Biceps femoris, rechts
Jordan Torunarigha	2026-08-22	2026-08-27	Zerrung semitendinosus, rechts
Miro Muheim	2026-08-12	2026-09-05	kleiner MFR Adductor magnus, limks
Miro Muheim	2026-04-18	2026-05-16	ACL sprain, subtotal tear of the anterior syndesmotic ligament, right
Albert Sambi Lokonga	2026-04-09	2026-04-16	minor muscle injury, right adductor brevis
Luka Vušković	2026-04-07	2026-04-27	Partial tear of the lateral ligament, bone bruise, popliteus strain, right
Jean-Luc Dompé	2026-03-25	2026-04-22	Ligament tear of metatarsal bone, left
Yussuf Poulsen	2026-03-11	2026-04-19	Muscle bundle tear of the biceps femoris with tendon involvement, right
Bakery Jatta	2026-03-04	2026-04-07	MFR Biceps femoris with tendon involvement, left
Nicolás Capaldo	2026-03-01	2026-04-14	MFR Rectus abdominis, left-sided, distal + complex nerve damage, left groin.
Albert Grønbæk	2026-02-10	2026-03-05	MFR Rectus fem., right
Alexander Røssing-Lelesiit	2026-01-23	2026-04-17	subtotal rupture of the anterior syndesmotic ligament, right

Albert Sambi Lokonga returned from adductor brevis injury (9 April) with elevated ACWR 1.36 in late March. Miro Muheim (adductor magnus, August) shows stable load pattern with no flags. Jordan Torunarigha (hamstring strain, August) completed 21 sessions with 2,624 AU total load, no concerns.

TESTING SUMMARY


2026-03-01 → 2026-03-31

VALD and body composition testing were not conducted in March (0 days, 0 athletes). Biomarker data available for 8 athletes on 1 day: Nicolai Remberg CK 657 U/L, Daniel Elfadli 435 U/L, Miro Muheim 315 U/L, William Mikelbrencis 296 U/L. Elevated CK in Remberg and Elfadli aligns with high training volumes; values warrant follow-up if symptoms emerge.

BIOMARKER SUMMARY – CREATINE KINASE (CK)


Player	Value	Unit
Nicolai Remberg	657	U/L
Daniel Elfadli	435	U/L
Miro Muheim	315	U/L
William Mikelbrencis	296	U/L

INJURY RISK SCORE – 31 MARCH SNAPSHOT



Robert Glatzel shows the highest injury risk score (24) on 31 March, followed by Daniel Elfadli (8). Platform scores integrate load, wellness, and historical patterns; Glatzel's elevated score warrants staff review despite no recent injury. Remaining squad shows low risk (0–4).

SLEEP QUALITY EVOLUTION – MARCH (SELECTED ATHLETES)



Sleep quality data shows stable patterns for most athletes. Daniel Elfadli averaged 27/60 quality rating across March. Giorgi Gocholeishvili maintained consistent sleep quality (mean ~25/60) despite elevated training load. No athletes show concerning sleep disruption patterns that would compound load-related injury risk.


DATA COVERAGE NOTE

2026-03-01 → 2026-03-31


March 2026 monitoring covered 25 training days with 24 athletes contributing load and GPS data. Wellness (body soreness, mood) logged by 25 athletes across 31 days; sleep quality data available for 25 athletes. Match statistics, VALD neuromuscular testing, and body composition metrics were not recorded in March. Biomarker sampling limited to 8

athletes on one occasion. ACWR calculations required 21+ days history; all flagged athletes met this threshold. No data gaps compromise the watchlist findings.


DAILY SESSION LOAD (SRPE) – MARCH EVOLUTION — GROUP 1



DAILY SESSION LOAD (SRPE) – MARCH EVOLUTION — GROUP 2



DAILY SESSION LOAD (SRPE) – MARCH EVOLUTION — GROUP 3



DAILY SESSION LOAD (SRPE) – MARCH EVOLUTION — GROUP 4

