MAUNA

2025-2026

HAMBOURG – PERFORMANCE, WELLNESS & BIOMARKERS OVERVIEW (1–14 MARCH 2026)

Club report — MAUNA data only

Tue, 31/03/26 · 2026-03-01 → 2026-03-31

01 Three posterior-chain/core injuries occurred 1–11 March: Nicolás Capaldo (rectus abdominis + groin nerve, 1 March), Bakery Jatta (biceps femoris, 4 March), Yussuf Poulsen (biceps femoris bundle tear, 11 March). Albert Grønbæk returned to play 5 March.

02 Bakery Jatta showed converging signals before injury: injury-risk score 67 on 1 March, elevated soreness (38–40 range), and top-3 HSR volume. This demonstrates predictive value when combining domains.

03 Biomarker testing 10 March revealed elevated CK in Nicolai Remberg (424 U/L), Philip Otele (348), Albert Sambi Lokonga (322), William Mikelbrencis (296), Miro Muheim (295). All five also logged high GPS volumes; monitor for wellness dips.

04 Team performance score averaged 48.6 across 14 days, with post-match dips 2 March (42.7) and 5 March (40.1). Injury-risk flags peaked 1 March (3 athletes ≥40), declining to 1 athlete by 6 March.

05 Wellness compliance strong (289 entries, 25 athletes, 83%). Sleep quality lowest in Luka Vušković (11.4), Albert Grønbæk (13.7), Giorgi Gocholeishvili (13.9). Soreness highest in Jatta (38.5), Königsdörffer (35.8), Downs (35.1).

06 GPS data captured 24 athletes, 320 sessions. Highest total distance: Nicolai Remberg (69.5 km), Luka Vušković (60.3 km), Miro Muheim (58.6 km). HSR leaders: William Mikelbrencis (4.3 km), Muheim (4.0 km), Remberg (4.0 km).

LOAD GPS WELLNESS SLEEP BIOMARKERS

Hambourg – Performance, Wellness & Biomarkers Overview (1–14 March 2026)

01 · Cover cover

02 · Staff read brief

03 · Executive Summary §1

04 · Injury Overview §2

05 · Performance & Injury-Risk Scores §3

06 · Wellness & Sleep §4

07 · Biomarkers (CK – 10 March) §5

08 · GPS & Match Activity §6

09 · Match Activity Summary §7

10 · Cross-Domain Flags §8

11 · Bakery Jatta §9

12 · Yussuf Poulsen §10

13 · Nicolás Capaldo §11

14 · Watch List – Elevated CK + Wellness §12

15 · Cross-Domain Correlation Analysis §13

16 · Recommendations §14

STAFF READ

2026-03-01 → 2026-03-31

Three muscle injuries in first 11 days (Capaldo, Jatta, Poulsen); converging injury-risk and wellness flags identified Jatta pre-injury; elevated CK in Remberg, Otele, Lokonga warrant monitoring.

NARRATIVE THREAD

- Three posterior-chain/core injuries occurred 1–11 March: Nicolás Capaldo (rectus abdominis + groin nerve, 1 March), Bakery Jatta (biceps femoris, 4 March), Yussuf Poulsen (biceps femoris bundle tear, 11 March). Albert Grønbæk returned to play 5 March.
- Bakery Jatta showed converging signals before injury: injury-risk score 67 on 1 March, elevated soreness (38–40 range), and top-3 HSR volume. This demonstrates predictive value when combining domains.
- Biomarker testing 10 March revealed elevated CK in Nicolai Remberg (424 U/L), Philip Otele (348), Albert Sambi Lokonga (322), William Mikelbrencis (296), Miro Muheim (295). All five also logged high GPS volumes; monitor for wellness dips.
- Team performance score averaged 48.6 across 14 days, with post-match dips 2 March (42.7) and 5 March (40.1). Injury-risk flags peaked 1 March (3 athletes ≥40), declining to 1 athlete by 6 March.
- Wellness compliance strong (289 entries, 25 athletes, 83%). Sleep quality lowest in Luka Vušković (11.4), Albert Grønbæk (13.7), Giorgi Gocholeishvili (13.9). Soreness highest in Jatta (38.5), Königsdörffer (35.8), Downs (35.1).
- GPS data captured 24 athletes, 320 sessions. Highest total distance: Nicolai Remberg (69.5 km), Luka Vušković (60.3 km), Miro Muheim (58.6 km). HSR leaders: William Mikelbrencis (4.3 km), Muheim (4.0 km), Remberg (4.0 km).

SIGNALS

INFO Three posterior-chain/core injuries occurred 1–11 March: Nicolás Capaldo (rectus abdominis + groin nerve, 1 March), Bakery Jatta (biceps femoris, 4 March), Yussuf Poulsen (biceps femoris bundle tear, 11 March). Albert Grønbæk returned to play 5 March.

INFO Bakery Jatta showed converging signals before injury: injury-risk score 67 on 1 March, elevated soreness (38–40 range), and top-3 HSR volume. This demonstrates predictive value when combining domains.

INFO Biomarker testing 10 March revealed elevated CK in Nicolai Remberg (424 U/L), Philip Otele (348), Albert Sambi Lokonga (322), William Mikelbrencis (296), Miro Muheim (295). All five also logged high GPS volumes; monitor for wellness dips.

INFO Team performance score averaged 48.6 across 14 days, with post-match dips 2 March (42.7) and 5 March (40.1). Injury-risk flags peaked 1 March (3 athletes ≥40), declining to 1 athlete by 6 March.

INFO Wellness compliance strong (289 entries, 25 athletes, 83%). Sleep quality lowest in Luka Vušković (11.4), Albert Grønbæk (13.7), Giorgi Gocholeishvili (13.9). Soreness highest in Jatta (38.5), Königsdörffer (35.8), Downs (35.1).

INFO GPS data captured 24 athletes, 320 sessions. Highest total distance: Nicolai Remberg (69.5 km), Luka Vušković (60.3 km), Miro Muheim (58.6 km). HSR leaders: William Mikelbrencis (4.3 km), Muheim (4.0 km), Remberg (4.0 km).

CANVAS SECTIONS

- Team Overview — TEAM
- Cross-Domain Flags — TEAM
- Individual Profiles — TEAM

EXECUTIVE SUMMARY

2026-03-01 → 2026-03-31

Period: 1–14 March 2026. Three new injuries recorded (Nicolás Capaldo, Bakery Jatta, Yussuf Poulsen); Albert Grønbæk returned to play 5 March. Team performance score averaged 48.6 across 14 days; injury-risk flags peaked 1 March (3 athletes ≥40). Biomarker testing (CK) conducted 10 March on 8 players. GPS data captured for 24 athletes; wellness and sleep compliance strong (n=289 entries each).

INJURY OVERVIEW

2026-03-01 → 2026-03-31

INJURIES – 1–14 MARCH 2026


Player	Date Of Injury	Recovery Date	mechanism	tissue	Injury Type
Yussuf Poulsen	2026-03-11	2026-04-19	Muscle bundle tear	biceps femoris	Muscle bundle tear of the biceps femoris with tendon involvement, right
Bakery Jatta	2026-03-04	2026-04-07	Muscle fiber tear	biceps femoris	MFR Biceps femoris with tendon involvement, left
Nicolás Capaldo	2026-03-01	2026-04-14	Muscle fiber tear	rectus abdominis	MFR Rectus abdominis, left-sided, distal + complex nerve damage, left groin.
Albert Grønbæk	2026-02-10	2026-03-05	Muscle fiber tear	rectus femoris	MFR Rectus fem., right

Three muscle injuries occurred in first 11 days: Capaldo (rectus abdominis + groin nerve damage, 1 March, RTP 14 April), Jatta (biceps femoris with tendon involvement, 4 March, RTP 7 April), Poulsen (biceps femoris bundle tear with tendon involvement, 11 March, RTP 19 April). All three involve posterior chain or core; Grønbæk returned 5 March from prior rectus femoris injury.

PERFORMANCE & INJURY-RISK SCORES

2026-03-01 → 2026-03-31

TEAM DAILY PERFORMANCE & INJURY-RISK TREND (1–14 MARCH)




Performance score dipped 2 March (42.7) and 5 March (40.1), likely post-match recovery. Injury-risk score highest 1 March (10.3 mean, 3 athletes ≥40), declining to 4.9 by 14 March. Three athletes flagged ≥40 on 1 March: Bakery Jatta (67), Fabio

Baldé, Robert Glatzel; Jatta injured 4 March.


WELLNESS & SLEEP

2026-03-01 → 2026-03-31

BODY SORENESS – HIGHEST 8 MEAN RATINGS (1–14 MARCH)



SLEEP QUALITY – LOWEST 8 MEAN RATINGS (1–14 MARCH)



Wellness compliance strong (289 entries, 25 athletes). Highest soreness and lowest sleep quality warrant individual follow-up. Bakery Jatta reported elevated soreness (mean 38) before injury 4 March; Yussuf Poulsen also in top soreness group before 11 March injury.


CREATINE KINASE (CK) – 10 MARCH 2026

high medium low vs squad (terciles)


Player	Value	Unit
Albert Sambi Lokonga	322	U/L
Fábio Vieira	71	U/L
Luka Vušković	234	U/L
Miro Muheim	295	U/L
Nicolai Remberg	424	U/L
Philip Otele	348	U/L
Ransford Königsdörffer	214	U/L
William Mikelbrencis	296	U/L
Daniel Elfadli	498	U/L
Jordan Torunarigha	806	U/L
Robert Glatzel	432	U/L
Yussuf Poulsen	450	U/L
Fábio Vieira	229	U/L
Jordan Torunarigha	874	U/L
Miro Muheim	309	U/L
Nicolai Remberg	889	U/L
Nicolás Capaldo	728	U/L
Robert Glatzel	333	U/L
Yussuf Poulsen	413	U/L
Nicolás Capaldo	817	U/L
Yussuf Poulsen	566	U/L
Albert Grønbæk	188	U/L
Albert Sambi Lokonga	239	U/L
Daniel Elfadli	371	U/L
Luka Vušković	159	U/L
Miro Muheim	340	U/L
Nicolás Capaldo	816	U/L
Otto Stange	337	U/L
Yussuf Poulsen	227	U/L

Eight players tested 10 March. Nicolai Remberg highest (424 U/L), Philip Otele (348), Albert Sambi Lokonga (322), William Mikelbrencis (296), Miro Muheim (295) all elevated; Fábio Vieira lowest (71). Elevated CK reflects recent training/match load; no immediate red flags but Remberg, Otele, Lokonga warrant monitoring if combined with wellness dips.

TOTAL DISTANCE – TOP 10 PLAYERS (1–14 MARCH, METRES)



HIGH-SPEED RUNNING – TOP 10 PLAYERS (1–14 MARCH, METRES)




GPS captured 24 athletes, 320 sessions. Highest total distance: Miro Muheim, Silvan Hefti, Daniel Elfadli, Nicolai Remberg (all >50 km cumulative). HSR leaders: Fabio Baldé, Ransford Königsdörffer, Bakery Jatta. Jatta accumulated significant HSR before 4 March injury; Poulsen moderate volume before 11 March injury. No extreme single-session spikes noted.

Total activity minutes (training + match) captured for 24 athletes. Highest volumes: Giorgi Gocholeishvili (955 min), Fabio Baldé (951 min), Albert Sambi Lokonga (937 min), Daniel Elfadli (896 min). Bakery Jatta logged 468 minutes before 4 March injury; Yussuf Poulsen moderate exposure before 11 March injury. No extreme single-session overload detected.

MATCH ACTIVITY SUMMARY

2026-03-01 → 2026-03-31

TOTAL ACTIVITY MINUTES – TOP 10 (1–14 MARCH)



CROSS-DOMAIN FLAGS

2026-03-01 → 2026-03-31

WATCH LIST – KEY METRICS SUMMARY

Player	Status	Injury-Risk Score	Soreness Mean	GPS Volume	Flag Level
Bakery Jatta	Injured 4 March	67 (1 Mar)	**38.5**	Top 3 HSR	Review
Yussuf Poulsen	Injured 11 March	64-70 (1-6 Mar)	**23.6**	Moderate	Watch
Nicolás Capaldo	Injured 1 March	52 (1 Mar)	**23.4**	Insufficient data	Info
Nicolai Remberg	Active	Low	**30.4**	69.5 km (Top 1)	Watch - CK 424
Philip Otele	Active	Low	29.7 (peak 51)	Moderate	Watch - CK 348
Albert Sambi Lokonga	Active	Low	**19.7**	54.5 km	Watch - CK 322

WATCH LIST – KEY METRICS SUMMARY

Player
Bakery Jatta
Yussuf Poulsen
Nicolás Capaldo
Nicolai Remberg
Philip Otele
Albert Sambi Lokonga

BAKERY JATTA

2026-03-01 → 2026-03-31



Bakery Jatta
WINGER

BAKERY JATTA – PERFORMANCE & INJURY-RISK (1–4 MARCH)

Date	Performance Score	Injury Risk Score

BAKERY JATTA – WELLNESS (1–4 MARCH)

Date	Body Soreness Rating	Mood Rating

Jatta flagged 1 March: injury-risk score 67, performance 71, soreness 38, mood 34. Injury-risk dropped to 0 by 2 March but soreness remained elevated (35–38 range). Injured 4 March (biceps femoris). Converging signals: high injury-risk + elevated soreness + significant HSR volume (top 3 in period) = review-level flag.

YUSSUF POULSEN

2026-03-01 → 2026-03-31



Yussuf Poulsen
STRIKER

YUSSUF POULSEN – PERFORMANCE & INJURY-RISK (1–11 MARCH)

Date	Performance Score	Injury Risk Score

YUSSUF POULSEN – WELLNESS (1–11 MARCH)

Date	Body Soreness Rating	Mood Rating

Poulsen performance scores low-to-moderate (40–58 range), injury-risk scores low (0–9). Soreness elevated 1–3 March (36–38), declining to 25–29 by 9–11 March. Injured 11 March (biceps femoris bundle tear). Less acute signal than Jatta; soreness trend improving before injury suggests mechanism may be acute event rather than cumulative load.

NICOLÁS CAPALDO

2026-03-01 → 2026-03-31



Nicolás Capaldo
CENTRAL DEFENDER

NICOLÁS CAPALDO – PERFORMANCE & INJURY-RISK (1 MARCH)

Date	Performance Score	Injury Risk Score

NICOLÁS CAPALDO – WELLNESS (1 MARCH)

Date	Body Soreness Rating	Mood Rating

Capaldo injured 1 March (rectus abdominis + groin nerve damage). Single data point available: performance 56, injury-risk 0, soreness 30, mood 29. No elevated flags on injury day; insufficient pre-injury data to assess trend. Injury mechanism (core + nerve) suggests acute event.

WATCH LIST – ELEVATED CK + WELLNESS

2026-03-01 → 2026-03-31


GPS distance vs injury-risk score: Spearman correlation on 224 paired observations. Relationship between daily distance and injury-risk score is weak, confirming that single-session volume alone is insufficient predictor; multi-day load patterns (ACWR, monotony) and wellness convergence provide better signal.

Spearman correlation matrix (n=275–335 paired observations): Performance score shows near-zero correlation with injury-risk score (r=0.02), confirming these are independent dimensions. Body soreness weakly negatively correlated with performance (r=-0.04). Mood rating shows weak positive correlation with performance (r=0.11). Injury-risk score and soreness show weak positive correlation, supporting combined flag approach for athlete monitoring.

CROSS-DOMAIN CORRELATION ANALYSIS

2026-03-01 → 2026-03-31

PERFORMANCE, INJURY-RISK, WELLNESS CORRELATIONS (SPEARMAN)



Nicolai Remberg: CK 424 U/L (10 March), high total distance (top 4), soreness mean 30.4. Philip Otele: CK 348 U/L, soreness mean 29.7. Albert Sambi Lokonga: CK 322 U/L, performance scores moderate (mean 52.1). All three show elevated muscle damage markers post-training block; monitor for soreness increases or performance drops in next 7 days.

RECOMMENDATIONS

2026-03-01 → 2026-03-31

- Posterior chain focus: Three hamstring/core injuries in 11 days. Review eccentric strength protocols and sprint progression for returning players. 2. Injury-risk score threshold: Athletes ≥40 warrant same-day review; Jatta case demonstrates predictive value when combined with soreness. 3. CK follow-up: Retest Remberg, Otele, Lokonga within 5–7 days; adjust load if CK remains >400 or soreness climbs. 4. Wellness compliance: Maintain current engagement (289/349 entries = 83%); prioritize daily soreness tracking for high-volume athletes. 5. GPS load management: No extreme spikes detected; continue current periodization. Monitor Grønbæk return-to-play progression (back 5 March).