MAUNA

2026-2027

# MEDICAL & COACHING BRIEF: REHAB RETURNS & LOAD–WELLNESS DISCORDANCE

Club report — MAUNA data only

Mon, 05/10/26 · 2026-09-22 → 2026-10-05

01 Three athletes returned from injury during the lookback window (Bornauw, Muheim, Torunarigha). Bornauw and Muheim have ramped GPS intensity (HSR, decels) back to squad norms, but Bornauw shows elevated CK (544 U/L) and Muheim logged high decel counts (avg 79/session) without corresponding wellness dips—monitor fatigue accumulation. Torunarigha remains conservative in HSR (avg 211 m/session vs squad ~400 m) despite full session minutes. Three currently injured players (Daka quad tear 25-Sep, Grønbæk hamstring 24-Sep, Moffi knee swelling 20-Sep) show no GPS data but report low wellness (Daka soreness 14.4, mood 12.2; Grønbæk soreness 24.4, mood 16.7). Across the active squad, Albert Sambi Lokonga flags highest injury risk (50.1) with low wellness (soreness 17.5, mood 10) despite normal GPS output—pull from tomorrow's main session for recovery day. Yussuf Poulsen (injury risk 35.3, soreness 13, mood 10) and Bakery Jatta (injury risk 29.6, soreness 38.5, mood 37) also warrant load reduction.

02 Bornauw completed 6 GPS sessions (avg 6903 m, 218 m HSR, 57 decels/session). HSR ramped from 0 m on 29-Sep to 471 m on 4-Oct (match simulation). Decel load stable (42–80/session). CK measured at 544 U/L (elevated; squad median ~480). No wellness data in period. Cleared for full training but schedule blood retest within 48 hours.

03 Muheim completed 8 GPS sessions (avg 7394 m, 507 m HSR, 71 decels/session). HSR exposure high (peak 970 m on 4-Oct). Decel load consistently elevated (avg 79/session, peak 91 on 4-Oct). No wellness data in period. GPS output exceeds pre-injury baseline; consider 48-hour recovery window before next high-intensity block.

04 Torunarigha completed 6 GPS sessions (avg 5074 m, 211 m HSR, 41 decels/session). HSR remains conservative (peak 497 m on 23-Sep, then dropped to 43–406 m). Decel load low (10–60/session). Wellness stable (soreness 29.3, mood 24.8). GPS intensity lags squad norms despite full session minutes—progress HSR prescription or confirm hamstring confidence with medical.

05 Patson Daka (quad rectus femoris tear, 25-Sep): 9 wellness entries, avg soreness 14.4, mood 12.2, sleep quality 10.0. Grønbæk (hamstring biceps femoris, 24-Sep): 8 entries, soreness 24.4, mood 16.7, sleep 21.1. Moffi (knee swelling post-match 19-Sep): no wellness data. Daka and Grønbæk report low mood and poor sleep—schedule psych check-in alongside physio progression.

LOAD GPS WELLNESS SLEEP BIOMARKERS

CONTENTS Hambourg

# Medical & Coaching Brief: Rehab Returns & Load–Wellness Discordance


01 · Cover — cover

02 · Staff read — brief

03 · Executive Summary — §1

04 · Sebastiaan Bornauw (Hamstring MFR, returned 22-Sep) — §2

05 · Miro Muheim (Adductor MFR, returned 5-Sep) — §3

06 · Jordan Torunarigha (Hamstring strain, returned 27-Aug) — §4

07 · Currently Injured: Wellness Monitoring — §5

08 · Albert Sambi Lokonga (PULL from tomorrow) — §6

09 · Yussuf Poulsen & Bakery Jatta (Load reduction) — §7

10 · Cross-Domain: Injury Risk vs Wellness — §8

**STAFF READ** 2026-09-22 → 2026-10-05

Synthesized from canvas (analyst did not commit InsightIR)

## NARRATIVE THREAD

- Three athletes returned from injury during the lookback window (Bornauw, Muheim, Torunarigha). Bornauw and Muheim have ramped GPS intensity (HSR, decels) back to squad norms, but Bornauw shows elevated CK (544 U/L) and Muheim logged high decel counts (avg 79/session) without corresponding wellness dips—monitor fatigue accumulation. Torunarigha remains conservative in HSR (avg 211 m/session vs squad ~400 m) despite full session minutes. Three currently injured players (Daka quad tear 25-Sep, Grønbæk hamstring 24-Sep, Moffi knee swelling 20-Sep) show no GPS data but report low wellness (Daka soreness 14.4, mood 12.2; Grønbæk soreness 24.4, mood 16.7). Across the active squad, Albert Sambi Lokonga flags highest injury risk (50.1) with low wellness (soreness 17.5, mood 10) despite normal GPS output—pull from tomorrow's main session for recovery day. Yussuf Poulsen (injury risk 35.3, soreness 13, mood 10) and Bakery Jatta (injury risk 29.6, soreness 38.5, mood 37) also warrant load reduction.
- Bornauw completed 6 GPS sessions (avg 6903 m, 218 m HSR, 57 decels/session). HSR ramped from 0 m on 29-Sep to 471 m on 4-Oct (match simulation). Decel load stable (42–80/session). CK measured at 544 U/L (elevated; squad median ~480). No wellness data in period. Cleared for full training but schedule blood retest within 48 hours.
- Muheim completed 8 GPS sessions (avg 7394 m, 507 m HSR, 71 decels/session). HSR exposure high (peak 970 m on 4-Oct). Decel load consistently elevated (avg 79/session, peak 91 on 4-Oct). No wellness data in period. GPS output exceeds pre-injury baseline; consider 48-hour recovery window before next high-intensity block.
- Torunarigha completed 6 GPS sessions (avg 5074 m, 211 m HSR, 41 decels/session). HSR remains conservative (peak 497 m on 23-Sep, then dropped to 43–406 m). Decel load low (10–60/session). Wellness stable (soreness 29.3, mood 24.8). GPS intensity lags squad norms despite full session minutes—progress HSR prescription or confirm hamstring confidence with medical.
- Patson Daka (quad rectus femoris tear, 25-Sep): 9 wellness entries, avg soreness 14.4, mood 12.2, sleep quality 10.0. Grønbæk (hamstring biceps femoris, 24-Sep): 8 entries, soreness 24.4, mood 16.7, sleep 21.1. Moffi (knee swelling post-match 19-Sep): no wellness data. Daka and Grønbæk report low mood and poor sleep—schedule psych check-in alongside physio progression.
- Sambi Lokonga: 13 sessions, avg 3659 m/session, 178 m HSR, 20 decels. GPS output normal. Wellness critically low (soreness 17.5, mood 10.0). Injury risk score 50.1 (highest in squad). Discordance = external load tolerable but internal recovery failing. Mandatory rest day tomorrow; retest wellness Friday before clearing for weekend match.

## SIGNALS

INFO

Three athletes returned from injury during the lookback window (Bornauw, Muheim, Torunarigha). Bornauw and Muheim have ramped GPS intensity (HSR, decels) back to squad norms, but Bornauw shows elevated CK (544 U/L) and Muheim logged high decel counts (avg 79/session) without corresponding wellness dips—monitor fatigue accumulation. Torunarigha remains conservative in HSR (avg 211 m/session vs squad ~400 m) despite full session minutes. Three currently injured players (Daka quad tear 25-Sep, Grønbæk hamstring 24-Sep, Moffi knee swelling 20-Sep) show no GPS data but report low wellness (Daka soreness 14.4, mood 12.2; Grønbæk soreness 24.4, mood 16.7). Across the active squad, Albert Sambi Lokonga flags highest injury risk (50.1) with low wellness (soreness 17.5, mood 10) despite normal GPS output—pull from tomorrow's main session for recovery day. Yussuf Poulsen (injury risk 35.3, soreness 13, mood 10) and Bakery Jatta (injury risk 29.6, soreness 38.5, mood 37) also warrant load reduction.

INFO

Bornauw completed 6 GPS sessions (avg 6903 m, 218 m HSR, 57 decels/session). HSR ramped from 0 m on 29-Sep to 471 m on 4-Oct (match simulation). Decel load stable (42–80/session). CK measured at 544 U/L (elevated; squad median ~480). No wellness data in period. Cleared for full training but schedule blood retest within 48 hours.

INFO

Muheim completed 8 GPS sessions (avg 7394 m, 507 m HSR, 71 decels/session). HSR exposure high (peak 970 m on 4-Oct). Decel load consistently elevated (avg 79/session, peak 91 on 4-Oct). No wellness data in period. GPS output exceeds pre-injury baseline; consider 48-hour recovery window before next high-intensity block.

INFO

Torunarigha completed 6 GPS sessions (avg 5074 m, 211 m HSR, 41 decels/session). HSR remains conservative (peak 497 m on 23-Sep, then dropped to 43–406 m). Decel load low (10–60/session). Wellness stable (soreness 29.3, mood 24.8). GPS intensity lags squad norms despite full session minutes—progress HSR prescription or confirm hamstring confidence with medical.

INFO

Patson Daka (quad rectus femoris tear, 25-Sep): 9 wellness entries, avg soreness 14.4, mood 12.2, sleep quality 10.0. Grønbæk (hamstring biceps femoris, 24-Sep): 8 entries, soreness 24.4, mood 16.7, sleep 21.1. Moffi (knee swelling post-match 19-Sep): no wellness data. Daka and Grønbæk

report low mood and poor sleep—schedule psych check-in alongside physio progression.

## CANVAS SECTIONS

| | |
|---|---|
| Executive Summary | TEAM |
| Rehab Returns: GPS vs Wellness | TEAM |
| Sebastiaan Bornauw (Hamstring MFR, returned 22-Sep) | TEAM |
| Miro Muheim (Adductor MFR, returned 5-Sep) | TEAM |
| Jordan Torunarigha (Hamstring strain, returned 27-Aug) | TEAM |
| Currently Injured: Wellness Monitoring | TEAM |
| Active Squad: Load–Wellness Discordance | TEAM |
| Albert Sambi Lokonga (PULL from tomorrow) | TEAM |
| Yussuf Poulsen & Bakery Jatta (Load reduction) | TEAM |
| Squad Overview: Injury Risk & Wellness | TEAM |
| Cross-Domain: Injury Risk vs Wellness | TEAM |

## EXECUTIVE SUMMARY

2026-09-22 → 2026-10-05

Three athletes returned from injury during the lookback window (Bornauw, Muheim, Torunarigha). Bornauw and Muheim have ramped GPS intensity (HSR, decels) back to squad norms, but Bornauw shows elevated CK (544 U/L) and Muheim logged high decel counts (avg 79/session) without corresponding wellness dips—monitor fatigue accumulation. Torunarigha remains conservative in HSR (avg 211 m/session vs squad ~400 m) despite full session minutes. Three currently injured players (Daka quad tear 25-Sep, Grønbæk hamstring 24-Sep, Moffi knee swelling 20-Sep) show no GPS data but report low wellness (Daka soreness 14.4, mood 12.2; Grønbæk soreness 24.4, mood 16.7). Across the active squad, Albert Sambi Lokonga flags highest injury risk (50.1) with low wellness (soreness 17.5, mood 10) despite normal GPS output—pull from tomorrow's main session for recovery day. Yussuf Poulsen (injury risk 35.3, soreness 13, mood 10) and Bakery Jatta (injury risk 29.6, soreness 38.5, mood 37) also warrant load reduction.



## SEBASTIAAN BORNAUW (HAMSTRING MFR, RETURNED 22-SEP)

2026-09-22 → 2026-10-05



**Sebastiaan Bornauw**

DEFENDER


## 14-DAY SUMMARY

high medium low vs squad (terciles)

| Player | N | Distance total (m) | High speed running (absolute) | Sprint distance (m) | Decelerations (relative) | Cumulative 7 | Value |
|---|---|---|---|---|---|---|---|
| Martin Adeline | 5 | 48 | 3 | 762 | 467 | 46,579.85 | — |
| Kofi Amoako | 11 | 41 | 2 | 775 | 324 | 64,669.6 | 478 |
| Fabio Baldé | 10 | — | — | — | — | 0 | — |
| Sebastiaan Bornauw | 6 | 41 | 1 | 368 | 339 | 13,230.5 | 544 |
| Nicolás Capaldo | 13 | 43 | 2 | 297 | 297 | 75,668.02 | — |
| Patson Daka | 9 | — | — | — | — | 31,416.13 | — |
| Jean-Luc Dompé | 10 | — | — | — | — | 0 | — |
| Damion Downs | 10 | — | — | — | — | 0 | — |
| Daniel Elfadli | 10 | — | — | — | — | 16,342.07 | — |
| Robert Glatzel | 10 | — | — | — | — | 0 | — |
| Giorgi Gocholeishvili | 10 | — | — | — | — | 0 | — |
| Albert Grønbæk | 12 | 10 | 36 | 0 | 26 | 53,354.5 | — |
| Bakery Jatta | 12 | 24 | 1 | 387 | 179 | 98,744.55 | — |
| Noah Katterbach | 10 | — | — | — | — | 0 | — |
| Ransford Königsdörffer | 10 | — | — | — | — | 0 | — |
| Omar Megeed | 10 | — | — | — | — | 0 | — |
| William Mikelbrencis | 10 | — | — | — | — | 0 | — |
| Terem Moffi | 12 | 15 | 781 | 183 | 39 | 22,275.67 | 472 |
| Miro Muheim | 13 | 54 | 4 | 1 | 563 | 62,988.3 | — |
| Bilal Nadir | 8 | 41 | 2 | 460 | 329 | 57,371.7 | — |
| Shafiq Nandja | 11 | 39 | 2 | 651 | 361 | 109,103.67 | — |
| Warmed Omari | 11 | — | — | — | — | 36,918.23 | — |
| Philip Otele | 10 | — | — | — | — | 0 | — |
| Immanuël Pherai | 10 | — | — | — | — | 37,574.08 | — |
| Rayan Philippe | 10 | — | — | — | — | 12,871.4 | — |
| Yussuf Poulsen | 13 | 41 | 2 | 836 | 360 | 39,326.73 | — |
| Nicolai Remberg | 13 | 51 | 2 | 331 | 596 | 37,515.83 | — |
| Alexander Røssing-Lelesiit | 12 | 35 | 2 | 286 | 458 | 62,627.62 | 1 |
| Emir Sahiti | 10 | — | — | — | — | 9,629.5 | — |
| Albert Sambi Lokonga | 13 | 48 | 2 | 383 | 258 | 65,139.27 | — |
| Otto Stange | 12 | 8 | 701 | 274 | 60 | 71,982.27 | — |
| Jordan Torunarigha | 13 | 30 | 1 | 540 | 246 | 79,002.52 | — |
| Fábio Vieira | 11 | 38 | 2 | 732 | 252 | 58,369.65 | — |
| Mario Vušković | 12 | 55 | 1 | 289 | 449 | 21,752.17 | — |
| Luka Vušković | 10 | — | — | — | — | 0 | — |

| Player | N | Distance total (m) | High speed running (absolute) | Sprint distance (m) | Decelerations (relative) | Cumulative 7 | Value |
|---|---|---|---|---|---|---|---|
| Sebastiaan Bornauw | 7 | — | — | — | — | — | — |

### BORNAUW: DAILY HSR & DECELERATIONS




Bornauw completed 6 GPS sessions (avg 6903 m, 218 m HSR, 57 decels/session). HSR ramped from 0 m on 29-Sep to 471 m on 4-Oct (match simulation). Decel load stable (42–80/session). CK measured at 544 U/L (elevated; squad median ~480). No wellness data in period. Cleared for full training but schedule blood retest within 48 hours.



## MIRO MUHEIM (ADDUCTOR MFR, RETURNED 5-SEP)

2026-09-22 → 2026-10-05




**Miro Muheim**
FULL BACK

### 14-DAY SUMMARY

| Player | N | Distance total (m) | High speed running (absolute) | Sprint distance (m) | Decelerations (relative) | Cumulative 7 |
|---|---|---|---|---|---|---|
| Sebastiaan Bornauw | 6 | 41 | 1 | 368 | 339 | 13,230.5 |
| Sebastiaan Bornauw | 7 | — | — | — | — | — |

### MUHEIM: DAILY HSR & DECELERATIONS




Muheim completed 8 GPS sessions (avg 7394 m, 507 m HSR, 71 decels/session). HSR exposure high (peak 970 m on 4-Oct). Decel load consistently elevated (avg 79/session, peak 91 on 4-Oct). No wellness data in period. GPS output exceeds pre-injury baseline; consider 48-hour recovery window before next high-intensity block.



## JORDAN TORUNARIGHA (HAMSTRING STRAIN, RETURNED 27-AUG)


2026-09-22 → 2026-10-05

**Jordan Torunarigha**
CENTRAL DEFENDER

### 14-DAY SUMMARY

| Player | N | Distance total (m) | High speed running (absolute) | Sprint distance (m) | Decelerations (relative) | Cumulative 7 | Body Soreness Rating | Mood Rating |
|---|---|---|---|---|---|---|---|---|
| Miro Muheim | 13 | 54 | 4 | 1 | 563 | 62,988.3 | 21 | 21 |

### TORUNARIGHA: DAILY HSR & DECELERATIONS




Torunarigha completed 6 GPS sessions (avg 5074 m, 211 m HSR, 41 decels/session). HSR remains conservative (peak 497 m on 23-Sep, then dropped to 43–406 m). Decel load low (10–60/session). Wellness stable (soreness 29.3, mood 24.8). GPS intensity lags squad norms despite full session minutes—progress HSR prescription or confirm hamstring confidence with medical.



## CURRENTLY INJURED: WELLNESS MONITORING

2026-09-22 → 2026-10-05

### OPEN INJURIES (NO GPS IN 14D WINDOW)

| Player | Date Of Injury | mechanism | tissue | Injury Type |
|---|---|---|---|---|
| Patson Daka | 2026-09-25 | quadriceps fiber tear | rectus femoris | Großer MFR mit Faszienbeteiligung, Rectus fem., links |
| Albert Grønbæk | 2026-09-24 | hamstring fiber tear | biceps femoris | MFR Biceps femoris, rechts |
| Terem Moffi | 2026-09-20 | — | — | Knieschwellung n. d. Spiel am 19.9.26, links |
| Warmed Omari | 2026-08-08 | shoulder dislocation | labrum | Schulter-Subluxation mit Labrum-Verletzung dorsal, links |
| Alexander Røssing-Lelesiit | 2026-04-29 | syndesmosis injury | syndesmotic ligament | Erneute Verletzung Syndesmose, rechts |
| Sebastiaan Bornauw | 2026-09-06 | hamstring fiber tear | biceps femoris | MFR Biceps femoris, rechts |
| Miro Muheim | 2026-08-12 | adductor fiber tear | adductor magnus | kleiner MFR Adductor magnus, limks |
| Jordan Torunarigha | 2026-08-22 | hamstring strain | semitendinosus | Zerrung semitendinosus, rechts |

WELLNESS SCORES (14D)

| Player | N | Body Soreness Rating | Mood Rating | Quality Rating |
|---|---|---|---|---|
| Martin Adeline | 5 | 16 | 14 | 20 |
| Kofi Amoako | 11 | 26 | 22 | 21 |
| Fabio Baldé | 10 | — | — | — |
| Sebastiaan Bornauw | 6 | — | — | — |
| Nicolás Capaldo | 13 | 21 | 21 | 22 |
| Patson Daka | 9 | 14 | 12 | 10 |
| Jean-Luc Dompé | 10 | — | — | — |
| Damion Downs | 10 | — | — | — |
| Daniel Elfadli | 10 | — | — | — |
| Robert Glatzel | 10 | — | — | — |
| Giorgi Gocholeishvili | 10 | — | — | — |
| Albert Grønbæk | 12 | 24 | 17 | 21 |
| Bakery Jatta | 12 | 39 | 37 | 37 |
| Noah Katterbach | 10 | — | — | — |
| Ransford Königsdörffer | 10 | — | — | — |
| Omar Megeed | 10 | — | — | — |
| William Mikelbrencis | 10 | — | — | — |
| Terem Moffi | 12 | 22 | 20 | 17 |
| Miro Muheim | 13 | 21 | 21 | 22 |
| Bilal Nadir | 8 | 23 | 21 | 25 |
| Shafiq Nandja | 11 | 27 | 21 | 30 |
| Warmed Omari | 11 | 20 | 10 | 25 |
| Philip Otele | 10 | — | — | — |
| Immanuël Pherai | 10 | — | — | — |
| Rayan Philippe | 10 | — | — | — |
| Yussuf Poulsen | 13 | 13 | 10 | 20 |
| Nicolai Remberg | 13 | 10 | 10 | 13 |
| Alexander Røssing-Lelesiit | 12 | 26 | 19 | 21 |
| Emir Sahiti | 10 | — | — | — |
| Albert Sambi Lokonga | 13 | 18 | 10 | 18 |
| Otto Stange | 12 | 27 | 23 | 30 |
| Jordan Torunarigha | 13 | 29 | 25 | 30 |
| Fábio Vieira | 11 | 26 | 22 | 23 |
| Mario Vušković | 12 | 19 | 10 | 10 |
| Luka Vušković | 10 | — | — | — |

| Player | N | Body Soreness Rating | Mood Rating | Quality Rating |
|---|---|---|---|---|
| Sebastiaan Bornauw | 7 | 21 | 22 | 22 |

### INJURED COHORT: DAILY WELLNESS




Patson Daka (quad rectus femoris tear, 25-Sep): 9 wellness entries, avg soreness 14.4, mood 12.2, sleep quality 10.0. Grønbæk (hamstring biceps femoris, 24-Sep): 8 entries, soreness 24.4, mood 16.7, sleep 21.1. Moffi (knee swelling post-match 19-Sep): no wellness data. Daka and Grønbæk report low mood and poor sleep—schedule psych check-in alongside physio progression.



## ALBERT SAMBI LOKONGA (PULL FROM TOMORROW)

2026-09-22 → 2026-10-05



**Albert Sambi Lokonga**
CENTRAL MIDFIELDER

### 14-DAY SUMMARY

| Player | N | Distance total (m) | High speed running (absolute) | Decelerations (relative) | Cumulative 7 | Body Soreness Rating | Mood Rating | Injury Risk Score |
|---|---|---|---|---|---|---|---|---|
| Albert Sambi Lokonga | 13 | 48 | 2 | 258 | 65,139.27 | 18 | 10 | 50 |

**Sambi Lokonga:** 13 sessions, avg 3659 m/session, 178 m HSR, 20 decels. GPS output normal. Wellness critically low (soreness 17.5, mood 10.0). Injury risk score 50.1 (highest in squad). Discordance = external load tolerable but internal recovery failing. Mandatory rest day tomorrow; retest wellness Friday before clearing for weekend match.

## YUSSUF POULSEN & BAKERY JATTA (LOAD REDUCTION)

2026-09-22 → 2026-10-05

**Bakery Jatta**
WINGER

### 14-DAY SUMMARY

| Player | Position | Cumulative 7 | N | Distance total (m) | High speed running (absolute) |
|---|---|---|---|---|---|
| Yussuf Poulsen | STRIKER | 39,326.73 | 13 | 41 | 2 |
| Bakery Jatta | WINGER | 98,744.55 | 12 | 24 | 1 |


**Poulsen:** 13 sessions, avg 3153 m, 158 m HSR, 28 decels. Wellness low (soreness 13.0, mood 10.0). Injury risk 35.3. Jatta: 12 sessions, avg 2035 m, 97 m HSR, 15 decels. Wellness very low (soreness 38.5, mood 37.0). Injury risk 29.6. Both show GPS below squad mean but wellness scores in bottom quartile—reduce volume 20% tomorrow, technical/tactical focus, no conditioning blocks.




## CROSS-DOMAIN: INJURY RISK VS WELLNESS

2026-09-22 → 2026-10-05

### TOP 10 INJURY RISK SCORES (14D AVG)



**TOP 10 BODY SORENESS (14D AVG)**




Sambi Lokonga leads injury risk at 50.1 with critically low wellness (soreness 17.5, mood 10). Poulsen (35.3 risk, soreness 13, mood 10) and Jatta (29.6 risk, soreness 38.5, mood 37) also flag high. Soreness distribution shows Jatta, Torunarigha, Amoako, Nandja, and Vieira all above 25. No squad-wide load spike detected; individual wellness divergence drives risk.

Spearman correlation between injury risk score and body soreness across 6 active players with ≥5 days of paired data: r = -0.64, n = 6. Negative association suggests this club's soreness scale is inverted (lower = worse) or injury risk elevates when athletes under-report soreness. Poulsen shows highest risk (35.0) with lowest soreness (13.3) and mood (10.0)—classic under-reporting pattern. Torunarigha shows moderate risk (17.4) with higher soreness (29.2)—honest reporting. Cross-domain mismatch flags Poulsen and Sambi Lokonga for mandatory rest.