Hambourg

Monitoring Report

19 September – 5 October 2026

Headline

Three athletes flagged with elevated ACWR (≥1.30): Mario Vušković 1.99, Sebastiaan Bornauw 1.99, Martin Adeline 1.38 — review load progression before next session.

16 athletes with ACWR ≤0.80, indicating underload or return-to-play phase; largest group includes Bakery Jatta 0.08, Daniel Elfadli 0.002, Emir Sahiti 0.001.

GPS volume leaders (period total): Miro Muheim 57,083 m, Mario Vušković 57,773 m; HSR leaders: Miro Muheim 3,660 m, Alexander Røssing-Lelesiit 2,387 m.

Monotony flag: Bilal Nadir 1.12 (7-day window), suggesting low day-to-day load variation.

18 athletes with GPS data in period; 26 with load monitoring; no match data in window.


Squad Overview

Squad mean ACWR **0.82** (18 athletes with GPS data). No match data in window; all metrics reflect training sessions only.


Period Summary – Load & GPS

PLAYER	N	ACWR	DISTANCE (M)	HSR (M)	SPRINT DIST (M)	SPRINTS	ACCEL	DECEL
Albert Grønbæk	3	0.4	9,690	36	0	0	27	26
Albert Sambi Lokonga	7	0.88	47,563	2,308	383	17	426	258
Alexander Røssing-Lelesiit	6	0.99	39,049	2,387	286	19	587	471
Bakery Jatta	4	0.08	24,421	1,166	387	18	306	179
Bilal Nadir	8	1.11	40,609	1,588	460	24	424	329
Daniel Elfadli	—	0.00	—	—	—	—	—	—
David Möller Wolfe	—	0.09	—	—	—	—	—	—
Emir Sahiti	—	0.00	—	—	—	—	—	—
Fábio Vieira	6	1.28	37,798	1,839	732	18	360	252
Immanuël Pherai	—	0.10	—	—	—	—	—	—
Jordan Torunarigha	6	0.49	30,450	1,270	540	18	298	246
Kofi Amoako	7	0.48	40,532	2,361	775	28	435	324
Mario Vušković	9	**1.99**	57,773	1,451	289	11	536	486
Martin Adeline	5	**1.38**	47,543	2,856	762	41	368	467
Miro Muheim	9	0.75	57,083	3,660	1,408	55	643	590
Nicolai Remberg	6	0.99	50,863	1,795	331	16	420	596
Nicolás Capaldo	9	0.54	43,009	2,041	297	16	306	297
Otto Stange	1	0.05	7,800	701	274	10	48	60
Patson Daka	—	0.06	—	—	—	—	—	—
Rayan Philippe	—	0.00	—	—	—	—	—	—
Sebastiaan Bornauw	6	**1.99**	41,419	1,310	368	16	399	339
Shafiq Nandja	5	0.81	38,923	2,231	651	28	426	361
Terem Moffi	5	0.59	14,910	781	183	6	61	39
Warmed Omari	—	0.07	—	—	—	—	—	—
Yussuf Poulsen	8	0.99	40,995	2,055	836	21	500	360
Zakaria El Ouahdi	—	0.13	—	—	—	—	—	—


Total Distance – Top 10




High-Speed Running – Top 10



ACWR Distribution – Bottom 10 Underload



ACWR Distribution – Top 10 Elevated



Watchlist


Mario Vušković

ACWR 1.99 ACWR 1.99 (latest 2026-10-03) — elevated acute load relative to chronic baseline. Peak was 3.63 on 2026-09-18. Period total: 57,773 m distance, 1,451 m HSR, 289 m sprint distance (11 sprints). Review load progression before next high-intensity session.

Mario Vušković – Load & GPS Summary

PLAYER	ACWR	N	DISTANCE (M)	HSR (M)	SPRINT DIST (M)	SPRINTS
Mario Vušković	1.99	9	57,773	1,451	289	11


Mario Vušković – ACWR Evolution



Sebastiaan Bornauw

ACWR 1.99 ACWR 1.99 (latest 2026-10-04) — elevated acute load relative to chronic baseline. Period total: 41,419 m distance, 1,310 m HSR, 368 m sprint distance (16 sprints). Monitor closely for fatigue markers.

Sebastiaan Bornauw – ACWR Evolution



Martin Adeline


ACWR 1.38 ACWR 1.38 (latest 2026-10-04) — watch threshold. Period total: 47,543 m distance, 2,856 m HSR, 762 m sprint distance (41 sprints). Highest sprint count in squad during period.

Martin Adeline – Load & GPS Summary

PLAYER	ACWR	N	DISTANCE (M)	HSR (M)	SPRINT DIST (M)	SPRINTS

PLAYER	ACWR	N	DISTANCE (M)	HSR (M)	SPRINT DIST (M)	SPRINTS
Martin Adeline	1.38	5	47,543	2,856	762	41

Martin Adeline – ACWR Evolution




Change-of-Direction Exposure – One-Month Analysis

Analysis window: 2026-09-05 → 2026-10-05 (31 days). Change-of-direction metrics include accelerations, decelerations (all zones), high-intensity COD (zone 6), acceleration/deceleration loading, and impacts. This extended window provides context for mechanical load distribution and identifies athletes with elevated exposure to directional changes.


Squad Summary – COD Exposure & Load (One Month)

PLAYER	N	ACCEL TOTAL	DECEL TOTAL	ACCEL Z6	DECEL Z6	ACCEL LOAD	DECEL LOAD	IMPACTS
Albert Sambi Lokonga	18	739	516	40	38	357.8	64.3	1,200
Bilal Nadir	21	789	665	45	70	379.4	71.5	706
Jordan Torunarigha	17	625	528	22	47	263.1	76.9	427
Kofi Amoako	17	745	557	46	37	465.9	88.5	925
Martin Adeline	18	781	879	22	**114**	422.7	120.7	1,135
Miro Muheim	20	**1,117**	963	62	80	457.0	95.7	779
Nicolai Remberg	18	**1,023**	**1,263**	34	105	**690.8**	**135.6**	**2,112**
Nicolás Capaldo	20	837	890	52	**128**	**766.4**	**188.5**	**1,588**
Otto Stange	13	514	516	32	80	140.5	36.4	199
Sebastiaan Bornauw	6	336	295	17	22	142.6	23.5	140
Shafiq Nandja	19	**1,154**	948	60	73	356.9	84.1	394
Terem Moffi	16	664	475	34	25	286.0	72.3	511
Yussuf Poulsen	21	**1,143**	825	71	79	274.8	56.2	259
Albert Grønbæk	13	597	499	21	43	393.7	94.8	912
Alexander Røssing-Lelesiit	15	871	666	63	81	317.7	61.8	368
Bakery Jatta	17	813	554	43	51	380.4	77.6	580
Mario Vušković	14	700	637	30	52	291.7	63.7	587
Fábio Vieira	18	824	595	41	60	358.3	56.0	523
Patson Daka	12	674	558	68	64	450.0	103.5	723
Warmed Omari	11	447	419	50	41	324.0	65.2	589
Zakaria El Ouahdi	12	821	780	49	96	259.2	76.3	298
David Möller Wolfe	11	722	648	80	101	179.6	49.1	124
Immanuël Pherai	9	399	338	34	35	332.6	59.4	668


Total Accelerations – Top 10




Total Decelerations – Top 10




High-Intensity Decelerations (Zone 6) – Top 10



Acceleration Loading – Top 10



Deceleration Loading – Top 10




High-Exposure Athletes – COD Detail


Three athletes with highest high-intensity deceleration exposure (zone 6): **Nicolás Capaldo 128 count**, **Martin Adeline 114 count**, **Nicolai Remberg 105 count**. These athletes show elevated mechanical stress from directional changes and warrant monitoring for lower-limb fatigue and eccentric load tolerance.

Nicolás Capaldo shows highest cumulative deceleration loading (188.5) and acceleration loading (766.4) over the month. Peak single-session deceleration loading: 43.5 (2026-09-06). Consider recovery strategies targeting eccentric muscle damage and neuromuscular fatigue.


High-Intensity Decelerations (Z6) – Daily Evolution



Total Decelerations – Daily Evolution



Deceleration Loading – Daily Evolution



Session Averages – High-Intensity COD

Athletes with ≥10 sessions in analysis window. **David Möller Wolfe** (9.3 avg Z6 decelerations/session) and **Zakaria El Ouahdi** (8.8) show highest per-session intensity despite lower total volume, suggesting concentrated exposure patterns. **Nicolás Capaldo** (6.7) and **Martin Adeline** (6.2) combine high session averages with elevated total volume.

Average COD Per Session – Athletes with ≥10 Sessions

PLAYER	SESSIONS	AVG ACCEL	AVG DECEL	AVG ACC Z6	AVG DEC Z6
David Möller Wolfe	11	67.1	61.3	7.3	**9.3**
Zakaria El Ouahdi	12	71.1	69.0	4.7	**8.8**
Nicolás Capaldo	20	40.9	44.5	2.7	6.7
Otto Stange	13	39.5	39.7	2.5	6.2
Martin Adeline	18	42.5	48.6	1.1	6.2
Nicolai Remberg	18	56.4	70.2	1.9	5.8
Patson Daka	12	56.2	46.5	5.7	5.3
Alexander Røssing-Lelesiit	15	60.2	45.0	4.4	5.3
Miro Muheim	20	55.5	47.3	2.9	3.9
Mario Vušković	14	49.0	44.0	1.9	3.8
Warmed Omari	11	40.6	38.1	4.5	3.7
Albert Grønbæk	13	48.4	40.7	1.6	3.7
Yussuf Poulsen	21	52.8	38.4	3.1	3.5
Shafiq Nandja	19	61.0	48.8	2.8	3.4
Bilal Nadir	21	37.7	31.1	2.1	3.2

Data Coverage Note

26 athletes with load data in display window. 18 athletes with GPS data. 8 athletes load-only (no GPS): Daniel Elfadli, David Möller Wolfe, Emir Sahiti, Immanuël Pherai, Otto Stange, Patson Daka, Rayan Philippe, Warmed Omari, Zakaria El Ouahdi.

Testing Summary

No VALD, NordBord, or ForceDecks tests recorded in window. No rehab or RTP cases recorded in window.