Performance & Risk Analysis – Hambourg

Period: 19 September – 5 October 2026

Training Block Analysis | Load, GPS, COD & Wellness

Executive Summary

⚠ **High ACWR Alert:** Three athletes flagged with elevated ACWR (≥1.30): Mario Vušković 1.99, Sebastiaan Bornauw 1.99, Martin Adeline 1.38 — review load progression before next session.

⚠ **Underload Cohort:** 16 athletes with ACWR ≤0.80, indicating underload or return-to-play phase; largest group includes Bakery Jatta 0.08, Daniel Elfadli 0.002, Emir Sahiti 0.001.

📊 **GPS Volume Leaders (period total):** Miro Muheim 57,083 m, Mario Vušković 57,773 m; HSR leaders: Miro Muheim 3,660 m, Alexander Røssing-Lelesiit 2,387 m.

🔄 **Monotony Flag:** Bilal Nadir 1.12 (7-day window), suggesting low day-to-day load variation.

26	18	0.82
ATHLETES WITH LOAD DATA	ATHLETES WITH GPS DATA	SQUAD MEAN ACWR

0
MATCH DATA IN WINDOW


Context: *Squad mean ACWR 0.82 (18 athletes with GPS data). No match data in window; all metrics reflect training sessions only.*

Squad Overview – Load & GPS


Period Summary

PLAYER	N	ACWR	DISTANCE (M)	HSR (M)	SPRINT DIST (M)	SPRINTS	ACCEL	DECEL
Albert Grønbæk	3	0.4	9.69	36	0	0	27	26
Albert Sambi Lokonga	7	0.88	47.56	2.31	383	17	426	258
Alexander Røssing-Lelesiit	6	0.99	39.05	2.39	286	19	587	471
Bakery Jatta	4	0.08	24.42	1.17	387	18	306	179
Bilal Nadir	8	1.11	40.61	1.59	460	24	424	329
Daniel Elfadli	–	0.00	–	–	–	–	–	–
David Möller Wolfe	–	0.09	–	–	–	–	–	–
Emir Sahiti	–	0.00	–	–	–	–	–	–
Fábio Vieira	6	1.28	37.8	1.84	732	18	360	252
Immanuël Pherai	–	0.10	–	–	–	–	–	–
Jordan Torunarigha	6	0.49	30.45	1.27	540	18	298	246
Kofi Amoako	7	0.48	40.53	2.36	775	28	435	324
Mario Vušković	9	1.99	57.77	1.45	289	11	536	486
Martin Adeline	5	1.38	47.54	2.86	762	41	368	467
Miro Muheim	9	0.75	57.08	3.66	1.41	55	643	590
Nicolai Remberg	6	0.99	50.86	1.8	331	16	420	596
Nicolás Capaldo	9	0.54	43.01	2.04	297	16	306	297
Otto Stange	1	0.05	7.8	701	274	10	48	60
Patson Daka	–	0.06	–	–	–	–	–	–
Rayan Philippe	–	0.00	–	–	–	–	–	–
Sebastiaan Bornauw	6	1.99	41.42	1.31	368	16	399	339
Shafiq Nandja	5	0.81	38.92	2.23	651	28	426	361
Terem Moffi	5	0.59	14.91	781	183	6	61	39
Warmed Omari	–	0.07	–	–	–	–	–	–
Yussuf Poulsen	8	0.99	41	2.06	836	21	500	360
Zakaria El Ouahdi	–	0.13	–	–	–	–	–	–

Total Distance – Top 10




High-Speed Running – Top 10




Watchlist – Elevated ACWR

Three athletes require immediate attention due to elevated acute:chronic workload ratios. All three have crossed the 1.30 threshold, indicating rapid load accumulation relative to their chronic baseline.

ACWR Distribution



Underload Cohort



26 athletes with load data in display window. 18 athletes with GPS data. 8 athletes load-only (no GPS): Daniel Elfadli, David Möller Wolfe, Emir Sahiti, Immanuël Pherai, Otto Stange (1 session), Patson Daka, Rayan Philippe, Warmed Omari, Zakaria El Ouahdi.

Mario Vušković – Elevated Load Profile

Mario Vušković


CENTRAL DEFENDER

ACWR 1.99

⚠ **Alert:** ACWR 1.99 (latest 2026-10-03) — elevated acute load relative to chronic baseline. Peak was 3.63 on 2026-09-18. Period total: 57,773 m distance, 1,451 m HSR, 289 m sprint distance (11 sprints).

PLAYER	ACWR	SESSIONS	DISTANCE (M)	HSR (M)	SPRINT DIST (M)	SPRINTS
Mario Vušković	1.99	9	57.77	1.45	289	11

ACWR Evolution



Recommendation: *Monitor next 48h recovery. Consider load modulation if ACWR remains >1.50. High volume (57.7 km) suggests good chronic capacity but rapid spike requires attention.*

Sebastiaan Bornauw – Elevated Load Profile




Sebastiaan Bornauw

DEFENDER

ACWR 1.99

⚠ **Alert:** ACWR 1.99 (latest 2026-10-04) — elevated acute load relative to chronic baseline. Peak was 3.63 on 2026-09-29. Period total: 41,419 m distance, 1,310 m HSR, 368 m sprint distance (16 sprints).

ACWR Evolution



Recommendation: *Similar profile to Vušković. Both defenders showing rapid load accumulation. Consider paired load management strategy.*

Martin Adeline – Watch Threshold

Martin Adeline


MIDFIELDER

ACWR 1.38

⚠ **Watch:** ACWR 1.38 (latest 2026-10-04) — approaching threshold. Period total: 47,543 m distance, 2,856 m HSR, 762 m sprint distance (41 sprints). High HSR and sprint volume relative to peers.

PLAYER	ACWR	SESSIONS	DISTANCE (M)	HSR (M)	SPRINT DIST (M)	SPRINTS
Martin Adeline	1.38	5	47.54	2.86	762	41

ACWR Evolution



Observation: *Adeline shows highest HSR (2,856 m) and sprint count (41) in watchlist cohort. High-intensity profile warrants close monitoring despite lower ACWR than Vušković/Bornauw.*


Change-of-Direction Exposure – One-Month Analysis

Analysis window: 2026-09-05 → 2026-10-05 (31 days). Change-of-direction metrics include accelerations, decelerations (all zones), high-intensity zones (Z6), and cumulative loading.


Squad Summary – COD Exposure & Load

PLAYER	N	ACCEL SUM	DECEL SUM	ACCEL Z6	DECEL Z6	ACCEL LOAD	DECEL LOAD	IMPACTS
Albert Sambi Lokonga	18	739	516	40	38	357.8	64.3	1.2
Bilal Nadir	21	789	665	45	70	379.4	71.5	706
Jordan Torunarigha	17	625	528	22	47	263.1	76.9	427
Kofi Amoako	17	745	557	46	37	465.9	88.5	925
Martin Adeline	18	781	879	22	**114**	422.7	120.7	1.1
Miro Muheim	20	1.1	963	62	80	457	95.7	779
Nicolai Remberg	18	1	1.3	34	**105**	690.8	135.6	2.1
Nicolás Capaldo	20	837	890	52	**128**	766.4	188.5	1.6
Otto Stange	13	514	516	32	80	140.5	36.4	199
Sebastiaan Bornauw	6	336	295	17	22	142.6	23.5	140
Shafiq Nandja	19	1.2	948	60	73	356.9	84.1	394
Terem Moffi	16	664	475	34	25	286	72.3	511
Yussuf Poulsen	21	1.1	825	71	79	274.8	56.2	259
Albert Grønbæk	13	597	499	21	43	393.7	94.8	912
Alexander Røssing-Lelesiit	15	871	666	63	81	317.7	61.8	368
Bakery Jatta	17	813	554	43	51	380.4	77.6	580
Mario Vušković	14	700	637	30	52	291.7	63.7	587
Fábio Vieira	18	824	595	41	60	358.3	56	523
Patson Daka	12	674	558	68	64	450	103.5	723
Warmed Omari	11	447	419	50	41	324	65.2	589
Zakaria El Ouahdi	12	821	780	49	96	259.2	76.3	298
David Möller Wolfe	11	722	648	80	101	179.6	49.1	124
Immanuël Pherai	9	399	338	34	35	332.6	59.4	668


Total Accelerations – Top 10




Total Decelerations – Top 10




High-Intensity Decelerations (Zone 6) – Top 10



Acceleration Loading – Top 10



Deceleration Loading – Top 10




High-Exposure Athletes – COD Detail


Three athletes with highest high-intensity deceleration exposure (zone 6): **Nicolás Capaldo 128 count**, **Martin Adeline 114 count**, **Nicolai Remberg 105 count**.

> **Key Finding:** Nicolás Capaldo shows highest cumulative deceleration loading (188.5) and acceleration loading (766.4) over the month. Profile suggests high mechanical stress accumulation.


High-Intensity Decelerations (Z6) – Daily Evolution



Total Decelerations – Daily Evolution



Deceleration Loading – Daily Evolution



Session Averages – High-Intensity COD

PLAYER	SESSIONS	AVG ACCEL	AVG DECEL	AVG ACC Z6	AVG DEC Z6
David Möller Wolfe	11	67.1	61.3	7.3	**9.3**
Zakaria El Ouahdi	12	71.1	69	4.7	**8.8**
Nicolás Capaldo	20	40.9	44.5	2.7	6.7
Otto Stange	13	39.5	39.7	2.5	6.2
Martin Adeline	18	42.5	48.6	1.1	6.2
Nicolai Remberg	18	56.4	70.2	1.9	5.8
Patson Daka	12	56.2	46.5	5.7	5.3
Alexander Røssing-Lelesiit	15	60.2	45	4.4	5.3
Miro Muheim	20	55.5	47.3	2.9	3.9
Mario Vušković	14	49	44	1.9	3.8
Warmed Omari	11	40.6	38.1	4.5	3.7
Albert Grønbæk	13	48.4	40.7	1.6	3.7
Yussuf Poulsen	21	52.8	38.4	3.1	3.5
Shafiq Nandja	19	61	48.8	2.8	3.4
Bilal Nadir	21	37.7	31.1	2.1	3.2

Per-session intensity: *David Möller Wolfe (9.3 avg Z6 decelerations/session) and Zakaria El Ouahdi (8.8) show highest per-session intensity despite lower total volume. Consider session density management.*

Data Availability & Coverage

📊 **Data Coverage:** 18 athletes with GPS data in period; 26 with load monitoring; no match data in window.

⚠ **Requested Period Note:** The requested period (March 1–14, 2026) does not contain performance_score or injury_risk_score data. These metrics are not available in the current dataset. This report reflects the available period: September 19 – October 5, 2026.

Testing Summary: *No VALD, NordBord, or ForceDecks tests recorded in window. No rehab or RTP cases recorded in window.*

Athletes with Load-Only Data (No GPS)

- Daniel Elfadli (ACWR 0.002)
- David Möller Wolfe (ACWR 0.09)
- Emir Sahiti (ACWR 0.001)
- Immanuël Pherai (ACWR 0.10)
- Otto Stange (1 session, ACWR 0.05)
- Patson Daka (ACWR 0.06)
- Rayan Philippe (ACWR 0.001)
- Warmed Omari (ACWR 0.07)
- Zakaria El Ouahdi (ACWR 0.13)

Wellness & Biomarkers Analysis

⚠ **Data Limitation:** Wellness and biomarker data are not available in the current dataset for the analysis period. The system contains load, GPS, and COD metrics only.

Recommendation: *To enable comprehensive wellness and biomarker analysis, ensure the following data streams are integrated:*

- Subjective wellness questionnaires (sleep quality, fatigue, soreness, mood, stress)
- Sleep tracking data (duration, efficiency, REM/deep sleep phases)
- Biomarker panels (CK, testosterone, cortisol, urea, etc.)
- HRV and resting heart rate metrics

Follow-Up Actions

Immediate (24–48h)

- Review load plan for Vušković, Bornauw, Adeline
- Monitor recovery markers (subjective wellness, HRV if available)
- Consider load modulation if ACWR remains elevated

Short-term (1 week)

- Track ACWR trend for watchlist cohort
- Review COD exposure for Capaldo, Adeline, Remberg
- Integrate underload cohort into progressive loading

📋 **Data Quality Note:** No match data in window limits contextual interpretation. All metrics reflect training sessions only. Consider match-to-training ratios when competition resumes.