MAUNA

2026-2027

REHAB RETURN & LOAD CONFLICT FLAGS – 14D MEDICAL BRIEF

Club report — MAUNA data only

Sun, 04/10/26 · 2026-09-21 → 2026-10-04

01 Executive Summary

02 Injury & Rehab Context

03 Cross-Domain Flags: Load × GPS × Wellness

04 Albert Sambi Lokonga – Elevated Injury Risk Despite Controlled ACWR

05 Bakery Jatta – Wellness Distress + Moderate Injury Risk

06 Yussuf Poulsen – ACWR 1.07 + Elevated Injury Risk

07 Team Overview: ACWR & Wellness Distribution

08 Recommendations

LOAD GPS WELLNESS SLEEP BIOMARKERS

CONTENTS Hambourg

Rehab Return & Load Conflict Flags – 14d Medical Brief

01 · Cover cover

02 · Staff read brief

03 · Injury & Rehab Context §1

04 · Cross-Domain Flags: Load × GPS × Wellness §2

05 · Albert Sambi Lokonga – Elevated Injury Risk Despite Controlled ACWR §3

06 · Bakery Jatta – Wellness Distress + Moderate Injury Risk §4

07 · Yussuf Poulsen – ACWR 1.07 + Elevated Injury Risk §5

08 · Robert Glatzel, Ransford Königsdörffer, William Mikelbrencis – Injury Risk Without GPS Data §6

09 · Team Overview: ACWR & Wellness Distribution §7

10 · Recommendations §8

rehab_progressions_and_load_wellness_conflicts

NARRATIVE THREAD

- Albert Sambi Lokonga shows elevated injury risk (mean 45, max 47) despite controlled ACWR EWMA 0.84, warranting medical review before tomorrow's session.
- Bakery Jatta presents converging wellness distress (soreness 39, mood 35, sleep quality 34) alongside moderate injury risk (29) with no ACWR available; recommend modified session or rest day.
- Yussuf Poulsen ACWR 1.07 (upper typical range) with elevated sprint exposure (105 m/session, max 477 m) and injury risk 33; monitor for spike if intensity increases.
- Robert Glatzel (risk 35), Ransford Königsdörffer (40), and William Mikelbrencis (31) flag injury risk with zero GPS/load data over 7 days; verify training participation.
- Only 13 of 38 athletes have sufficient chronic history for ACWR calculation; 25 lack ≥21 days of data.
- No strong linear relationship between body soreness and injury risk across the squad, suggesting individual variability dominates.

CANVAS SECTIONS

Team Overview: ACWR & Wellness Distribution	TEAM
Elevated Injury Risk Despite Controlled ACWR	TEAM
Wellness Distress + Moderate Injury Risk	TEAM
ACWR 1.07 + Elevated Injury Risk	TEAM
Injury Risk Without GPS Data	TEAM

INJURY & REHAB CONTEXT

2026-09-21 → 2026-10-04

RECENT INJURIES & RETURN TIMELINE

Player	Date Of Injury	Recovery Date	tissue	context
Patson Daka	2026-09-25	—	rectus femoris	—
Albert Grønbæk	2026-09-24	—	biceps femoris	—
Terem Moffi	2026-09-20	—	—	match
Sebastiaan Bornauw	2026-09-06	2026-09-22	biceps femoris	—
Jordan Torunarigha	2026-08-22	2026-08-27	semitendinosus	—
Miro Muheim	2026-08-12	2026-09-05	adductor magnus	—
Warmed Omari	2026-08-08	—	labrum	—
Alexander Røssing-Lelesiit	2026-04-29	—	syndesmotic ligament	—

CROSS-DOMAIN FLAGS: LOAD × GPS × WELLNESS


2026-09-21 → 2026-10-04

HIGH INJURY RISK ATHLETES (>25) – LOAD, GPS & WELLNESS SUMMARY

high medium low vs squad (terciles)

Player	Injury Risk Score Mean	Acwr Ewma	High speed running (absolute) (mean)	Decelerations (relative) (mean)	Body Soreness Rating Mean	Mood Rating Mean	Quality Rating Mean
Albert Sambi Lokonga	**45.25**	0.84	**329.71**	36.86	**18**	**10**	18
Bakery Jatta	29	—	**291.5**	**44.75**	**39**	**34.67**	**34.33**
Immanuël Pherai	30	—	—	—	—	—	—
Noah Katterbach	28	—	—	—	—	—	—
Ransford Königsdörffer	**40**	—	—	—	—	—	—
Robert Glatzel	**35**	—	—	—	—	—	—
William Mikelbrencis	31	—	—	—	—	—	—
Yussuf Poulsen	33	1.07	256.88	**45**	12.73	**10**	**20.91**

INJURY RISK SCORE (14D MEAN)



ALBERT SAMBI LOKONGA – ELEVATED INJURY RISK DESPITE CONTROLLED ACWR


2026-09-21 → 2026-10-04




Albert Sambi Lokonga
CENTRAL MIDFIELDER

Acwr Ewma	monotony	High speed running (absolute) (mean)	Decelerations (relative) (mean)	Body Soreness Rating Mean	Mood Rating Mean	Injury Risk Score Mean
0.84	0.71	329.71	36.86	18	10	45.25

SAMBI LOKONGA – LOAD TREND (EWMA 7D)



SAMBI LOKONGA – INJURY RISK EVOLUTION



Sambi Lokonga injury risk score averaged 45 (max 47) over 14 days despite ACWR EWMA 0.84 (typical underload range). HSR mean 330 m/session and decels 37/session are moderate. Wellness stable (soreness 18, mood 10). The disconnect between controlled load ratios and elevated injury risk warrants medical review before tomorrow's main session.


BAKERY JATTA – WELLNESS DISTRESS + MODERATE INJURY RISK

2026-09-21 → 2026-10-04




Bakery Jatta
WINGER

BAKERY JATTA – BODY SORENESS EVOLUTION



High speed running (absolute) (mean)	Decelerations (relative) (mean)	Body Soreness Rating Mean	Mood Rating Mean	Quality Rating Mean	Injury Risk Score Mean
291.5	44.75	39	34.67	34.33	29

BAKERY JATTA – MOOD RATING EVOLUTION



Jatta shows converging wellness distress: body soreness 39, mood 35, sleep quality 34 (all elevated). Injury risk 29. ACWR unavailable (insufficient chronic history). GPS moderate (HSR 292 m, decels 45). The wellness cluster flags cumulative fatigue despite no load spike. Recommend modified session or rest day.


YUSSUF POULSEN – ACWR 1.07 + ELEVATED INJURY RISK

2026-09-21 → 2026-10-04

Yussuf Poulsen
STRIKER

Acwr Ewma	monotony	High speed running (absolute) (mean)	Sprint distance (mean)	Decelerations (relative) (mean)	Body Soreness Rating Mean	Injury Risk Score Mean
1.07	0.73	256.88	104.5	45	12.73	33

YUSSUF POULSEN – ACWR EWMA EVOLUTION



Poulsen ACWR EWMA 1.07 (upper typical range) with injury risk 33 (max 38). Sprint distance elevated at 105 m/session (max 477 m). Wellness good (soreness 13, mood 10). The ACWR sits just above 1.0 with high sprint exposure; monitor for spike if intensity increases

further.

ROBERT GLATZEL, RANSFORD KÖNIGSDÖRFFER, WILLIAM MIKELBRENCIS – INJURY RISK WITHOUT GPS DATA

2026-09-21 → 2026-10-04



Robert Glatzel
STRIKER

ATHLETES WITH INJURY RISK BUT NO GPS DATA (N=3 DAYS)


Player	Injury Risk Score Mean	Performance Score Mean	Cumulative 7
Noah Katterbach	28	**51**	**0**
Ransford Königsdörffer	**40**	**51**	**0**
Robert Glatzel	**35**	**51**	**0**
William Mikelbrencis	31	**51**	**0**
Yussuf Poulsen	33	**52**	40,446.73

Glatzel (risk 35), Königsdörffer (40), and Mikelbrencis (31) show elevated injury risk scores with zero GPS data and zero cumulative load over 7 days. This suggests either non-training status or data-collection gaps. Verify availability and training participation before tomorrow's session.


TEAM OVERVIEW: ACWR & WELLNESS DISTRIBUTION

2026-09-21 → 2026-10-04

ACWR EWMA DISTRIBUTION (ATHLETES WITH SUFFICIENT HISTORY)



BODY SORENESS VS INJURY RISK (14D MEAN)



Only 13 of 38 athletes have sufficient chronic history (≥21 days) for ACWR calculation. Among those with ACWR, Martin Adeline (1.13) and Bilal Nadir (1.06) sit at upper typical range; Yussuf Poulsen (1.07) just above 1.0. Kofi Amoako (0.45) and Jordan Torunarigha (0.55) show underload. The scatter plot reveals no strong linear relationship between body soreness and injury risk across the squad, suggesting individual variability dominates.

RECOMMENDATIONS

2026-09-21 → 2026-10-04

Pull from tomorrow's main session: Bakery Jatta (wellness cluster distress) and consider modified load for Albert Sambi Lokonga (injury risk 45 despite controlled ACWR). Verify training status for Glatzel, Königsdörffer, Mikelbrencis (injury risk flags with zero GPS/load data). Monitor Yussuf Poulsen ACWR and sprint exposure if intensity increases. Continue building chronic history for 25 athletes currently lacking ACWR context.