2025-2026

SUNDERLAND – APRIL 2026 MONITORING REPORT

Thu, 30/04/26 · 2026-04-01 → 2026-04-30

MONITORING COMMENT

The report structure is now in place. Let me provide the final wrap-up:

Sunderland – April 2026 Monitoring Report

Summary:

The April monitoring period captured 24 athletes across 339 GPS session-days. Harrison Jones accumulated the highest total player load (9,506 AU over 15 sessions), while Dennis Cirkin recorded the peak single-session spike (1,361 AU on 1 April, 2.8× his monthly mean). Luke O'Nien reported the highest average body soreness (8.5/10) alongside elevated energy scores (8.2/10), indicating sustained high-load tolerance but warranting continued recovery monitoring.

Key Findings:

1. **Volume Leaders:** Harrison Jones (9,506 AU total), Dennis Cirkin (9,271 AU), and Reinildo Mandava (8,926 AU) led monthly accumulation. Mean session load ranged 486–525 AU for top performers.

2. **Load Spikes:** Cirkin's 1 April session (1,361 AU) and Luke O'Nien's 1 April session (1,535 AU) were the highest individual outputs. Both returned to typical ranges (400–700 AU) in subsequent sessions without reported issues.

3. **Wellness Patterns:** Luke O'Nien (8.5/10 body soreness), Enzo Le Fee (7.8/10), and Noah Sadiki (7.6/10) reported the highest average soreness. Energy ratings remained proportionally high (7.0–8.2/10), suggesting athletes are coping but close monitoring is prudent.

4. **High-Intensity Exposure:** Nilson Angulo (4,516 m), Enzo Le Fee (4,983 m), and Noah Sadiki (4,743 m) covered the most distance in velocity band 5 (sprint zone), indicating high neuromuscular demand.

Watchlist:

- **Luke O'Nien (watch):** Highest body soreness (8.5/10 mean) over 20 entries. Total load 8,300 AU across 16 sessions. Pattern stable but elevated; review recovery protocols if soreness persists above 8.0.

- **Dennis Cirkin (watch):** Single-session spike 1,361 AU (1 April) vs. 488 AU mean. Subsequent sessions normalized. Monitor for delayed fatigue response in next 7–10 days.

- **Eliezer Mayenda (watch):** Body soreness 7.1/10, energy 7.6/10 over 18 entries. Load pattern consistent (344–587 AU/session). Elevated subjective scores relative to moderate GPS output warrant check on non-training stressors or sleep quality.

No converging signals (load spike + wellness decline + neuromuscular drop) identified. All flags are single-domain "watch" level.

Follow-ups:

No injury records or return-to-play protocols documented in April. All athletes with GPS data participated in multiple sessions without flagged modifications.

Testing:

VALD ForceDecks and biomarker testing were not conducted in April. Neuromuscular capacity baselines unavailable for this period.

Data Coverage:

- **GPS:** 24 athletes, 339 session-days. Comprehensive coverage.
- **Wellness:** 22 athletes, 361 entries. Mood and stress fields mostly null; body soreness and energy well-populated.
- **Sleep:** 22 athletes, 344 entries. Quality rating available; efficiency, consistency, and duration metrics mostly null.
- **Body Metrics:** 22 athletes, 17 weight entries. Fat percentage null.
- **Absent Domains:** Match statistics (0 days), VALD (0 days), biomarkers (0 days). No sRPE data (RPE × minutes); load analysis based solely on GPS player load. Insufficient history for ACWR computation (all ratios null).

Recommendations:

1. Continue monitoring Luke O'Nien's body soreness trend; consider targeted recovery interventions if scores remain ≥8.5 into early May.
2. Track Dennis Cirkin and Luke O'Nien for delayed fatigue following their 1 April spikes.
3. Investigate Eliezer Mayenda's elevated soreness relative to moderate GPS load—sleep quality, non-training stress, or session perception may be contributing factors.
4. Establish sRPE collection (session RPE × duration) to enable ACWR and monotony calculations for load-spike risk assessment.
5. Resume VALD testing to complement GPS load monitoring with neuromuscular capacity trends.

All findings are descriptive; no injury predictions or medical diagnoses are implied. Staff review and clinical judgement determine next steps.

LOAD GPS WELLNESS SLEEP BODY ~~MATCH~~ ~~VALD~~ ~~BIOMARKERS~~

SUNDERLAND · MAUNA

Sunderland – April 2026 Monitoring Report

Descriptive monitoring — not injury prediction. Table colours encode risk vs individual norms, not magnitude alone.

01 · Cover cover

02 · Squad Overview §1

03 · Watchlist §2

COACH BRIEF

Fait moi un bilan en avril

SQUAD OVERVIEW


2026-04-01 → 2026-04-30

TOTAL DISTANCE (MÉTRES)
102.2
max · avg 73.5 · n=24


GEN 2 VELOCITY BAND 5 TOTAL DISTANCE (MÈTRES)
410
max · avg 20.2 · n=24

HIGH METABOLIC LOAD DISTANCE (MÈTRES)
37.2
max · avg 25.2 · n=5

RANKING · TOTAL DISTANCE (MÉTRES)



MULTI-METRIC PROFILE RADAR




APRIL TOTAL LOAD & HIGH-INTENSITY EXPOSURE

above normal — review watch in range

Player	Total player load	Total distance (métres)	Gen 2 velocity band 5 total distance (mètres)	High metabolic load distance (mètres)
Harrison Jones	9,505.7	**101.17**	**3.87**	38,328.2


Player	Total player load	Total distance (mètres)	Gen 2 velocity band 5 total distance (mètres)	High metabolic load distance (mètres)
Luke O'Nien	8,299.9	96.21	2.73	32,652.1
Enzo Le Fee	8,136.4	102.24	4.98	37.19
Dennis Cirkin	9,270.5	79.45	3.07	26,529.2
Noah Sadiki	7,111.6	94.69	4.74	36,466.7
Reinildo Mandava	8,925.9	89.92	3.52	27,083.9
Habib Diarra	6,165.6	83.93	3.33	29.44
Chris Rigg	6,572.6	75.83	3.05	24,726.3
Daniel Ballard	6,754.5	73.79	3.36	25,106.8
Granit Xhaka	5,250.9	78.14	2.66	30,555.4
Chemsdine Talbi	7	71.86	3.56	21,194.3
Wilson Isidor	6,505.3	69.29	3.61	20,350.9
Nordi Mukiele	5,330.6	77.47	4.25	24,925.1
Omar Alderete	4,578.1	73.37	2.39	23,602.5
Brian Brobbey	4,869.3	69.01	2.42	20,560.7
Nilson Angulo	8,923.7	80.73	4.52	31,219.3
Eliezer Mayenda	6.21	62.54	2.34	18,020.5
Trai Hume	5,452.5	68.15	3.26	22.68
Bertrand Traore	8,022.1	68.89	3.2	27,254.5
Lutsharel Geertruida	6,024.3	58.76	2.18	17,128.7
Milan Aleksic	5.79	57.49	2.09	17,517.8
Jocelin Ta Bi	7,764.7	64.96	3.23	26.38
Ahmed Abdullahi	5,238.7	44.23	1.81	13,041.2
Aji Alese	2,480.2	21.8	410	10.45

DAILY PLAYER LOAD EVOLUTION – APRIL 2026 — GROUP 1




DAILY PLAYER LOAD EVOLUTION – APRIL 2026 — GROUP 2






DAILY PLAYER LOAD EVOLUTION – APRIL 2026 — GROUP 3




TOP 10 PLAYERS BY TOTAL PLAYER LOAD – APRIL 2026




WATCHLIST

2026-04-01 → 2026-04-30

HIGHEST AVERAGE BODY SORENESS – APRIL 2026





PEAK SINGLE-SESSION PLAYER LOAD – TOP 6 ATHLETES



Harrison Jones led April volume with 9,506 AU total player load across 15 sessions (mean 487 AU/session, peak 1,163 AU). Dennis Cirkin recorded the highest single-session spike at 1,361 AU on 1 April. Eliezer Mayenda reported the highest average body soreness (7.1/10) alongside elevated energy (7.6/10), warranting a check on recovery adequacy relative to his 18-day load pattern.

DENNIS CIRKIN – DAILY PLAYER LOAD (APRIL)





ELIEZER MAYENDA – DAILY PLAYER LOAD (APRIL)

