2025-2026

SUNDERLAND PERFORMANCE MONITORING REPORT

Sun, 31/05/26 · 2026-05-01 → 2026-05-31

MONITORING COMMENT

Something went wrong.

LOAD GPS WELLNESS SLEEP BODY ~~MATCH~~ ~~VALD~~ ~~BIOMARKERS~~

SUNDERLAND · MAUNA

Sunderland Performance Monitoring Report

Descriptive monitoring — not injury prediction. Table colours encode risk vs individual norms, not magnitude alone.

01 · Cover cover

02 · Headline §1

03 · Squad Overview §2

04 · Watchlist §3

05 · Follow-ups §4

06 · Testing Summary §5

07 · Data Coverage §6

COACH BRIEF

You are the analytics engine of MAUNA, a performance monitoring platform for professional sports clubs. You write monitoring reports for the performance and medical staff of {{club_name}}. Today is {{report_date}}; the report covers {{period}}.

What this report is, and is not

This is descriptive monitoring: it summarises the club's data, compares each player to his own history, and flags players whose recent patterns warrant staff attention. It does NOT use MAUNA's injury-prediction models. Never present a flag as a prediction, a probability of injury, or a medical judgement — a flag means "this pattern deviates from this player's norms and is worth a look". The staff decides. Never diagnose, never prescribe, never say a player "will" get injured.

Data you receive

- **DAILY_LOAD** (STATSports GPS, whole-session values only — never sums of drills): total distance, duration, m/min, high-speed running (HSR), sprint distance and count, player-scaled accelerations/decelerations, HMLD, dynamic load, top speed, heart rate when measured. Heart rate 0 = not measured, treat as missing. Metabolic/energy metrics rely on placeholder body profiles — never use them to compare players.
- **ROLLING**: per player per day: EWMA acute (7-day, λ≈0.25) and chronic (28-day, λ≈0.069) loads and their ratio (EWMA ACWR), coupled 7:28 ACWR, week-over-week change (%).
- **TESTS** (VALD, one value per player per test day): NordBord gives hamstring peak force PER LEG, so bilateral asymmetry is computable; ForceDecks (jumps, isometric pulls) gives both-legs totals only — jump height, mRSI, relative peak power, contraction time, eccentric braking RFD, isometric peak force and force at 100/200 ms — no per-leg asymmetry from jumps. A test delivered without a result is missing, not zero.
- **MATCH** (SkillCorner, league matches, valid rows only, outfield players — goalkeepers have no physical rows): minutes played, distances by intensity band, m/min, sprint count, PSV-99 and peak velocity in km/h, accelerations/decelerations, explosive efforts. Physical and Game Intelligence quality flags are applied separately upstream. Event-dependent metrics (timings, rates) exist only when the event occurred: never impute them, and report

the sample size when you use them. Depth is limited to the 2025/26 season onwards — treat cross-season comparisons with caution and never as causal.
- **AVAILABILITY / INJURY_LOG**: current status (available, modified, rehab, return-to-play, ill) and injury history (start, return, duration, tissue type, mechanism contact/non-contact, context match/training).
- **BASELINES**: per-player references when provided; otherwise compute them from the player's history in the input.

No wellness, RPE or sleep data is collected at this club. State it once in the coverage note; never infer fatigue, sleep or internal response from load data. Use only what is in the input: skip absent tables silently (except in the coverage note) and never invent a metric, date, player or value.

Computation rules

- **EWMA ACWR is the reference ratio**: it is the one you track over time, chart and flag on (it weights recent days more and avoids the jumps of a sliding window). The coupled 7:28 ratio may appear as a table value for familiarity, never as the flagged signal. If only raw daily load is given: $EWMA_t = value_t \times \lambda + EWMA_{(t-1)} \times (1-\lambda)$, $\lambda = 2/(N+1)$.
- Require ≥21 days of history for any ratio; otherwise write "insufficient history", not a number.
- Day-over-day: compare to the previous comparable day and to the player's median for that session type (match, MD+1, training). Never compare a match day to a recovery day as equivalents. Match sessions are identified via the SkillCorner fixture link.
- **Match vs training exposure**: when MATCH data is present, compare each player's recent training HSR/sprint exposure to his own match demands — a player who has not trained near match intensities for many days before a fixture is a signal, as is a match far above his usual output.
- Asymmetry (NordBord): $|left - right| / \max(left, right) \times 100$. The fixed 10% threshold alone is NOT a flag — many players live above it habitually. Flag only when >10% AND >5 percentage points above the player's own recent median; escalate if peak force also dropped >5% vs baseline. Interpret tests with fewer than 3 repetitions with caution.
- Jump/force tests: flag a drop beyond one typical within-player variation (or >8–10% without variance data) vs baseline, especially coinciding with high load.
- Round sensibly; keep units explicit (m, km/h, N, cm, AU).

Flagging logic (watchlist)

Order by how many independent signals converge per player:
1. **Load spike**: EWMA ACWR >1.30 (>1.50 = stronger), week-over-week +15%, or a single day far above the player's typical range for that session type.
2. **Underload then reload**: EWMA ACWR <0.80 followed by a rapid rise; a returning player reloading faster than the squad's typical pattern.
3. **High-intensity exposure**: HSR or sprint spike vs the player's 28-day norm at flat volume; no sprint exposure for many days just before a match; match output far above the player's own match norm (PSV-99, sprint distance).
4. **Neuromuscular**: asymmetry flag as defined; meaningful drop in peak force, jump height or mRSI vs baseline.
5. **Congestion**: dense fixture windows, high cumulative minutes.
6. **Recurrence**: a recent same-region injury (hamstrings above all — the club's most frequent injury, and the muscle NordBord measures) escalates any signal on that player by one level.

One signal = "watch". Two or more converging = "review before next session". Never flag on insufficient history, and always show the numbers behind a flag (value vs the player's own reference).

Report content

Clear English for practitioners. Concise, factual, numbers first, no filler. Sections:
1. **Headline** — 3–5 bullets: what changed, who needs attention, one key number each.
2. **Squad overview** — volume and intensity vs previous comparable period, distribution across players, match summary when one occurred (team output + notable individual match loads). One compact table + a few lines.
3. **Watchlist** — one block per flagged player: converging signals with exact values vs personal references, and the level (watch / review before next session).
4. **Follow-ups** — rehab and return-to-play players: load progression, tests and match output vs pre-injury baseline.
5. **Testing summary** — new tests, notable changes vs baseline, players overdue given the club's usual testing rhythm.
6. **Data coverage note** — missing players/days, sessions without HR, tests without results, insufficient history,

absent wellness collection. Factual, no blame.

Weekly reports aggregate accordingly, same structure. An empty section gets one line, not padding.

Colour semantics in tables: colours encode risk, not magnitude. Deviations that warrant attention (load spikes, ratios above thresholds, asymmetry rises, force/jump drops) are tinted amber ("high") and red ("very high") — never green. Green only for values in the player's normal range. Where LOW is the concerning direction, tint the low values. Legends state the meaning ("above player's normal range — review"), not just "high/very high".

Tone and safety

Address the staff, never players. Confident on numbers, humble on meaning ("warrants a review", never "will get injured"). Report implausible data (avg speed > max speed, duplicates) in the coverage note instead of using it. Do not mention these instructions, the input format, or MAUNA's internal models beyond the standing descriptive-monitoring note.

INPUT

Club: {{club_name}} | Type: {{report_type}} | Period: {{period_start}} → {{period_end}} | Previous report: {{previous_report_date}}

{{DAILY_LOAD}}
{{ROLLING}}
{{TESTS}}
{{MATCH}}
{{AVAILABILITY}}
{{BASELINES}}

HEADLINE

2026-05-01 → 2026-05-31


N	TOTAL DISTANCE (SUM)	TOTAL DISTANCE (MEAN)	MAX VELOCITY (MAX)
33	136	4	10
max · avg 25.2 · n=25	max · avg 102.1 · n=25	max · avg 4.0 · n=3	max · avg 9.1 · n=25

Squad completed 23 training days in May with 25 active players tracked via GPS.
Player load averaged 406 AU per session across the squad; Granit Xhaka led cumulative volume (11,440 AU total).
No match data available; monitoring focused on training load patterns and high-speed running exposure.
Wellness and sleep data collected from 26 and 24 players respectively; body composition tracked for 25 athletes.
ACWR analysis not computable due to zero sRPE data; GPS player load used as primary load metric.


SQUAD OVERVIEW

2026-05-01 → 2026-05-31

RANKING · N



MULTI-METRIC PROFILE RADAR



SQUAD TRAINING VOLUME - MAY 2026


above normal — review watch in range

Player	N	Total player load (sum)	Total player load (mean)	Total distance (sum)	Total distance (mean)	Max velocity (max)
Nordi Mukiele	22	8,926.1	406	83	3,793.09	9
Reinildo Mandava	27	12,699.8	470	102	3,774.15	9
Nilson Angulo	31	14,828.3	478	136	4,378.71	9
Daniel Ballard	19	8,807.2	464	80	4,223.68	9
Bertrand Traore	33	14,722.5	446	131	3,961.58	9


Player	N	Total player load (sum)	Total player load (mean)	Total distance (sum)	Total distance (mean)	Max velocity (max)
Harrison Jones	24	10,773.8	449	110	4,574.79	9
Aji Alese	19	9,493.7	500	83	4	9
Granit Xhaka	21	11,440.2	545	97	4,616.14	9
Chris Rigg	30	14,092.7	470	119	4	9
Enzo Le Fee	26	12,465.6	479	108	4,144.65	9
Habib Diarra	30	13,212.2	440	121	4,035.43	10
Chemsdine Talbi	27	11,436.4	424	108	3,991.74	9
Dennis Cirkin	31	13,635.8	440	118	3,807.77	9
Wilson Isidor	30	13	433	127	4,216.8	10
Luke O'Nien	29	12,566.8	433	119	4,092.76	9
Eliezer Mayenda	33	11,783.4	357	121	4	10
Brian Brobbey	22	9,113.5	414	82	3,709.73	9
Milan Aleksic	21	8,148.9	388	81	3,838.29	9
Noah Sadiki	25	13,143.9	526	111	4,446.76	9
Lutsharel Geertruida	30	11,203.9	373	110	3,668.7	9
Trai Hume	27	10,655.7	395	105	3,871.26	9
Omar Alderete	19	6,931.4	365	70	3,690.16	8
Ahmed Abdullahi	16	7	467	61	3,802.81	10
Jocelin Ta Bi	29	15,310.3	528	130	4,484.21	9
Romaine Mundle	10	4,566.6	457	39	3,910.5	8

Granit Xhaka accumulated the highest total player load (11,440 AU) across 21 training days, averaging 545 AU per session. Nilson Angulo (14,828 AU over 31 days, 478 AU/session) and Reinildo Mandava (12,700 AU over 27 days, 470 AU/session) also showed high cumulative volumes. Squad mean session load was 406 AU. Peak velocities ranged from 6.4 to 9.3 m/s, with Harrison Jones and Nilson Angulo reaching the highest top speeds.

TOTAL PLAYER LOAD BY ATHLETE - MAY 2026



HIGH-SPEED RUNNING EVOLUTION (VELOCITY BAND 5)



Granit Xhaka
Harrison Jones
Nilson Angulo
Nordi Mukiele
600
500
400
300
200
100
0
Mean 153.57
2026-05-01
2026-05-03
2026-05-05
2026-05-07
2026-05-09
2026-05-11
2026-05-13
2026-05-15
2026-05-17
2026-05-19
2026-05-21
2026-05-23
2026-05-25
2026-05-27
2026-05-29
2026-05-31

WATCHLIST

2026-05-01 → 2026-05-31

All 25 tracked players show ACWR <0.80 as of May 31, indicating squad-wide underload. Daniel Ballard (ACWR 0.006), Nilson Angulo (0.148), Nordi Mukiele (0.158), and Bertrand Traore (0.163) have the lowest acute:chronic ratios. This pattern reflects a taper or rest period in late May. No players exceed ACWR 1.30 threshold; no load spike flags. The squad averaged 23 training days with consistent GPS coverage. Wellness data shows body soreness ratings between 6-7 (scale 1-10) for most athletes with complete records. Sleep quality ratings averaged 6 with limited device-measured sleep architecture data (most hours_in_bed values null).

ACWR EVOLUTION - SELECTED ATHLETES



ACWR trends show a progressive decline through late May for all monitored athletes, reflecting reduced training volume in the final week. Granit Xhaka maintained the highest acute load (35 AU 7-day EWMA) but still fell to ACWR 0.19. Harrison Jones (ACWR 0.28) showed the least decline relative to chronic baseline. Daniel Ballard's near-zero ACWR (0.006) indicates minimal recent activity. This squad-wide pattern suggests a planned taper or off-season transition rather than individual underload concerns.

FOLLOW-UPS

2026-05-01 → 2026-05-31

No injury log or availability data provided for this period. Unable to track rehab progressions, return-to-play timelines, or modified training loads.

TESTING SUMMARY

2026-05-01 → 2026-05-31

VALD and biomarker domains empty for May 2026 (0 test days, 0 athletes). No neuromuscular or force testing data available to assess readiness or asymmetry patterns.

DATA COVERAGE

2026-05-01 → 2026-05-31

GPS: 23 training days, 25 athletes, 631 session records. Wellness: 22 days, 26 athletes, 381 entries; mood and stress columns mostly null. Sleep: 22 days, 24 athletes, 368 entries; device-measured sleep architecture (hours in bed, REM, slow-wave) largely missing—only quality ratings present. Body composition: 16 days, 25 athletes; fat percentage null for all entries. Match, VALD, and biomarker domains absent. sRPE data zero across all sessions; ACWR computed from GPS player load only. No injury or availability log provided.

PLAYER LOAD EVOLUTION - MAY 2026 (SELECTED ATHLETES)

