MAUNA

2026-2027

WEEKLY PERFORMANCE REVIEW – SQUAD OVERVIEW

Club report — MAUNA data only

Mon, 05/10/26 · 2026-09-29 → 2026-10-05

01 High GPS load with elevated soreness, mood concerns, and poor sleep quality — convergence of external load and compromised recovery.

02 High HMLD and sprint exposure with elevated soreness, mood, and notably poor sleep quality — accumulating fatigue pattern.

03 Single wellness entry with acute distress signals (all metrics at 40.0) alongside substantial GPS load — requires follow-up.

04 Highest average HMLD in the squad; wellness metrics relatively low (soreness 16.3, mood 13.8, sleep 20.3) but warrant monitoring given load exposure.

LOAD GPS WELLNESS SLEEP BIOMARKERS

HAMBOURG

Weekly Performance Review – Squad Overview

01 · Cover cover

02 · Staff read brief

03 · Team Overview – GPS & Wellness Divergence §1

04 · Martin Adeline §2

05 · Cross-Domain Summary & Signals §3

06 · Training Load Analysis §4

07 · Bakery Jatta §5

08 · Shafiq Nandja §6

09 · Individual Athletes – High GPS Load with Wellness Concerns §7

STAFF READ 2026-09-29 → 2026-10-05

Cross-domain analysis of GPS intensity spikes and wellness/sleep decline across the squad during the display week.

NARRATIVE THREAD

- Team GPS intensity metrics (HMLD, HSR, sprint distance) peaked on 30 Sep, 1 Oct, and 4 Oct, while wellness (body soreness, mood) and sleep quality declined from 29 Sep to 2 Oct, creating a divergence between external load and recovery indicators.
- Alexander Røssing-Lelesiit shows elevated GPS load (avg HMLD 1184 m, HSR 349 m) combined with high body soreness (30.0), mood concerns (20.0), and sleep quality 20.0, indicating compromised recovery under high mechanical stress.
- Shafiq Nandja demonstrates high HMLD (1153 m) and sprint exposure (108 m) with elevated soreness (27.3), mood (21.3), and notably poor sleep quality (33.0), suggesting accumulating fatigue.
- Bakery Jatta reported acute distress with single wellness entry showing soreness/mood/sleep all at 40.0 alongside substantial GPS load (HMLD 1018 m), requiring follow-up to confirm pattern.
- No wellness or sleep data were captured on 3–4 Oct despite continued high GPS loads (HMLD 1393 m, HSR 485 m on 4 Oct), limiting visibility into recovery status during peak training days.
- ACWR values are null due to insufficient chronic history (<21 days), preventing ratio-based spike detection; analysis relies on absolute load metrics (cumulative 7d, monotony, strain) and cross-domain wellness signals.

SIGNALS

WATCH High GPS load with elevated soreness, mood concerns, and poor sleep quality — convergence of external load and compromised recovery.
Alexander Røssing-Lelesiit · gps · wellness · sleep

WATCH High HMLD and sprint exposure with elevated soreness, mood, and notably poor sleep quality — accumulating fatigue pattern.
Shafiq Nandja · gps · wellness · sleep

REVIEW Single wellness entry with acute distress signals (all metrics at 40.0) alongside substantial GPS load — requires follow-up.
Bakery Jatta · wellness · sleep · gps

INFO Highest average HMLD in the squad; wellness metrics relatively low (soreness 16.3, mood 13.8, sleep 20.3) but warrant monitoring given load exposure.
Martin Adeline · gps


CANVAS SECTIONS

Team Overview – GPS & Wellness Divergence	TEAM
Individual Athletes – High GPS Load with Wellness Concerns	TEAM
Training Load Analysis	TEAM
Cross-Domain Summary & Signals	TEAM

TEAM OVERVIEW – GPS & WELLNESS DIVERGENCE

2026-09-29 → 2026-10-05

DAILY TEAM AVERAGE – SLEEP QUALITY



TOP 10 PLAYERS BY AVERAGE HMLD – CROSS-DOMAIN SUMMARY


high medium low vs squad (terciles)

Player	N Sessions	Avg Hmld	Avg Hsr	Avg Sprint Distance	Avg Soreness	Avg Mood	Avg Sleep Quality
Martin Adeline	5	1.42	408	109	16.3	13.8	20.3
Alexander Røssing-Lelesiit	4	1.18	349	54	30	20	20
Shafiq Nandja	5	1.15	372	108	27.3	21.3	33
Nicolai Remberg	6	1.07	224	41	10	10	13.3
Bakery Jatta	3	1.02	292	70	40	40	40
Miro Muheim	6	986	337	120	20	20	20
Albert Sambi Lokonga	6	879	239	41	20	10	20
Sebastiaan Bornauw	6	771	164	46	21	22	20.3
Mario Vušković	5	744	135	39	16.7	10	10
Kofi Amoako	5	692	210	52	31.5	28.5	28
Yussuf Poulsen	6	689	178	45	13.3	10	23.3
Fábio Vieira	4	656	153	54	23.3	20	20
Bilal Nadir	6	568	130	38	24.3	22	25.3
Nicolás Capaldo	6	537	156	27	14.7	16	15.7
Jordan Torunarigha	4	432	111	32	30	30	30
Terem Moffi	5	324	156	37	20	13.3	20
Albert Grønbæk	3	164	12	0	23.3	13.3	20
Warmed Omari	–	–	–	–	–	–	40
Patson Daka	–	–	–	–	10	16.7	–
Warmed Omari	–	–	–	–	30	10	–
David Möller Wolfe	–	–	–	–	25	15	–
Patson Daka	–	–	–	–	–	–	10
Otto Stange	–	–	–	–	–	–	30
David Möller Wolfe	–	–	–	–	–	–	25
Otto Stange	–	–	–	–	26.7	23.3	–

BAKERY JATTA – DAILY DETAIL

Date	hmld	hsr	Sprint Distance	soreness	mood	Sleep Quality
2026-09-30	1,015.87	176.05	20.37	–	–	–
2026-10-01	1,590.72	503.66	104.39	–	–	–
2026-10-02	–	–	–	40	40	–
2026-10-02	–	–	–	–	–	40
2026-10-03	447.01	195.62	84.27	–	–	–

ACWR DISTRIBUTION – TOP 15 ATHLETES



Key findings: (1) Team GPS intensity (HMLD, HSR, sprint) peaked 30 Sep–4 Oct while wellness (soreness, mood) and sleep quality declined 29 Sep–2 Oct. (2) Alexander Røssing-Lelesiit: high HMLD (1184 m avg), elevated soreness (30.0), mood concerns (20.0), sleep quality 20.0 — convergence of high external load and compromised recovery. (3) Shafiq Nandja: HMLD 1153 m, soreness 27.3, mood 21.3, sleep quality 33.0 (poor) — accumulating fatigue pattern. (4) Bakery Jatta: single wellness entry with soreness/mood/sleep all at 40.0 (acute distress signal), HMLD 1018 m — requires follow-up. (5) No wellness/sleep data captured 3–4 Oct despite continued high GPS loads, limiting visibility into recovery status. (6) Insufficient chronic load history prevents ACWR-based spike detection; reliance on absolute load (cumulative 7d, monotony, strain) and wellness cross-checks.

CROSS-DOMAIN PROFILE – TOP 10 HMLD ATHLETES WITH LOAD METRICS

Player	Avg Hmld	Avg Hsr	Avg Soreness	Avg Mood	Avg Sleep Quality	monotony	strain	Cumulative 7
Martin Adeline	1.42	408	16.3	13.8	20.3	—	—	—
Alexander Røssing-Lelesiit	1.18	349	30	20	20	0.55	5,309.44	49,264.62
Shafiq Nandja	1.15	372	27.3	21.3	33	—	—	—
Nicolai Remberg	1.07	224	10	10	13.3	—	—	—
Bakery Jatta	1.02	292	40	40	40	—	—	80,383.17
Miro Muheim	986	337	20	20	20	—	—	—
Albert Sambi Lokonga	879	239	20	10	20	0.8	8,395.23	56,144.37
Sebastiaan Bornauw	771	164	21	22	20.3	—	—	—
Mario Vušković	744	135	16.7	10	10	—	—	—
Kofi Amoako	692	210	31.5	28.5	28	—	—	—
Albert Grønbæk	—	—	—	—	—	0.72	1,455.24	43,179.83
Bilal Nadir	—	—	—	—	—	1.12	17,550.03	57,371.7
Damion Downs	—	—	—	—	—	—	—	0
Daniel Elfadli	—	—	—	—	—	—	—	3,208.5
David Möller Wolfe	—	—	—	—	—	—	—	34,227.83
Emir Sahiti	—	—	—	—	—	—	—	0
Fabio Baldé	—	—	—	—	—	—	—	0
Fábio Vieira	—	—	—	—	—	1.23	10,970.47	58,369.65
Giorgi Gocholeishvili	—	—	—	—	—	—	—	0
Immanuël Pherai	—	—	—	—	—	—	—	29,343.58
Jean-Luc Dompé	—	—	—	—	—	—	—	0
Jordan Torunarigha	—	—	—	—	—	0.61	4,629.27	69,150.48

MARTIN ADELINE – DAILY DETAIL

Date	hmld	hsr	Sprint Distance	soreness	mood	Sleep Quality
2026-09-29	1,319.05	120.79	23	10	10	10
2026-09-30	1.78	507.97	86.32	18	10	22
2026-10-01	2,451.03	704.35	150.98	27	15	29
2026-10-02	1,357.32	319.89	172.23	10	20	20
2026-10-04	3,015.25	1,202.9	329.97	—	—	—


Highest average HMLD in the squad at 1418 m, with HSR 408 m and sprint distance 109 m across 5 sessions. Wellness metrics are relatively favorable (soreness 16.3, mood 13.8, sleep quality 20.3, all n=4), suggesting good tolerance to high load. However, the absolute GPS exposure warrants continued monitoring to ensure recovery capacity is maintained.

MARTIN ADELINE


2026-09-29 → 2026-10-05

Martin Adeline
MIDFIELDER

AVERAGE HSR VS SLEEP QUALITY – TOP 10 ATHLETES



AVERAGE HMLD VS BODY SORENESS – TOP 10 ATHLETES



CROSS-DOMAIN SUMMARY & SIGNALS

2026-09-29 → 2026-10-05

ACWR values are null for the latest snapshot, indicating insufficient chronic history (less than 21 days of usable data) for ratio calculation. Monotony and strain are available: Bilal Nadir shows highest strain (17,550) with monotony 1.12, suggesting repetitive high load. Alexander Røssing-Lelesiit has strain 5,309 with monotony 0.554. Cumulative 7-day load ranges from 43,180 (Grønbæk) to 80,383 (Jatta). Without valid ACWR, we rely on absolute load metrics (cumulative 7d, monotony, strain) and cross-domain wellness signals to flag athletes.

TOP 15 ATHLETES BY ACWR (7:28 EWMA) – LATEST VALUES

Player	monotony	strain	Cumulative 7
Albert Grønbæk	**0.72**	1,455.24	43,179.83
Albert Sambi Lokonga	**0.8**	8,395.23	56,144.37
Alexander Røssing-Lelesiit	**0.55**	5,309.44	49,264.62
Bakery Jatta	—	—	80,383.17
Bilal Nadir	**1.12**	17,550.03	57,371.7
Damion Downs	—	—	**0**
Daniel Elfadli	—	—	3,208.5
David Möller Wolfe	—	—	34,227.83
Emir Sahiti	—	—	**0**
Fabio Baldé	—	—	**0**
Fábio Vieira	**1.23**	10,970.47	58,369.65
Giorgi Gocholeishvili	—	—	**0**
Immanuël Pherai	—	—	29,343.58
Jean-Luc Dompé	—	—	**0**
Jordan Torunarigha	**0.61**	4,629.27	69,150.48

Load monitoring via session RPE shows 37 athletes with sufficient data. ACWR (acute:chronic ratio, 7:28 EWMA) provides context for the GPS spikes observed. Athletes with ACWR >1.30 combined with elevated HMLD and declining wellness represent the highest vigilance group. Those with ACWR 1.00–1.30 but rising monotony/strain alongside wellness dips also warrant attention.

TRAINING LOAD ANALYSIS

2026-09-29 → 2026-10-05

Highest wellness concern: soreness 40.0, mood 40.0, sleep quality 40.0 (all n=1, limited data). GPS load substantial (avg HMLD 1018 m, HSR 292 m over 3 sessions). Single wellness entry limits trend analysis, but the reported values are at the upper end of the scale, signaling acute distress. Requires follow-up to confirm pattern.

BAKERY JATTA

2026-09-29 → 2026-10-05



Bakery Jatta
WINGER

SHAFIQ NANDJA – DAILY DETAIL

Date	hmld	hsr	Sprint Distance	soreness	mood	Sleep Quality
2026-09-29	–	–	–	20	20	–
2026-09-29	–	–	–	–	–	30
2026-09-30	1,565.68	691.41	228.3	29	25	32
2026-10-01	1,693.17	357.61	76.02	30	20	40
2026-10-02	1,607.31	588.63	252.99	30	20	30
2026-10-03	374.6	114.7	24.55	–	–	–
2026-10-04	1,676.02	477.73	68.65	–	–	–

High HMLD (1153 m avg) and sprint exposure (108 m avg) over 5 sessions. Body soreness elevated at 27.3 (n=4), mood at 21.3. Sleep quality notably poor at 33.0 (n=4), indicating inadequate recovery despite high training demands. Peak speed 10.2 km/h reflects intense running bouts. Cross-domain pattern suggests accumulating fatigue.

SHAFIQ NANDJA 2026-09-29 → 2026-10-05



Shafiq Nandja
MIDFIELDER

ALEXANDER RØSSING-LELESIIT – DAILY DETAIL


Date	hmld	hsr	Sprint Distance	soreness	mood	Sleep Quality
2026-09-29	1,566.54	182.53	0	20	20	20
2026-09-30	1,598.24	581.49	131.17	–	–	–
2026-10-01	2,272.39	808.29	99.82	40	20	20
2026-10-02	–	–	–	–	–	20
2026-10-02	–	–	–	30	20	–
2026-10-03	485.08	171.89	36.98	–	–	–

Elevated GPS load (avg HMLD 1184 m, HSR 349 m across 4 sessions) combined with notably high body soreness (30.0, n=3) and mood concerns (20.0). Sleep quality at 20.0 (n=3) suggests insufficient recovery. High acceleration/deceleration exposure (89/72 per session) adds mechanical stress. This convergence of high external load and compromised wellness warrants monitoring.


INDIVIDUAL ATHLETES – HIGH GPS LOAD WITH WELLNESS CONCERNS

2026-09-29 → 2026-10-05


DAILY TEAM AVERAGE – BODY SORENESS



DAILY TEAM AVERAGE – HSR



DAILY TEAM AVERAGE – HMLD



This week showed a notable divergence: GPS intensity metrics (HMLD, HSR, sprint distance) peaked on 30 Sep, 1 Oct, and 4 Oct, while wellness (body soreness, mood) and sleep quality declined across the same period. On 29 Sep, 19 athletes reported wellness with average soreness 18.1 and mood 18.3; by 2 Oct (n=21), soreness rose to 22.9 and mood dropped to 17.1. Sleep quality fell from 19.8 (29 Sep) to 21.4 (2 Oct). Meanwhile, team average HMLD climbed from 934 m (29 Sep) to 1458 m (1 Oct), HSR from 77 m to 426 m, and sprint distance from 4 m to 95 m. No wellness or sleep data were captured on 3–4 Oct despite continued high GPS loads (HMLD 1393 m, HSR 485 m on 4 Oct).