Staff Report — Hambourg

1 – 7 March 2026

ES MAQUINA

Table of Contents

1. Executive Summary
2. ML Scores — Individual & Team Evolution
3. GPS External Load by Position
4. Wellness — Subjective Ratings
5. Sleep × Mood Correlation
6. Biomarkers & Tests — December 2025
7. Feature Importance & ML Drivers
8. Athlete Sheets — High-Risk Profiles
9. Monster Energy — Nutritional Reference

Executive Summary

This report covers the primary display period (1–7 March 2026) with extended wellness and sleep data (25 February–7 March) and a December 2025 biomarker snapshot. The analysis focuses on ML-derived performance and injury-risk scores, GPS external load by position, subjective wellness, and the club's feature importance drivers.

Performance scores averaged 50/100 (range 25–72) across the week, with a notable dip to 40 on 5 March suggesting mid-week fatigue. Injury-risk scores remained low (mean 7.6/100, max 68 for one outlier), indicating the squad is generally within safe load zones.

GPS external load analysis by position reveals Attacking Midfielders logged the highest HMLD (593 m mean) and explosive distance (453 m), aligning with the club's top injury-risk driver (Planned Explosiveness Peak Strain). Wingers also showed elevated HMLD (411 m) and HSR (140 m), consistent with high volume strain.


Wellness data (25 Feb–7 Mar) show body soreness averaging 26/60 (higher = more concern per club scale) and mood 23/60. Sleep quality averaged 30/60 (lower = better per club scale). The scatter plot of sleep quality vs mood shows a weak positive correlation.


Biomarker data for December 2025: 24 CMJ score measurements recorded on 16 December (single-day snapshot). No CK or other lab markers were recorded in December. The March 2026 window shows 8 CK measurements on 10 March (outside the current display period). No VALD force test trials are present in the database for December 2025.


ML SCORES — INDIVIDUAL & TEAM EVOLUTION


Performance Score — Individual Trends (1–7 March)


Individual performance score evolutions for all players across the display period. The charts below show daily fluctuations and mid-week fatigue patterns.


Albert Grønbæk
Albert Sambi Lokonga
Bakery Jatta
Damion Downs
Daniel Elfadli
Performance score (0-100)
80
70
60
50
40
30
20
01/03
02/03
03/03
04/03
05/03
06/03
07/03


Fabio Baldé
Fábio Vieira
Giorgi Gocholeishvili
Jean-Luc Dompé
Jordan Torunarigha
Performance score (0-100)
70
60
50
40
30
01/03
02/03
03/03
04/03
05/03
06/03
07/03



Luka Vušković
Miro Muheim
Nicolai Remberg
Nicolás Capaldo
Noah Katterbach
Performance score (0-100)
70
60
50
40
30
20
01/03
02/03
03/03
04/03
05/03
06/03
07/03








Injury Risk Score — Individual Trends (1–7 March)


Individual injury-risk score evolutions. Most players remain in low-risk zones (mean 7.6/100), with one outlier reaching 68/100 on 7 March.


Albert Grønbæk
Albert Sambi Lokonga
Bakery Jatta
Damion Downs
Daniel Elfadli
Injury risk score (0-100)
70
60
50
40
30
20
10
0
01/03
02/03
03/03
04/03
05/03
06/03
07/03


Fabio Baldé
Fábio Vieira
Giorgi Gocholeishvili
Jean-Luc Dompé
Jordan Torunarigha
Injury risk score (0-100)
35
30
25
20
15
10
5
0
01/03
02/03
03/03
04/03
05/03
06/03
07/03



Luka Vušković
Miro Muheim
Nicolai Remberg
Nicolás Capaldo
Noah Katterbach
Injury risk score (0-100)
60
50
40
30
20
10
0
01/03
02/03
03/03
04/03
05/03
06/03
07/03






Team Mean ± Min-Max Envelopes

Squad-level performance and injury-risk trends with min-max bands. The performance dip on 5 March (mean 40/100) suggests mid-week fatigue accumulation.







GPS EXTERNAL LOAD BY POSITION


Comparative Analysis by Position (1–7 March)


GPS external load metrics (total distance, HMLD, HSR, explosive distance) by position. Attacking Midfielders and Wingers show the highest intensity profiles, aligning with the club's top injury-risk drivers (Planned Explosiveness Peak Strain and Overall Volume Strain).

- **Attacking Midfielders:** Highest HMLD (593 m mean) and explosive distance (453 m mean).
- **Wingers:** Elevated HMLD (411 m mean) and HSR (140 m mean).
- **Defensive Midfielders and Central Defenders:** Lower absolute volumes but sustained metabolic load.


Distance total (m)
WINGER
DEFENSIVE MIDFIELDER
STRIKER
CENTRAL DEFENDER
FULL BACK
0
500
1,000
1,500
2,000
2,500
3,000
3,500


HMLD (m)
WINGER
DEFENSIVE MIDFIELDER
STRIKER
CENTRAL DEFENDER
FULL BACK
0
100
200
300
400
500
600


High speed running (absolute)
WINGER
DEFENSIVE MIDFIELDER
STRIKER
CENTRAL DEFENDER
FULL BACK
0
50
100
150
200
250
300



POSITION	N	DISTANCE TOTAL (M)	HMLD (M)	HIGH SPEED RUNNING (ABSOLUTE)	EXPLOSIVE DISTANCE (ABSOLUTE)
MIDFIELDER	1	—	—	—	—
WINGER	7	2,925	411	140	271
CENTRAL DEFENDER	6	2,672	317	58	258
STRIKER	6	2,907	334	113	221
DEFENSIVE MIDFIELDER	3	1,761	215	60	155
FULL BACK	5	2,915	369	128	241
ATTACKING MIDFIELDER	4	3,294	593	140	453
CENTRAL MIDFIELDER	2	2,729	347	68	279

WELLNESS — SUBJECTIVE RATINGS


Squad Wellness Averages (25 Feb – 7 Mar)

Body soreness and mood ratings across the extended wellness window. Club scales: body soreness 10–60 (higher = more concern), mood 10–60 (higher = more concern). Notable individual variation in soreness and mood ratings.

SLEEP × MOOD CORRELATION

Sleep Quality vs Mood (25 Feb – 7 Mar)

Scatter plot of sleep quality vs mood. Club scale: sleep quality 10–60 (lower = better). Weak positive correlation suggests that better sleep may be associated with improved mood, though individual factors vary.



BIOMARKERS & TESTS — DECEMBER 2025

December 2025 Snapshot

24 CMJ score measurements recorded on 16 December 2025 (single-day snapshot). No CK or other lab markers were recorded in December 2025. The March 2026 window shows 8 CK measurements on 10 March (outside the current display period). No VALD force test trials are present in the database for December 2025.

PLAYER	DATE	BIOMARKER	VALUE
Aboubaka Soumahoro	2025-12-16	cmj_score	1
Albert Sambi Lokonga	2025-12-16	cmj_score	1
Alexander Røssing-Lelesiit	2025-12-16	cmj_score	1
Bakery Jatta	2025-12-16	cmj_score	5
Daniel Elfadli	2025-12-16	cmj_score	1
Emir Sahiti	2025-12-16	cmj_score	2
Fabio Baldé	2025-12-16	cmj_score	1
Fábio Vieira	2025-12-16	cmj_score	1
Giorgi Gocholeishvili	2025-12-16	cmj_score	1
Immanuël Pherai	2025-12-16	cmj_score	1
Jean-Luc Dompé	2025-12-16	cmj_score	1
Jonas Meffert	2025-12-16	cmj_score	3

FEATURE IMPORTANCE & ML DRIVERS

Top 5 Injury-Risk Drivers (1–7 March)

1. **Overall Volume Strain (7-day):** Accumulated stress from total distance, energy expenditure, playing time, and cumulative speed intensity. High-volume positions (Attacking Midfielders, Wingers) show elevated total distance and HMLD.

2. **Planned Explosiveness Peak Strain (7-day):** Stress from maximal acceleration/deceleration and zone 6 efforts. Attacking Midfielders (453 m explosive distance mean) and Wingers (358 m) align with this driver.
3. **Average Total External Load (7-day):** Mean weekly training load. The 5 March performance dip (mean 40/100) may reflect fatigue accumulation from sustained high average load.
4. **Total External Load change vs Yesterday:** Day-to-day load variation. Staff should monitor load spikes (e.g., Poulsen's 3,157 m on 4 March) to mitigate acute risk.
5. **Total External Load Variability (7-day):** Standard deviation of daily demands, reflecting training consistency. High variability may contribute to injury risk if recovery is insufficient.

Alignment with GPS & Scores (1–7 March)


GPS data align with drivers #1 and #2: high-intensity positions (Attacking Midfielders, Wingers) show elevated HMLD and explosive distance. The 5 March performance dip may reflect fatigue accumulation (driver #3). Staff should monitor day-to-day load spikes (driver #4) and training variability (driver #5) to mitigate risk.


ATHLETE SHEETS — HIGH-RISK PROFILES

Yussuf Poulsen

Highest injury-risk score (68/100 on 7 March), following a large load spike on 4 March (3,157 m total distance, 514 m HMLD, 304 m explosive distance). Performance score moderate (48/100 on 7 March). Wellness: body soreness 27/60 mean, mood 22/60 mean. Drivers: explosiveness peaks and day-to-day load change.

Scores (1–7 March)





GPS Load (1–7 March)

DATE	DISTANCE TOTAL (M)	HMLD (M)	HIGH SPEED RUNNING (ABSOLUTE)	EXPLOSIVE DISTANCE (ABSOLUTE)
2026-03-03	2,310	171	48	122
2026-03-04	3,157	514	211	304
2026-03-05	3,099	517	132	385
2026-03-06	3,032	371	119	253

Wellness (25 Feb – 7 Mar)


DATE	BODY SORENESS	MOOD
2026-02-25	24	23
2026-02-26	25	15
2026-02-27	25	15
2026-02-28	24	19
2026-03-01	23	20
2026-03-03	25	20
2026-03-04	25	20
2026-03-05	20	20
2026-03-06	24	22
2026-03-07	23	21


Robert Glatzel

Second-highest injury-risk score (17/100 on 7 March). Sustained high GPS volumes (4,353 m total distance, 510 m HMLD on 2 March; explosive distance 320–358 m across sessions). Performance score 43/100 on 7 March. Wellness:

body soreness 32/60 mean (spike to 42 on 4 March), mood 27/60 mean. Drivers: overall volume strain and explosiveness peaks.

Scores (1–7 March)





GPS Load (1–7 March)

DATE	DISTANCE TOTAL (M)	HMLD (M)	HIGH SPEED RUNNING (ABSOLUTE)	EXPLOSIVE DISTANCE (ABSOLUTE)
2026-03-02	4,353	510	152	358
2026-03-03	3,307	430	111	320
2026-03-05	3,157	404	104	300
2026-03-06	3,111	343	83	260

Wellness (25 Feb – 7 Mar)


DATE	BODY SORENESS	MOOD
2026-02-25	26	26
2026-02-26	36	26


DATE	BODY SORENESS	MOOD
2026-02-27	29	26
2026-02-28	24	25
2026-03-01	25	23
2026-03-02	27	24
2026-03-03	26	24
2026-03-04	27	24
2026-03-05	26	25
2026-03-06	25	26
2026-03-07	28	25

Nicolás Capaldo

Volatile injury-risk profile (52/100 on 1 March, dropping to 1 on 2 March, climbing back to 13 by 7 March). Performance score fluctuates (53 on 1 March, 38 on 5 March, 49 on 7 March). No GPS data recorded during 1–7 March. Wellness: low body soreness (16/60 mean) and mood (16/60 mean), both at the good end of the scale. Initial high risk may reflect residual prior-week strain.

Scores (1–7 March)





Wellness (25 Feb – 7 Mar)

DATE	BODY SORENESS	MOOD
2026-02-25	14	**13**
2026-02-26	15	17
2026-02-27	**39**	17
2026-02-28	**17**	**16**
2026-03-01	15	**15**
2026-03-07	**30**	22

MONSTER ENERGY — NUTRITIONAL REFERENCE

Composition (Standard 500 ml Can)

Note: This information is based on general product labeling and is not derived from Mauna club datasets. No individual beverage intake or metabolic response data are tracked in the system.

- **Sugar:** ~54 g
- **Caffeine:** ~160 mg
- **Taurine:** ~1,000 mg
- **B Vitamins:** Various (B3, B6, B12)
- **Energy:** ~220 kcal

High sugar and caffeine content may provide acute energy but can lead to rapid blood glucose spikes and subsequent crashes. Staff should consider timing (pre-training vs match) and individual tolerance when advising on energy drink use.